

INTRO

WELCOME TO THE TEAM.

We are extremely proud to have the most innovative athletes as part of the Cannondale team: the precise Liquigas-Cannondale squad, the vivacious Cannondale Factory Racing team, and the mind-bending OverMountain crew. The team also includes record-breaking triathletes and Cyclocross legends. These athletes set the standard, breaking boundaries, leading never following.

But these athletes just scratch the surface of the Cannondale team. There are regional teams, your local shop team and the gang you meet for early morning rides. Few of them truly get acknowledged. But they all understand the value of ride quality and practical engineering. They are our motivation, our compass.


You may not know it, but your team is big, bigger than you think: Ivan Basso climbs the Pyrenees for you. Chrissie Wellington breaks records for you. Tinker Juarez rides every year for you. Tim Johnson slogs through the winter mud for you. Aaron Chase and Mark Weir set trends for you. In addition you have an army of passionate designers, engineers and product managers who are also on your team. None of them settle in the constant pursuit of perfection.

When you pick up a Cannondale bike, the technologies we develop like BallisTec carbon, SAVE micro suspension, Lefty, DYAD RT2, Zero Pivot or BB30 are designed exclusively for you. Whether you cross the finish line on a SuperSix EVO, watch the sun set through the trees on a Scalpel 29'er or take a Bad Girl to the art gallery opening, you will experience the same feeling.

This is what we call the Perfect Ride.









SUPERSIX EVO

SUPER. EVOLVED.

695 GRAMS AND 142.3 NM/DEG/KG.*

BEING THE LIGHTEST IN THE WORLD, WITH THE BEST STIFFNESS-TO-WEIGHT IS IMPRESSIVE. BUT THE TRUE BEAUTY OF EVO IS ITS BALANCE OF LIGHT WITH STRONG, AND STIFF WITH SMOOTH. EVOLVE.



*ZEDLER FAHRRADTECHNIK, 4/11, 56 CM, ULTIMATE FRAME, NORMALIZED TO TOUR MAGAZINE TEST STANDARDS.





> LIGHT, STIFF AND STRONG

Our leading edge carbon construction utilizes our **BallisTec** Carbon Technology to create the lightest production road frame ever made, with the best stiffness-to-weight ever measured, with the strength to outperform even most aluminum frames.

> SPEED SAVE VERTICAL COMPLIANCE

Similar to the suspension on an F1 car, the **SPEED SAVE** vertical compliance features are engineered to help the bike roll faster. Subtle flex zones in the rear stays, fork and seat tube improve rolling speed, acceleration, cornering speed and control without negatively affecting power transfer.

> DRAG REDUCTION

The EVO achieves its incredible stiffness and strength with smaller diameter tubes than the competition. This dramatically reduces the EVO's frontal area and reduces drag without the added weight and compromises of aero shaped tubes.





SUPERSIX EVO TEAM

SUPERSIX EVO, BALLISTEC HI-MOD CARBON, SPEED SAVE SUPERSIX EVO, BALLISTEC HI-MOD FULL CARBON, SPEED SAVE WHEELS MAVIC COSMIC CARBONE SLR

MAVIC YKSION, GRIPLINK FRONT AND POWERLINK REAR, 700X23C HOLLOWGRAM SL, BB30, SRAM RED RINGS, 53/39* **DERAILLEURS** SRAM RED

LIQUIGAS TEAM REPLICA (GLOSS) (LIQ).

SRAM RED SIZES 48, 50, 52, 54, 56, 58, 60, 63CM

*50/34 RINGS AND SPIDER INCLUDED



SUPERSIX EVO DI2

FRAME SUPERSIX EVO, BALLISTEC HI-MOD CARBON, SPEED SAVE SUPERSIX EVO, BALLISTEC HI-MOD FULL CARBON, SPEED SAVE WHEELS MAVIC KSYRIUM SLR

MAVIC YKSION, GRIPLINK FRONT AND POWERLINK REAR, 700X23C CRANKS HOLLOWGRAM SL, BB30, FSA DA79 RINGS, 53/39* DERAILLEURS SHIMANO DURA-ACE DI2

SHIFTERS SHIMANO DURA-ACE DI2 BRAKES SHIMANO DURA-ACE 7900 SIZES 48, 50, 52, 54, 56, 58, 60, 63CM

EXPOSED CARBON W/ CHARCOAL GREY, WHITE, RED (MATTE) (CRB).

MAGNESIUM WHITE W/ JET BLACK (GLOSS) (WHT).

SUPERSIX EVO 1 DURA ACE

SUPERSIX EVO, BALLISTEC HI-MOD CARBON, SPEED SAVE FORK SUPERSIX EVO, BALLISTEC HI-MOD FULL CARBON, SPEED SAVE WHEELS MAVIC KSYRIUM SL

SCHWALBE ULTREMO ZX, 700X23C SHIMANO DURA-ACE 7900 CRANKS HOLLOWGRAM SL, BB30, FSA DA79 RINGS, 53/39* BRAKES SHIMANO DURA-ACE 7900 DERAILLEURS SHIMANO DURA-ACE 7900

SIZES 48, 50, 52, 54, 56, 58, 60, 63CM

*50/34 RINGS AND SPIDER INCLUDED



SUPERSIX EVO 2 SRAM RED

FRAME SUPERS FORK SUPERS WHEELS MAVIC P

EXPOSED CARBON W/ WHITE, GREEN (GLOSS) (BLK).

MAGNESIUM WHITE W/ JET BLACK (GLOSS) (WHT).

RSIX EVO, BALLISTEC HI-MOD CARBON, SPEED SAVE	TIRES	SCHWALBE ULTREMO ZX, 700X23C
RSIX EVO, BALLISTEC HI-MOD FULL CARBON, SPEED SAVE	CRANKS	SRAM RED W/CANNONDALE GRAPHICS, BB30, 50/34 COMPACT
C KSYRIUM ELITE	DERAILLEURS	SRAM RED

SHIFTERS SRAM RED BRAKES SRAM RED SIZES 48, 50, 52, 54, 56, 58, 60, 63CM

*50/34 RINGS AND SPIDER INCLUDED



SUPERSIX

SPEED. RACER.

MOUNTAIN SPECIFICATIONS

VICTORIES & AWARDS







SUPER, DEFINED. WITH TWO GRAND TOUR VICTORIES IN A SINGLE SEASON, THE SUPERSIX HAS WINNING IN ITS BLOOD. GET USED TO WINNING.



IVAN BASSO.

LIQUIGAS-CANNONDALE PRO RIDER, WINNER 2010 GIRO D'ITALIA. "IT IS INCREDIBLE. IT'S SO LIGHT AND STIFF, BUT IS COMFORTABLE AS WELL, PERFECTLY BALANCED."

> RACE-WINNING PEDIGREE

Light and stiff, with an alive, communicative ride-feel, the 2012 SuperSix is the direct descendant of the frame that carried Team Liquigas-Cannondale to victory in the Giro d'Italia and Vuelta a España.

> OVERSIZED FOR POWER TRANSFER

The massively oversized **BeatBox** BB area, 1-1/8" to 1.5" tapered steerer, deep-radius headtube and oversized asymmetric chainstays, deliver point-and-shoot handling, incredible stiffness and maximum power transfer.

> HOURGLASS SEAT STAYS

Curved, hourglass-shaped seat stays allow for vertical deflection and compliance over less than perfect road surfaces. The result is improved control and comfort after long days in the saddle.



2RSS3D, 2RSS3C SUPERSIX 3 ULTEGRA

FRAME	SUPERSIX, FULL CARBON	TIRES
FORK	SUPERSIX, FULL CARBON	CRANKS
WHEELS	MAVIC KSYRIUM EQUIPE	DERAILLEURS

MAGNESIUM WHITE (GLOSS) (WHT).

RACE RED (GLOSS) (RED).

SCHWALBE DURANO S, 700X23C, FOLDING FSA SL-K LIGHT CARBON BB30, 50/34 COMPACT SHIMANO ULTEGRA 6700

SHIMANO ULTEGRA 6700 SHIFTERS BRAKES SHIMANO ULTEGRA 6700 SIZES 48, 50, 52, 54, 56, 58, 60, 63CM



MAVIC AKSION, 700X23C, FOLDING

SRAM S500, BB30, 50/34 COMPACT

CRANKS

DERAILLEURS SRAM RIVAL

2RSS4D, 2RSS4C SUPERSIX 4 RIVAL

WHEELS	MAVIC AKSIUM WTS
FORK	SUPERSIX, FULL CARBON
FRAME	SUPERSIX, FULL CARBON

CANNONDALE YELLOW (GLOSS) (YEL).

SIZES

SHIFTERS SRAM RIVAL BRAKES SRAM DUAL PIVOT

48, 50, 52, 54, 56, 58, 60, 63CM

JET BLACK W/ MAGNESIUM WHITE (MATTE) (BBQ).



SUPERSIX 5 105

FRAME	SUPERSIX, FULL CARBON
FORK	SUPERSIX, FULL CARBON
WHEELS	SHIMANO RS10

LIQUIGAS TEAM REPLICA (GLOSS) (REP).

SCHWALBE LUGANO, 700X23C, FOLDING SHIMANO 105 5700 CRANKS FSA GOSSAMER PRO BB30, 50/34 COMPACT BRAKES TEKTRO R580 SIZES DERAILLEURS SHIMANO 105 5700 48, 50, 52, 54, 56, 58, 60, 63CM



SUPERSIX 6 APEX

FRAME	SUPERSIX, FULL CARBON
FORK	SUPERSIX, FULL CARBON
WHEELS	SHIMANO R501A

SCHWALBE LUGANO, 700X23C, FOLDING TIRES CRANKS FSA OMEGA BB30, 50/34 DERAILLEURS SRAM APEX WIFLI

JET BLACK (MATTE) (BBQ).

MAGNESIUM WHITE (GLOSS) (WHT).

SHIFTERS SRAM APEX BRAKES SRAM APEX SIZES 48, 50, 52, 54, 56, 58, 60, 63CM

CAAD10

X. FACTOR.

AT JUST 1150 GRAMS*, THE ULTRA-LIGHT CAAD10 HAS A MAGICAL BLEND OF STIFFNESS AND SMOOTHNESS THAT OUTPERFORMS MOST ELITE CARBON FRAMES. HIGH PERFORMANCE ALUMINUM IS BACK.

*SIZE 56, BLACK ANODIZED COLOR COMPLETE WITH HARDWARE



> SPEED SAVE ROLLS FASTER

SPEED SAVE features are engineered not simply to make the bike more comfortable but to help the bike roll faster. They deliver improved rolling speed, better acceleration and dramatically faster cornering. Engineered to win.

> TOP TUBE STIFFNESS FOR PRECISION

Steering response and stability are directly related to top tube stiffness. With a cross section of almost 20 cm² at the head tube, CAAD10's top tube is engineered to be stiff. Optimally shaped for increased knee clearance and precise handling. Pin-point steering response with rock solid stability.

> SPEED SAVE FORK

Our new **SPEED SAVE** fork achieves the elusive combination of increased fork angle for shock absorption without increasing the bike's wheelbase. The secret? The dropouts. With a subtle offset to the rear of the tapered carbon blades, the fork maintains its razor sharp handling, eliminating buzz and chatter.





2RAX3D, 2RAX3C CAAD10 3 ULTEGRA

FRAME CAAD10, SMARTFORMED 6069 ALLOY, SPEED SAVE FORK CAAD10, FULL CARBON, SPEED SAVE WHEELS MAVIC AKSIUM WTS

MAVIC AKSION, 700X23C, FOLDING CRANKS FSA SL-K LIGHT CARBON, BB30, COMPACT 50/34 DERAILLEURS SHIMANO ULTEGRA 6700

MAGNESIUM WHITE (GLOSS) (WHT).

SHIMANO ULTEGRA 6700 SHIFTERS BRAKES SHIMANO ULTEGRA 6700 SIZES 48, 50, 52, 54, 56, 58, 60, 63CM

JET BLACK (GLOSS) (BLK).



SCHWALBE LUGANO, 700X23C, FOLDING

SRAM S500 BB30, COMPACT 50/34

SRAM RIVAL

TIRES

CRANKS

DERAILLEURS

CAAD10 4 RIVAL

FRAME CAAD10, SMARTFORMED 6069 ALLOY, SPEED SAVE FORK CAAD10, FULL CARBON, SPEED SAVE WHEELS FULCRUM RACING 7

40 BLUE W/ 40 ORANGE (GLOSS) (BLU).

BRAKES SIZES

BRUSH ALUMINUM (GLOSS) (RAW).

SHIFTERS SRAM RIVAL SRAM DUAL PIVOT 48, 50, 52, 54, 56, 58, 60, 63CM



2RAX5D, 2RAX5C CAAD10 5 105

WHEELS

CAAD10, SMARTFORMED 6069 ALLOY, SPEED SAVE FORK CAAD10, FULL CARBON, SPEED SAVE

SHIMANO RS-10

SCHWALBE LUGANO, 700X23C, FOLDING CRANKS FSA GOSSAMER PRO, BB30, COMPACT 50/34 DERAILLEURS SHIMANO 105 5700

LIQUIGAS TEAM REPLICA (GLOSS) (REP).

SHIFTERS SHIMANO 105 5700 BRAKES TEKTRO R580 SIZES 48, 50, 52, 54, 56, 58, 60, 63CM

JET BLACK (MATTE) (BBQ).



ROAD, USA, 03/11. "IT'S A FANTASTIC RIDE THAT CAN EASILY HANDLE EVEN THE TOUGHEST RIDES AND BE A SOLID, HIGH-PERFORMANCE, EVERYDAY WORKHORSE."

CAAD8

>LIGHT. SPEED.

ALWAYS GET A GOOD START. TOTALLY REDESIGNED FOR 2012 WITH FEATURES DRAWN FROM THE CAAD10 AND HEADS-UP RACE GEOMETRY, THE LIGHTEST-IN-CLASS CAAD8 BLOWS AWAY THE CONCEPT OF ENTRY LEVEL.



> CANNONDALE ALUMINUM EXPERTISE

Double-pass smooth welds, taper-butted tubes and the refined tube-shapes of the CAAD8 showcase our more than 20 years of aluminum frame-building experience.

> HEADS-UP RACE GEOMETRY

The CAAD8 shares the proven race geometry of its more expensive brethren but with a slightly taller headtube for a more relaxed riding position.

> CAAD10 DNA

CAAD8 shares many of the performance features, like the asymmetric chain stays, horizontally ovalized top tube, and **SAVE** vibration-reducing stays, of the ultra-high performance CAAD10.



MAGNESIUM WHITE (GLOSS) (WHT).

CAAD8 6 TIAGRA

111111111	THE STATE OF THE S		
FRAME	NEW CAAD8, OPTIMIZED 6061 ALLOY, SAVE	TIRES	SCHWALBE LUGANO, 700X23C
FORK	CANNONDALE ULTRA, CARBON BLADES	CRANKS	FSA 0MEGA BB30, 50/34
WHEELS	MADDUX RS 3.0, 32 HOLE	DERAILLEURS	SHIMANO TIAGRA 4600

JET BLACK (MATTE) (BBQ)

SHIFTERS	SHIMANO TIAGRA 4600	
BRAKES	CANNONDALE C4, DUAL PIVOT, CARTRIDGE PAD	
SIZES	48, 51, 54, 56, 58, 61CM	



JET BLACK (MATTE) (BBQ).

CAAD8 7 SORA

FRAME

FORK

NEW CAAD8, OPTIMIZED 6061 ALLOY, SAVE

CANNONDALE ULTRA, CARBON BLADES

MADDUX RS 3.0, 32 HOLE

TIRES

SCHWALBE LUGANO, 700X23C

CRANKS

FSA VERO, 50/34

DERAILLEURS

SHIMANO SORA

RACE RED (GLOSS) (RED).

SHIFTERS	SHIMANO SORA
BRAKES	CANNONDALE C4, DUAL PIVOT, CARTRIDGE PAD
SIZES	48, 51, 54, 56, 58, 61CM

SYNAPSE

FIRST. CLASS.

VICTORIES & AWARDS







PERFECT FOR LIQUIGAS-CANNONDALE ON THE COBBLES OF

THE ARENBURG OR FOR EPIC GRAN FONDO RIDES, SYNAPSE IS THE PERFECT BLEND OF RACE-LEVEL PERFORMANCE AND

ALL-DAY COMFORT. TAKE THE LONG WAY HOME.







> SAVE PLUS FOR LONGER, MORE COMFORTABLE RIDES

SAVE PLUS is the newly redesigned micro suspension system made specifically for our Synapse line of bikes. With even more emphasis on comfort than SPEED SAVE, **SAVE PLUS'** rear stays feature a flattened area that can deflect vertically to absorb road buzz and shock while the increased width resists side-to-side and torsional flex.

> SAVE PLUS MULTIFLEX SEATPOST SYSTEM

The new **SAVE PLUS** Multiflex Seatpost System features two different **SAVE PLUS** seatpost shafts, one with firm flex, and one with softer flex so riders can tune the ride-feel to their preference. Also compatible with 2009-2010 Synapse frames for owners who wish to upgrade.

*Second seatpost shaft offered after-market

> SAVE PLUS FORK SMOOTHS THE ROAD

The new **SAVE PLUS** fork is a gorgeously smooth-riding combination of sophisticated carbon lay-up and shaping, and offset dropouts for increased vertical deflection and vibration absorption with no loss in steering precision.





SCHWALBE ULTREMO ZX, 700X25C

SRAM RED

CRANKS

TIRES

CRANKS

DERAILLEURS

DERAILLEURS

CANNONDALE SRAM RED, BB30, 50/34

SYNAPSE HI-MOD 2 SRAM RED

FORK

WHEELS

SYNAPSE, HI-MOD FULL CARBON, SAVE PLUS SYNAPSE, HI-MOD FULL CARBON, SAVE PLUS MAVIC KSYRIUM ELITE, BLACK

MAGNESIUM WHITE (GLOSS) (WHT).

EXPOSED CARBON (MATTE) (CRB).

SHIFTERS SRAM RED BRAKES SRAM RED SIZES 48, 51, 54, 56, 58, 61CM



SCHWALBE DURANO 700X25C, BLACK

FSA SL-K LIGHT CARBON, BB30, 50/34

SHIMANO ULTEGRA 6700

SYNAPSE CARBON 3 ULTEGRA

FRAME SYNAPSE, FULL CARBON, SAVE PLUS SYNAPSE, FULL CARBON, SAVE PLUS WHEELS DT SWISS RR1600

LIQUIGAS TEAM REPLICA (GLOSS) (REP).

EXPOSED CARBON (GLOSS) (BLK).

SHIFTERS	SHIMANO ULTEGRA 6700	
BRAKES	SHIMANO ULTEGRA 6700	
SIZES	48, 51, 54, 56, 58, 61CM	



SYNAPSE CARBON 4 RIVAL

EXPOSED CARBON (GLOSS) (BLU).

MAGNESIUM WHITE (GLOSS) (WHT).

SYNAPSE, FULL CARBON, SAVE PLUS SHIFTERS MAVIC AKSION, 700X25C, FOLDING SRAM RIVAL FORK CRANKS SYNAPSE, FULL CARBON, SAVE PLUS SRAM S550,BB30, 50/34 BRAKES SRAM DUAL PIVOT DERAILLEURS WHEELS SIZES 48, 51, 54, 56, 58, 61CM MAVIC AKSIUM WTS SRAM RIVAL



SYNAPSE CARBON 5 105

FRAME FORK WHEELS MAGNESIUM WHITE W/ RACE RED (GLOSS) (RED).

EXPOSED CARBON W/ MAGNESIUM WHITE (GLOSS) (BLK).

SYNAPSE, FULL CARBON, SAVE PLUS	TIRES	SCHWALBE LUGANO, 700X25C, BLACK	SHIFTERS	SHIMANO 105 5700
SYNAPSE, FULL CARBON, SAVE PLUS	CRANKS	FSA GOSSAMER PRO BB30, 50/34	BRAKES	TEKTRO R580
SHIMANO RS10	DERAILLEURS	SHIMANO 105 5700	SIZES	48, 51, 54, 56, 58, 61CM



SYNAPSE CARBON 6 APEX

FRAME SYNAPSE, FULL CARBON, SAVE PLUS
FORK SYNAPSE, CARBON BLADES, SAVE
WHEELS SHIMANO R501A

EXPOSED CARBON (GLOSS) (BLU).
SCHWALBE LUGANO WIRE, 700X25C, BLACK

FSA OMEGA BB30, 50/34

SRAM APEX WIFLI

CRANKS

DERAILLEURS

MAGNESIUM WHITE (GLOSS) (WHT).

 SHIFTERS
 SRAM APEX

 BRAKES
 SRAM APEX

 SIZES
 48, 51, 54, 56, 58, 61CM



SCHWALBE LUGANO, 700X25C

FSA GOSSAMER, BB30, 50/34

DERAILLEURS SHIMANO 105 5700

CRANKS

2RASSC, 2RASST SYNAPSE ALLOY 5 105

FRAME SYNAPSE ALLOY, OPTIMIZED 6061 ALLOY, SAVE PLUS
FORK SYNAPSE SAVE, CARBON BLADES
WHEELS SHIMANO RS10

MAGNESIUM WHITE (GLOSS) (WHT).

BRUSHED ALUMINUM (GLOSS) (RAW).

SHIFTERS	SHIMANO 105 5700	
BRAKES	TEKTRO R539, DUAL PIVOT, LONG REACH	
SIZES	48, 51, 54, 56, 58, 61CM	



SYNAPSE ALLOY 6 TIAGRA

FRAME SYNAPSE ALLOY, OPTIMIZED 6061 ALLOY, SAVE PLUS
FORK SYNAPSE SAVE, CARBON BLADES
WHEELS MADDUX RS 3.0, 32 HOLE

TIRES SCHWALBE LUGANO, 700X25C

CRANKS FSA OMEGA, BB30, 50/34

DERAILLEURS SHIMANO TIAGRA 4600

INDIGO BLUE (GLOSS) (BLU).

SHIFTERS SHIMANO TIAGRA 4600

BRAKES CANNONDALE C4, DUAL PIVOT, LONG REACH

SIZES 48, 51, 54, 56, 58, 61CM

JET BLACK (MATTE) (BBQ).



SYNAPSE ALLOY 7 SORA

FRAME SYNAPSE ALLOY, OPTIMIZED 6061 ALLOY, SAVE PLUS
FORK SYNAPSE SAVE, CARBON BLADES
WHEELS MADDUX RS 3.0, 32 HOLE

MAGNESIUM WHITE (GLOSS) (WHT).

RACE RED (GLOSS) (RED).

TIRES SCHWALBE LUGANO, 700X25C

CRANKS FSA VERO, 50/39/30

DERAILLEURS SHIMANO SORA

 BRAKES
 CANNONDALE C4, DUAL PIVOT, LONG REACH

 SIZES
 48, 51, 54, 56, 58, 61CM

SHIMANO SORA

SHIFTERS

TIME. TESTED.



AS THE MULTIPLE IRONMAN WORLD CHAMPIONSHIPS AND WORLD RECORDS CAN ATTEST, THE SLICE'S BLEND OF AERODYNAMICS, LIGHT WEIGHT AND *AERO SAVE* COMFORT FEATURES IS A WINNING FORMULA. FIND YOUR NEW FAST.



> RIDE SMOOTHER. RUN FRESHER

The Slice's **AERO SAVE** rear stays deflect vertically to absorb road shock, while staying extremely stiff laterally and torsionally. Great power transfer and comfort that delivers you to the run feeling fresh.

> SUPERB GEOMETRY

The refined geometry and two-position aero seatpost enable riders to find their perfect aero position. The stable, predictable handling and **AERO SAVE** features help them stay in it longer.

> SPEED SHADOW SEAT TUBE

The shape of the **SPEED SHADOW** seat tube helps smooth out turbulent airflow and pass it smoothly over the rear wheel, reducing drag and increasing speed.



SLICE 5 105

SLICE, FULL CARBON, AERO SAVI FORK SLICE AERO, FULL CARBON FSA GOSSAMER PRO BB30, 52/38 TEKTRO R580 BRAKES SIZES WHEELS SHIMANO R501A DERAILLEURS SHIMANO 105 5700 51, 54, 56, 58, 60CM



CHRISSIE WELLINGTON.

3X WORLD IRONMAN CHAMPION.

MAGNESIUM WHITE W/ JET BLACK AND RACE RED (GLOSS) (WHT)

"OVER THE PAST TWO YEARS MY SLICE AND I HAVE WON THE WORLD IRONMAN CHAMPIONSHIPS, BROKEN TWO WORLD RECORDS AND SIX COURSE RECORDS. THE BIKE LEAVES MY LEGS FRESHER FOR THE RUN. IT TRULY IS THE PERFECT PARTNERSHIP!"

SUPERX

>REIGN. SUPREME.



SUPER LIGHT. SUPER TOUGH. SUPER STIFF. SUPER SMOOTH. DESIGNED WITH INPUT FROM NATIONAL CHAMPIONS, SUPERX IS AN EXCEPTIONAL WEAPON FOR AN EXCEPTIONAL SPORT. DON'T JUST RACE THIS CROSS SEASON; REIGN.



> BALLISTEC CARBON CONSTRUCTION

High-strength fibers developed for **Ballistic** armoring and high-impact resins build remarkable strength into this ultralight frameset (1400 grams*)

*Frame and fork, size 56cm

> SPEED SAVE MICRO-SUSPENSION SYSTEM

The **SPEED SAVE** rear stay assembly combines flattened cross-sections with sophisticated carbon layup to create a system that offers incredible power transfer, yet acts as a microsuspension system which absorbs shock and keeps you fresh and in control over rough terrain.

> SYSTEM INTEGRATED FORK

The oversized headtube houses a 1-1/8" to 1-1/4" tapered full carbon fork for the perfect balance of precise handling, strength and light weight.



SUPERX 3 ULTEGRA

FRAME SUPERX, BALLISTEC CARBON, SPEED SAVE TIRES SCHWALBE SAMMY SLICK 700X35C SHIFTERS SHIMANO ULTEGRA 6700

FORK SUPERX, BALLISTEC CARBON CRANKS FSA GOSSAMER PRO, BB30, 46/36 BRAKES TRP EURO-X ALLOY

WHEELS MAVIC KSYRIUM EQUIPE DERAILLEURS SHIMANO ULTEGRA 6700 SIZES 44, 48, 52, 54, 56, 58CM



SUPERX 4 RIVAL

 FRAME
 SUPERX, BALLISTEC CARBON, SPEED SAVE
 TIRES
 SCHWALBE RAPID ROB, 700X35C

 FORK
 SUPERX, BALLISTEC CARBON
 CRANKS
 FSA GOSSAMER PRO, BB30, 46/36

 WHEELS
 FULCRUM RACING 7 CX
 DERAILLEURS
 SRAM RIVAL

MAGNESIUM WHITE W/ JET BLACK (GLOSS) (WHT)

MAGNESIUM WHITE W/ JET BLACK (GLOSS) (WHT).

SHIFTERS	SRAM RIVAL	SRAM RIVAL	
BRAKES	TRP EURO-X ALLOY		
SIZES	44, 48, 52, 54, 56, 58CM		

CAADX

CROSS. FUNCTIONAL.

GO OFF THE BEATEN PATH, TURBO CHARGE YOUR COMMUTE OR JUMP IN AT THE LOCAL 'CROSS RACE. WIPE OFF THE MUD, KEEP THE SMILE.



> HEADS-UP RACE GEOMETRY

The CAADX has a slightly taller head tube and slacker head angle than the SuperX, providing a more comfortable upright position and super stable handling.

> CANNONDALE ALUMINUM EXPERTISE

With taper-butted, shaped tubes joined by our trademark double-pass smooth welds, CAADX continues our tradition of aluminum mastery.

> HOURGLASS SEAT STAYS

The hourglass shape of the seat stays offers significant vertical compliance for comfort and control over the harsh ruts and mud of 'cross, while remaining laterally rigid for power transfer and confident handling.



CAADX 6 TIAGRA

FRAME	CAADX CYCLOCROSS, OPTIMIZED 6061 ALLOY	TIRES	SCHWALBE SAMMY SLICK, 700X35C	SHIFTERS	SHIMANO TIAGRA 4600
FORK	CANNONDALE ULTRA X, CARBON BLADES	CRANKS	FSA OMEGA BB30, 46/36	BRAKES	TEKTRO CR520
WHEELS	MADDUX DRX 6000, 32 HOLE	DERAILLEURS	SHIMANO TIAGRA 4600	SIZES	44, 48, 51, 54, 56, 58, 61CM
WHEELS	MADDUX DRX 6000, 32 HOLE	DERAILLEURS	SHIMANO TIAGRA 4600	SIZES	44, 48, 51, 54, 56, 58, 61CM





JET BLACK (MATTE) (BBQ)

TIM JOHNSON.

CANNONDALE CYCLOCROSS WORLD PRO RIDER 6X NATIONAL CHAMPION "CROSS IS: UP AND DOWN, ON AND OFF, BRAKE AND GAS, RIGHT AND LEFT, TWIST AND TURN, PUSH AND PULL. MY CANNONDALE ALLOWS ME TO PUSH WHERE I SHOULDN'T, PUSH WHEN NO ONE ELSE CAN, PUSH THROUGH TO THE FINISH LINE..."



CLAYMORE

NO. LIMITS.

THE CLAYMORE IS A TWO-BIKES-IN-ONE TRAIL WEAPON. AT A FLICK OF THE SWITCH, THE CLAYMORE CHANGES FROM A 110MM-TRAVEL ALL-AROUND TRAIL BIKE TO A 180MM-TRAVEL DOWNHILL CHARGER. EXPAND YOUR BATTLEFIELD.





> DYAD RT2 — ADJUST YOUR ATTITUDE

A two-position shock mount lets you choose your starting geometry, then **DYAD's** dual modes, Elevate (110mm) and Flow (180mm), let you further tune the geometry and ride-feel on the fly. It is like having two different bikes at the flick of a switch.

> ECS-TC THRU-AXLES

The ECS-TC (Enhanced Center Stiffness — Torsion Control) System is all about reducing flex at pivots and links. 15mm thru-axles at the shock link and main pivot are clamped on both sides, tying the two sides together. This dramatically increases stiffness for instant responsiveness and control.

> DOUBLE-STACKED REAR DROPOUT PIVOT BEARINGS

As part of the **ECS-TC** System, we double-stack the bearings at the rear dropout pivots. By placing two bearings side-by-side in each pivot, we eliminate twisting play in the bearings, radically stiffening the swingarm.



FRAME CLAYMORE, 180/110MM, SMARTFORMED ALLOY

SUSPENSION FOX DYAD RT2 180-110MM / FOX TALAS R, 180MM

WHEELS SURRINGLE CHARGER PRO, TUBELESS READY

CRANKS	SRAM S1400, BB30, 36/22 W/ GUARD
DERAILLEURS, R/F	SHIMANO XT / SRAM X9
SHIFTERS	SHIMANO XT

	JEI	BLACK	(MATTE)	(BBM).
ANA				

BRAKES AVID ELIXIR 9, 200/180MM

TIRES SCHWALBE HANS DAMPF SNAKESKIN TRAILSTAR, 2.35*
TUBELESS READY

SIZES S, M, L



CLAYMORE 2

 FRAME
 CLAYMORE, 180/110MM, SMARTFORMED ALLOY

 SUSPENSION (R/F)
 FOX DYAD RT2 180-110MM / FOX VAN R O/B, 180MM

 WHEELS
 SUNRINGLE INFERNO 27, 32 HOLE

80MM DERAILLEUI

SRAM S1400, BB30, 36/22 W/ GUARD

(R/F) SRAM X9 / SRAM X7

DERAILLEUR (R/F) SRAM X9 / SRAM X7
SHIFTERS SRAM X7

ind

BRAKES AVID ELIXIR 7, 200/180MM

TIRES SCHWALBE HANS DAMPF PERFORMANCE, 2.35", FOLDING

SIZES S, M,





JET BLACK (MATTE) (BBQ).

AARON CHASE.

FREERIDE ICON,
OVERMOUNTAIN ATHLETE.

"MY DEFINITION OF 'OVERMOUNTAIN'
IS EXPLORING NATURE WITH
ABSOLUTE A.D.D. THE BIKES ARE
SO FAST AND SOLID, MAKING THE
MOUNTAIN MY PLAYGROUND!"



JEKYLL

ATTITUDE. ADJUST.

THE MOST VERSATILE BIKE ON THE MOUNTAIN. FLOAT UP THE CLIMBS WITH AN EFFICIENT 90MM-TRAVEL TRAIL MACHINE. ROCK THE DESCENTS WITH A PLUSH 150MM OF LONG-TRAVEL GOODNESS. RIDE ANYWHERE. RIDE ANYTHING. EXPAND YOUR BOUNDARIES.







> DYAD RT2 - ADJUST YOUR ATTITUDE

The **DYAD** shock gives the Jekyll its two different personalities - Elevate (90mm) and Flow (150mm). Each with its own air spring volume and damping circuits, and its own ride geometry. It is like having two different bikes available to you at the flick of a switch.

> ECS-TC SYSTEM

The **ECS-TC** (Enhanced Center Stiffness-Torsion Control) System uses features like these clamped 15mm thru-axles and doubled bearings at the rear dropouts to eliminate flex and play in the links and pivots. This removes the vague, imprecise feeling felt on so many dual suspension bikes.

> LIGHT AND TOUGH

In either **BallisTec** Carbon or SmartFormed Alloy, the incredibly light, unbelievably tough Jekyll frames let you climb with the whippets but descend with the pitbulls.



JEKYLL CARBON 1

FRAME	JEKYLL, 150/90MM, BALLISTEC HI-MOD CARBON
SUSPENSION	FOX DYAD RT2 150-90MM / FOX 32 TALAS RLC FIT, 150MM
WHEELS	MAVIC CROSSMAX ST, TUBELESS

CRANKS	SRAM S2210, BB30, 38/24 W/ GUARD
DERAILLEURS, R/F	SHIMANO XTR / SRAM X9
SHIFTERS	SHIMANO XT

EXPOSED CARBON W/ MAGNESIUM WHITE(GLOSS) (WHT)

BRAKES	AVID ELIXIR 9 CARBON, 180/180MM
TIRES	SCHWALBE HANS DAMPF SNAKESKIN TRAILSTAR, 2.35" TUBELESS READY
SIZES	S, M, L, X



JEKYLL CARBON 2

FRAME JEKYLL, 150/90MM, BALLISTEC HI-MOD CARBON

SUSPENSION FOX DYAD RT2 150-90MM / FOX 32 TALAS RL, 150MM

WHEELS SUNRINGLE BLACKFLAG EXPERT +, TUBELESS READY

 CRANKS
 SRAM S2210, BB30, 38/24 W/ GUARD

 DERAILLEURS, R/F
 SRAM X9 / SRAM X7

 SHIFTERS
 SRAM X9

BRAKES AVID ELIXIR 7 CARBON, 180/180MM

TIRES SCHWALBE HANS DAMPF SNAKESKIN TRAILSTAR, 2.35"

TUBELESS READY

SIZES S, M, L, X

CHARCOAL GRAY (MATTE) (GRY).



JEKYLL ALLOY 3

FRAME	JEKYLL, 150/90MM, SMARTFORMED ALLOY
SUSPENSION	FOX DYAD RT2 150-90MM / FOX 32 TALAS RL, 150MM
WHEELS	SUNRINGLE INFERNO25

 CRANKS
 SRAM S1400, BB30, 44/33/22

 DERAILLEURS, R/F
 SHIMANO XT / SRAM X7

 SHIFTERS
 SHIMANO SLX

SRAM S1400, BB30, 44/33/22

BRAKES

AVID ELIXIR 7, 180/180MM

TUPE

SCHWALBE HANS DAMPF SNAKESKIN TRAILSTAR, 2.35*

BRAKES AVID ELIXIR 7, 180/180MM

TIRES SCHWALBE HANS DAMPF SNAKESKIN TRAILSTAR, 2.35*
TUBELESS READY

SIZES S, M, L, X



JEKYLL ALLOY 4

FRAME JEKYLL, 150/90MM, SMARTFORMED ALLOY

SUSPENSION FOX DYAD RT2 150-90MM / ROCKSHOX SEKTOR TK, 150MM

WHEELS SUNRINGLE INFERNO25

 CRANKS
 SRAM S1000 3.3, 44/33/22

 DERAILLEURS, R/F
 SRAM X7 / X7

 SHIFTERS
 SRAM X5

BRAKES AVID ELIXIR 3, 180/180MM

TIRES SCHWALBE HANS DAMPF SNAKESKIN TRAILSTAR, 2.35"
TUBELESS READY

SIZES S, M, L, X





MAGNESIUM WHITE (GLOSS) (WHT).

MARK WEIR. OVERMOUNTAIN AGGRESSIVE ENDURANCE SPECIALIST.

"THE JEKYLL GIVES SPEED UP OR DOWN BY THE FLICK OF A LEVER. IT'S A NEW TRAIL WEAPON FOR THOSE WHO WANT THE BEST OF BOTH WORLDS. ON POWER EFFICIENCY WITH FULL DOWNHILL CAPABILITY."

LEFTY/HEADSHOK

LIGHTER. STRONGER. STIFFER. SMOOTHER. DEFY. CONVENTION.

THE MOUNTAIN BIKE WORLD CAN BE DIVIDED INTO TWO BASIC GROUPS: PEOPLE WHO LOVE LEFTY, AND PEOPLE WHO HAVEN'T YET TRIED LEFTY. THERE ISN'T A LOT OF MIDDLE GROUND BECAUSE MOST PEOPLE WHO RIDE LEFTIES FIND THEY SIMPLY CAN'T GO BACK TO RIDING OTHER FORKS.



> DON'T SLIDE. ROLL

Rather than sliding on bushings like other forks, **Lefty** rolls smoothly on precision-ground needle bearings. These bearings eliminate friction and allow the **Lefty** to remain plush and active under loads that would cause a bushing fork to bind and stick. Better suspension equals better control.

> OP

Our patented 3D forging process, used for parts like the **OPI** outer leg/clamp structure, the **OPI** inner leg/axle structure, and our **OPI** stem/steerer, integrates multiple parts into single forged pieces, reducing overall weight and increasing strength.

> SUPERIOR DESIGN

Lefty's inverted double-clamp design is stiffer, stronger and lighter than the normal single crown designs. When System Integrated with the OPI stem/ steerer, it forms the lightest, most precise suspension system available.



> LEFTY IS LIGHTER.

Our lightest Lefty, the SPEED Carbon XLR, weighs an unbelievable 1250g. Even our heaviest Lefty, at 1445 grams, is lighter than most of our competitors lightest race offerings.

> LEFTY IS STRONGER.

XC weight meets dirt jumper tough.
Lefty's unconventional inverted design,
with its oversized steerer, massive
outer tube and beefy dual crowns,
gives even the lightest carbon Lefty
the strength to go head-to-head in
destructive testing with forks designed
for much more abusive riding.

> LEFTY IS STIFFER.

Despite weighing less than the lightest XC race forks, Lefty's stout structure combined with its "square-in-a-square" stanchion design allow it to post deflection numbers comparable with the burliest thru-axle forks.

Testing proves Lefty beats out traditional all-mountain and freeride forks in stiffness to weight. (Tested by Bike magazine Germany, January 2011)

> LEFTY IS SMOOTHER.

The heart of all HeadShok and Lefty designs, Cannondale's patented 88 Needle Bearing Technology keeps the suspension rolling fluidly, regardless of load. Unlike with normal bushing forks, hard braking, impacts and steering forces have no effect on the shock's ability to move, which allows the wheel to track the ground freely and keeps the rider in perfect control.

> LEFTY CARBON XLR

FILAMENT WOUND CARRON OUTER LEG. ALLOY CLAMPS

OPL3D-FORGED INNER LEG/SPINDLE

SEALED CARTRIDGE XLR DAMPER W/ POPTOP BLOW-OFF THRESHOLD PISTON AND XLOC™ REMOTE LEVER

Lefty Carbon XLR is available in these configurations.

LEFTY MAX CARBON XLR - 140MM TRAVEL, 1315 GR.

LEFTY ULTRA CARBON XLR - 120MM TRAVEL, 1320 GR.

LEFTY SPEED CARBON XLR - 100MM TRAVEL, 1250 GR.

LEFTY 29'ER CARBON XLR - 90 OR 100MM TRAVEL, 1332 GR.

> LEFTY XLR

OPI 3D-FORGED OUTER LEG/CLAMPS

OPI 3D-FORGED INNER LEG/SPINDLE

SEALED CARTRIDGE XLR DAMPER W/ POPTOP BLOW-OFF THRESHOLD PISTON AND XLOC™ REMOTE LEVER

Lefty XLR is available in these configurations.

LEFTY ULTRA XLR - 120MM TRAVEL. 1440 GR.

LEFTY SPEED XLR - 100MM TRAVEL, 1394 GR.

LEFTY 29'ER XLR - 90 OR 100MM TRAVEL, 1445 GR.

> LEFTY PBR

OPL3D-FORGED OUTER LEG/CLAMPS

OPI 3D-FORGED INNER LEG/SPINDLE

SEALED CARTRIDGE DAMPER W/ POPTOP BLOW-OFF THRESHOLD PISTON AND PUSH-BUTTON ACTUATION

Lefty PBR is available in these configurations.

LEFTY ULTRA PBR - 120MM TRAVEL, 1391 GR.

LEFTY SPEED PBR - 100MM TRAVEL, 1334 GR.

LEFTY 29'ER PBR - 90 OR 100MM TRAVEL, 1408 GR.


> FATTY DLR

OPI AIR-FORMED ONE-PIECE LEGS

SEALED CARTRIDGE DLR DAMPER W/ TOP MOUNT LOCKOUT

Fatty DLR is available in this configuration.

HEADSHOK FATTY DLR - 80MM TRAVEL, 1275 GR.









TWEAK. REFINE. TWEAK. REFINE. LEAP AHEAD.

CANNONDALE IS EXCITED TO PARTNER WITH SRAM ON MANY OF OUR PREMIER TEAMS AS WELL AS ON MANY OF OUR PRODUCTS. SRAM IS THE CHOICE OF LIQUIGAS-CANNONDALE, CANNONDALE FACTORY RACING, CANNONDALE CYCLOCROSSWORLD AND MANY OF OUR WORLD-CLASS ATHLETES.

SRAM RED: THE PRO GRUPPO

SRAM RED is the first choice for riders and racers who won't accept any compromise. The most challenging races in the world have been won on SRAM RED, including the Tour de France, Giro d'Italia and Paris-Roubaix. Liquigas-Cannondale is SRAM RED-equipped. Its success in the pro peloton speaks for itself. Featured on the SuperSix EVO, the Synapse Hi-MOD and the SuperX.

SRAM APEX: WHEREVER THE ROAD TAKES YOU

You like to climb long mountain passes, or your local hill, but don't want clumsy triple cranks on your bike? With the first 11-32 cassette for the road, and the new SRAM Apex compact crankset, you will have a wider gear range than the most popular triple combinations. Climb and descend more efficiently with SRAM features like Zero-loss, reach-adjust, and DoubleTap shifting. Featured on the Synapse.


ZIPP 303 CX

The qualities that make the 303 ideal for "road" races like Paris-Roubaix also make it the ultimate cyclocross wheelset. Despite its toughness and stability, the 303 Cyclocross is lighter than many dedicated climbing wheelsets. At just 1206 grams, the 303 provides excellent lateral stiffness when accelerating out of technical corners and punching over short, steep hills.

RZ ONE TWENTY

JUST. RIGHT.

120MM OF BALANCED FRONT AND REAR TRAVEL COMBINED WITH IMPECCABLY REFINED HANDLING MAKE THE LIGHT, EFFICIENT RZ PLATFORM THE PERFECT BIKE FOR LONG TRAIL RIDES OR YOUR FAVORITE MARATHON EVENT.







> STAGED TRAVEL

The RZ's refined single pivot design offers optimal suspension response throughout the travel. The stroke is super plush at the beginning, linear and predictable through the middle, with a firm ramp at the end for a bottomless feel.

> CANNONDALE ALUMINUM EXPERTISE

The RZ showcases decades of aluminum mastery.

SmartFormed tubes, double-pass smooth welds
and the 3D forged OPI (One Piece Integration)

Backbone BB/main pivot/ seat-tube structure
deliver maximum strength with minimal weight

> SUPERB HANDLING

The perfect mix of stable and racy, the RZ's geometry lets you feel at home and in control no matter what the mountain throws your way. Truly at its best when **System Integrated** with the unbeatable **Lefty** fork.

MBR. UK 03/11.

"COMFORTABLE AND CONFIDENT, IT ALLOWS YOU TO SIMPLY GET ON WITH YOUR RIDING."

SCALPEL

CUTTING. EDGE.

VICTORIES AND AWARDS







THE LIGHTEST, STIFFEST, MOST RESPONSIVE DUAL SUSPENSION XC RACE BIKE IN THE WORLD. WITH RACE PROVEN ZERO PIVOT TECHNOLOGY, BALLISTEC CARBON CONSTRUCTION AND FULL SYSTEM INTEGRATED COMPONENTRY, THE SCALPEL IS THE ULTIMATE CROSS-COUNTRY RACE WEAPON.



> SYSTEM INTEGRATION

Scalpel is **System Integration**. We achieve unbelievable weight saving and efficiency by designing components and frames to work together. Our Lefty fork, Si **OPI** Stem, and **Hollowgram** SL BB30 crankset give us system stiffness and weights that our competitors can only dream of.

> BALLISTEC CARBON

The Scalpel frame weighs just 1590 grams with shock! Made primarily from ballistic armoring fibers and high-impact resins, our **BallisTec** carbon construction ensures that its feathery weight doesn't come at the expense of strength or stiffness. Race with confidence.

> ZERO PIVOT

Scalpel achieves 80mm of efficient, progressive rear suspension without pivots, bushings or bearings. Through radically advanced carbon lay-up and shaping, the seatstays and chainstays are allowed to flex vertically while maintaining best-in-class lateral and torsional stiffness-to-weight numbers. Pure efficiency.



SCALPEL TEAM

FRAME	SCALPEL, 80MM, BALLISTEC HI-MOD CARBON, ZERO PIVOT
SUSPENSION	ROCKSHOX MONARCH RT3 / LEFTY SPEED CARBON XLR, 100MM
WHEELS	MAVIC CROSSMAX SLR, TUBELESS

CRANKS	CANNONDALE HOLLOWGRAM SL, 39/26	
DERAILLEURS, R/F	SRAM XX / XX	Ī
CHIETERS	SRAM XX	9

EXPOSED CARBON W/ BERSERKER GREEN (GLOSS) (REP).

BRAKES	AVID XX WORLD CUP, 160/140MM
TIRES	SCHWALBE FURIOUS FRED PACESTAR, 26X2.0" TUBELESS READY
SIZES	S, M, L, X



SCALPEL 2

FRAME SCALPEL, 80MM, BALLISTEC HI-MOD CARBON, ZERO PIVOT SUSPENSION ROCKSHOX MONARCH RT / LEFTY SPEED XLR, 100MM WHEELS SUNRINGLE BLACKFLAG PRO, TUBELESS READY

SRAM S2210, BB30, 39/26 DERAILLEURS, R/F SRAM X0 / X9 SHIFTERS SRAM X9

BRAKES AVID ELIXIR 9 CARBON 160/140MM SCHWALBE RACING RALPH PACESTAR, 2.1" TUBELESS TIRES SIZES S, M, L, X

JET BLACK W/ MAGNESIUM WHITE (GLOSS) (BLK).



SCALPEL 3

FRAME SCALPEL, 80MM, BALLISTEC HI-MOD CARBON, ZERO PIVOT SUSPENSION ROCKSHOX MONARCH RT / LEFTY SPEED PBR, 100MM WHEELS DT SWISS XCR 1.7 CUSTOM, TUBELESS READY

SRAM S1400, BB30, 39/26 CRANKS DERAILLEURS, R/F SHIMANO XT / SRAM X7

RACE RED W/ MAGNESIUM WHITE (GLOSS) (RED).

BRAKES AVID ELIXIR 7, 160/140MM SCHWALBE RACING RALPH PACESTAR, 2.1" TUBELESS TIRES SIZES S, M, L, X




JOHS HUSEBY. **CANNONDALE MOUNTAIN** PRODUCT DIRECTOR.

"THE 2011 SCALPEL IS A FULL-BLOWN, PURPOSE-BUILT, DAMN-THE-TORPEDOES, GO-FAST, PROFESSIONAL XC RACE RIG. IF YOUR IDEA OF FUN INVOLVES OXYGEN DEBT, LYCRA AND PUTTING THE HURT ON YOUR RIDING PARTNERS, THEN SCALPEL IS THE BIKE FOR YOU."

FLASH

>FLASH. FORWARD.

A PURE RACER. WITH ITS ULTRA-LIGHT *SMARTFORMED* FRAME AND *SPEED SAVE* MICRO-SUSPENSION STAYS, THE FLASH ALLOY CAN PUT YOU ON THE PODIUM - WITH MONEY LEFT OVER FOR THE IMPORTANT THINGS, LIKE RACE FEES AND MEDAL CASES.




TRAIL SL AND TRAIL

TRAIL. BLAZER.



PACKED WITH FEATURES AND TECHNOLOGY FROM ITS UPPER END SIBLINGS, THE TRAIL IS THE BIKE THAT WILL USHER YOU FOREVER INTO THE WORLD OF FAT TIRES, OFF ROAD TRAILS AND BIG SMILES. LET THE GOOD TIMES BEGIN.



> SUPER LIGHT WEIGHT

At just 1450 grams, the Flash Alloy frame is lighter than many of our competitors' carbon race bikes.

> CANNONDALE ALUMINUM

Flash's sophisticated **SmartFormed** tubing, and trademark double-pass smooth welds showcase our almost 3 decades of aluminum supremacy.

> SPEED SAVE REAR STAYS

Careful shaping and wall thickness manipulation on the chain stays and seat stays allows them to deflect vertically while remaining stiff laterally and torsionally, absorbing shock and enhancing control.

> RACE DNA

The Trail bikes have racing in their blood. They share the geometry and many of the features of their Flash brethren for a ride that is fast, snappy and agile. The Trail SL's all use 1.5" steerers for increased strength and stiffness.

> CANNONDALE ALUMINUM CRAFTING

The Trail's purposefully shaped tubes, internal taper-butting and trademark double-pass smooth welds highlight Cannondale's aluminum expertise.

> SAVE COMFORT ENHANCING REAR STAYS.

The chain stays and seat stays are designed to work together to absorb shock, while preventing side-to-side and twisting flex. This adds up to better comfort and great power transfer.



SHIMANO FC-M430-8 OCTALINK, 44/32/22

DERAILLEURS, R/F SHIMANO DEORE / ALIVIO

SHIMANO ALIVIO

SHIFTERS

TRAIL SL 3

FRAME TRAIL SL, OPTIMIZED 6061 ALLOY RST DEUCE COIL, 100MM WHEELS MADDUX DC3.0

JET BLACK (GLOSS) (BLK).

MAGNESIUM WHITE (GLOSS) (WHT).

BRAKES SHIMANO BR-M446 HYDRAULIC DISC, 160/160MM TIRES SCHWALBE RAPID ROB, 2.1" SIZES S, M, L, X, J



SHIMANO FC-M361, 42/32/22

DERAILLEURS, R/F SHIMANO ALIVIO / ALTUS

SHIMANO ALTUS

CRANKS

SHIFTERS

TRAIL SL 4

FRAME TRAIL SL, OPTIMIZED 6061 ALLOY RST DEUCE TNL, 100MM WHEELS MADDUX DC3.0

CHARCOAL GREY (MATTE) (GRY).

MAGNESIUM WHITE (GLOSS) (WHT).

-	BRAKES	CANNONDALE HELIX 6 HYDRAULIC DISC, 160/160MM
1	TIRES	SCHWALBE RAPID ROB, 2.1"
	SIZES	S, M, L, X, J



TRAIL 5

FRAME TRAIL, DOUBLE BUTTED 6061 ALLOY, SAVE FORK RST BLAZE PRO TNL, 100MM WHEELS ALEX DC4.5

INDIGO BLUE (GLOSS) (BLU).

SHIMANO, FC-M311, 42/32/22

DERAILLEURS, R/F SHIMANO ACERA / M310

SHIMANO ACERA

SHIFTERS

FINE SILVER (GLOSS) (SLV).

BRAKES PROMAX MECHANICAL DISC, 160/160MM TIRES KENDA SMALL BLOCK 8, 2.1" SIZES S, M, L, X, J



TRAIL 6

FRAME TRAIL, DOUBLE BUTTED 6061 ALLOY, SAVE RST BLAZE T, 100MM WHEELS

MAGNESIUM WHITE (GLOSS) (WHT).

JET BLACK (MATTE) (BBQ).

TEKTRO NOVELA MECHANICAL DISC, 160/160MM

KENDA SMALL BLOCK 8, 2.1"

S, M, L, X, J

CRANKS SHIMANO, FC-M191, 42/34/24 BRAKES TIRES DERAILLEURS, R/F SHIMANO ALTUS / M190 ALEX DC4.5 SIZES

SCALPEL 29'ER

SMOOTH. OPERATOR.

THE SCALPEL 29'ER TAKES FEATURES FROM THE FLASH 29'ER, SCALPEL, RZ AND OVERMOUNTAIN BIKES AND BLENDS THEM INTO AN ALL NEW LIGHTWEIGHT TRAIL ROCKET. FOR ROUGHER RACES, MARATHONS AND EPIC TRAILS THE WORLD OVER, THE SCALPEL 29'ER IS YOUR INSTRUMENT — GET READY TO OPERATE.







> ZERO PIVOT FLEXING SEAT STAYS

Thanks to radically advanced carbon construction, our **Zero Pivot** Flexing Seat Stays deliver lateral and torsional rigidity that no single-bearing pivot can match, while also eliminating the pivot's unneeded weight. Pure efficiency.

> S/SYSTEM INTEGRATED FRONT END

Our Lefty fork is Lighter, Stiffer, Smoother and Stronger than any other 29'er fork on the market by a significant margin. When you combine it with our -15 degree **OPI** Adjustable Stem/Steerer, you create the perfect 29'er front end. Maximum steering precision with minimal weight.

> ECS-TC THRU-AXLES AND SEAT STAY BRIDGE

For class-leading stiffness, we borrowed the ECS-TC clamped 15mm thru-axles from our OverMountain bikes, and added a stout integrated seat stay bridge/clamp. This configuration locks the two seat stays together and prevents rotational deflection for exceptional system stiffness.



FRAME SCALPEL 29'ER, 100MM, BALLISTEC HI-MOD FULL CARBON
SUSPENSION FOX RP23 / LEFTY 29'ER CARBON XLR, 100MM
WHEELS DT SWISS TRICON 1550 29'ER LEFTY, TUBELESS READY

CRANKS	CANNONDALE HOLLOWGRAM SL, 39/26 W/XX CHAINRINGS
DERAILLEURS, R/F	SRAM XX / XO
SHIFTERS	SRAM XX

AVID ELIXIR XO CARBON , 180/160MM SCHWALBE RACING RALPH EVO. 2.25" TUBELESS READY

SIZES



SCALPEL 29'ER CARBON 2

FRAME SCALPEL 29'ER, 100MM, BALLISTEC HI-MOD FULL CARBON

SUSPENSION ROCKSHOX MONARCH RT3 / LEFTY 29'ER XLR, 100MM

WHEELS STAN'S ZTR ARCH 29'ER, TUBELESS READY

 CRANKS
 SRAM S2210, BB30, 39/26

 DERAILLEURS, R/F
 SHIMANO XTR / SRAM X9

 SHIFTERS
 SHIMANO XT

BRAKES AVID ELIXIR 9 CARBON, 180/160MM

TIRES SCHWALBE RACING RALPH EVO, 2.25" TUBELESS READY

SIZES S, M, L, X

EXPOSED CARBON W/ MAGNESIUM WHITE (GLOSS) (BLK).



SCALPEL 29'ER ALLOY 3

FRAME SCALPEL 29'ER, 100MM, SMARTFORMED ALLOY

SUSPENSION FOX RP2 / LEFTY 29'ER PBR, 100MM

WHEELS SUNRINGLE INFERNO25

 CRANKS
 SRAM S1000, BB30, 39/26

 DERAILLEURS, R/F
 SRAM X9 / X7

 SHIFTERS
 SRAM X7

MAGNESIUM WHITE (GLOSS) (WHT).

BRAKES AVID ELIXIR 5, 180/160MM

TIRES SCHWALBE RACING RALPH EVO, 2.25" TUBELESS READY

SIZES S, M, L, X



SCALPEL 29'ER ALLOY 4

FRAME SCALPEL 29'ER, 100MM, SMARTFORMED ALLOY CRANKS FSA COMET, 42/32/24 BRAKES AVID ELIXIR 3, 180/160MM

SUSPENSION X FUSION E1RL / ROCKSHOX RECON GOLD TK 29, 100MM DERAILLEURS, R/F SHIMANO XT / SLX TIRES SCHWALBE RAPID ROB, 2.25"

WHEELS SUNRINGLE INFERNO25 SHIFTERS SHIMANO DEORE S1ZES S, M, L, XL

JET BLACK (GLOSS) (BLK).



FLASH CARBON 29'ER

BIGGER. BETTER.

OUR FLASH 29'ERS SIMPLY ROCK. BALLISTEC CARBON AND SPEED SAVE FEATURES MAKE THEM LIGHT, STIFF AND SMOOTH, AND OUR 29'ER RACE GEOMETRY MIMICS THE WHEELBASE AND TRAIL OF OUR 26" RACE BIKES FOR INCREDIBLY NIMBLE HANDLING. ROLL ON.



> SPEED SAVE ROLLS FASTER

The **SPEED SAVE** rear stays form a ride-tuned micro suspension system that is engineered not simply to add comfort but to help the bike roll faster, accelerate better and corner harder. The **SAVE** seatpost adds over 20mm of comfort enhancing flex to the system.

> SYSTEM INTEGRATION

29'ers love **Lefty**. It's true. The **Lefty's** incredible stiffness, light weight and smoothness are even more apparent with the big 29" wheels. When combined with the superlight Si OPI stem/steerer, and the Hollowgram SL BB30 Cannondale's **System Integration** saves hundreds of grams over competitors' offerings.

> CONTINUOUS CARBON

On the Flash Carbon 29'er, continuous strands of high-modulus stiffening fibers run along the outer edges of all the tubes from head tube to rear droputs. This network of fibers connects the key parts of the frame to increase lateral rigidity and responsiveness, while minimizing weight.



FRAME	FLASH 29'ER, BALLISTEC HI-MOD CARBON, SPEED SAVE
FORK	LEFTY 29'ER CARBON XLR, 90MM
WHEELS	ENVE COMPOSITES TWENTY9 XC

DERAILLEUR!

	CANNONDALE HOLLOWGRAM SL, BB30, 39/26 W/SRAM XX RINGS	BRAKES	SRAM XX WORLD CUP 160/140MM
S, R/F	SRAM XX / XX	TIRES	SCHWALBE RACING RALPH PACESTAR, 2.1" TUBELESS READY
	SRAM XX	SIZES	M, L, X



FLASH 29'ER CARBON 1

FRAME FLASH 29'ER, BALLISTEC HI-MOD CARBON, SPEED SAVE

FORK LEFTY 29'ER CARBON XLR, 90MM

WHEELS STAN'S ZTR ARCH 29'ER

CRANKS SRAM S2210, BB30, 39/26

DERAILLEURS, R/F SHIMANO XTR / SRAM X0

SHIFTERS

BRAKES AVID XO CARBON, 180/160MM

TIRES SCHWALBE RACING RALPH EVO, 2.25" TUBELESS READY

SIZES M, L, X

FINE SILVER W/ JET BLACK (GLOSS) (SLV).



MANUAL FUMIC. CANNONDALE FACTORY RACING. MY FLASH 29'ER IS SO COMFORTABLE, BUT ALSO SO RACY. THE LEFTY MAKES IT STIFF AND STRONG. 29'ERS ARE THE

NEW 26'ERS, RIGHT?





FLASH 29'ER CARBON 2

FRAME FLASH 29°ER, BALLISTEC CARBON, SPEED SAVE CRANKS SRAM S2210, BB30, 39/26 BRAKES AVID ELIXIR 9 CARBON, 180/160MM

FORK LEFTY 29°ER XLR, 90MM DERAILLEURS, R/F SRAM X0 / X9 TIRES SCHWALBE RACING RALPH EVO, 2.25° TUBELESS READY

WHEELS STAN'S ZTR ARCH 29°ER SHIFTERS SRAM X9 SIZES M, L, X



FLASH 29'ER CARBON 3

FRAME FLASH 29'ER, BALLISTEC CARBON, SPEED SAVE
FORK LEFTY 29'ER PBR, 90MM
WHEELS SUNRINGLE INFERNO25

CRANKS SRAM S1400, BB30, 39/26

DERAILLEURS, R/F SHIMANO XT / SRAM X7

SHIFTERS SHIMANO XT

MAGNESIUM WHITE W/JET BLACK (GLOSS) (WHT).

MAGNESIUM WHITE W/JET BLACK (GLOSS) (WHT).

BRAKES AVID ELIXIR 9, 180/160MM

TIRES SCHWALBE RACING RALPH EVO, 2.25" TUBELESS READY

SIZES M, L, X



FLASH 29'ER ALLOY 1

FRAME FLASH 29'ER, SMARTFORMED ALLOY, SPEED SAVI		
FORK	LEFTY 29'ER PBR, 90MM	
WHEELS	SUNRINGLE INFERNO25	

 CRANKS
 SRAM S1400, BB30, 39/26

 DERAILLEURS, R/F
 SRAM X9 /X7

 SHIFTERS
 SRAM X9

BRAKES AVID ELIXIR 7, 180/160MM

TIRES SCHWALBE RAPID ROB, 2.25"

SIZES M, L, X

JET BLACK (MATTE) (BBQ).



FLASH 29'ER ALLOY 2

WHEELS	SUNRINGLE INFERNO25	
FORK	LEFTY 29'ER PBR, 90MM	
FRAME	FLASH 29'ER, SMARTFORMED ALLOY, SPEED SAVE	

 CRANKS
 SRAM S1000, BB30, 44/33/22

 DERAILLEURS, R/F
 SRAM X9 / X7

 SHIFTERS
 SRAM X7

AVID ELIXIR 3, 180/160MM

SCHWALBE RAPID ROB, 2.25"

BRAKES

TIRES

SIZES

MAGNESIUM WHITE (GLOSS) (WHT).



FLASH 29'ER ALLOY 3

FRAME FLASH 29'ER, SMARTFORMED ALLOY, SPEED SAVE CRANKS SHIMANO M552, 42/32/24

FORK ROCKSHOX RECON GOLD TK 29, 80MM DERAILLEURS, R/F SHIMANO SLX / DEORE

WHEELS MADDUX DC3.0 29'ER SHIFTERS SHIMANO SLX

BRAKES AVID ELIXIR 1, 180/160MM

TIRES SCHWALBE RAPID ROB, 2.25*

SIZES M, L, X


JET BLACK (GLOSS) (BLK).



TRAIL SL 29'ER

BIG. EASY.

PERFECT FOR A FIRST-TIMER, TRAIL SL 29'ERS MAKE THE GOING EASY. 29" WHEELS ROLL EFFORTLESSLY WHILE STABLE GEOMETRY INSPIRES CONFIDENCE. GET GOING.



> TRAIL 29'ER GEOMETRY

The Trail SL 29'er geometry features a slightly longer wheelbase and slacker head angle than the Flash 29'er for a stable, confidence-inspiring ride.

> SAVE COMFORT ENHANCING REAR STAYS

The chain stays and seat stays are designed to work together to absorb shock, while preventing side-to-side and twisting flex. This just adds to the inherent comfort of the larger wheels.

> 1.5" SI HEAD TUBES

To improve stiffness, steering precision, and strength, all Trail SL 29'ers use forks with 1.5" steerer tubes. This subtle detail makes a big difference on the trail.



TRAIL SL 29'ER 3

FRAME	TRAIL SL 29'ER, OPTIMIZED 6061 ALLOY, SAVE
FORK	RST DEUCE COIL 29, 80MM
WHEELS	MADDUX DC3.0 29'ER

RACE RED (GLOSS) (RED).

 CRANKS
 SHIMANO FC-M430-8, 44/33/22, 175MM (M,L,X)
 BRAKES
 SHIMANO M446, 160/160MM

 DERAILLEURS, R/F
 SHIMANO DEORE / ALIVIO
 TIRES
 KENDA SMALL BLOCK 8, 2.1"

 SHIFTERS
 SHIMANO ALIVIO
 SIZES
 S, M, L, X



TRAIL SL 29'ER 3R

ME	TRAIL SL 29'ER, OPTIMIZED 6061 ALLOY, SAVE		TRUVATIV ISOFLOW 1.0G SS, 33T, 175MM (M,L,X)
K	CANNONDALE FATTY RIGID 29'ER	DERAILLEURS, R/F	N/A
EELS	MADDUX DC3.0 29'ER	SHIFTERS	N/A

JET BLACK (GLOSS) (BLK).

VINTAGE MOSS (GLOSS) (GRN).

BRAKES	PROMAX MECHANICAL DISC, 160/160MM
TIRES	KENDA SMALL BLOCK 8, 2.1"
SIZES	S, M, L, X



DERAILLEURS, R/F SHIMANO ALIVIO / ALTUS

SHIMANO ALTUS

SHIFTERS

SHIFTERS

TRAIL SL 29'ER 4

FRAME	TRAIL SL 29'ER, OPTIMIZED 6061 ALLOY, SAVE	
FORK	RST DEUCE 29 TNL, 80MM	
WHEELS	ALEY DOA 5 20'ER	

JET BLACK (MATTE) (BLK).

SAFFRON METALLIC (MATTE) (ORG).

BRAKES	CANNONDALE HELIX 3 HYDRAULIC DISC, 160/160MM
TIRES	KENDA SMALL BLOCK 8, 2.1"
SIZES	SMIX



TRAIL SL 29'ER 5

FRAME	TRAIL SL 29'ER, OPTIMIZED 6061 ALLOY, SAVE
FORK RST DEUCE 29 TNL, 80MM	
WHEELS	ALEX DC4.5 29'ER

JET BLACK (GLOSS) (BLK).

MAGNESIUM WHITE (GLOSS) (WHT).

	SHIMANO M311, 42/32/22	BRAKES	PROMAX MECHANICAL DISC, 160/160MM
EURS, R/F	SHIMANO ACERA / ALTUS	TIRES	KENDA SMALL BLOCK 8, 2.1"
	SHIMANO ALTUS	SIZES	S, M, L, X

ADVOCACY

WHERE WOULD YOU RIDE IF THERE WAS NOWHERE TO RIDE?

We don't want to sound like your parents, but access and the ability to ride your bike reasonably safely doesn't grow on trees. If you want to ride your bike and enjoy its freedoms, you have to fight for it. You have to convince corporations, towns and cities to shed the car-only mentality and provide facilities and funding for two-wheeled, human-powered transport. This takes a lot of time, effort and resources.

Luckily, there are organizations out there whose sole purpose is to further the needs of cyclists. They exist to ensure that bikers get fair and equal representation, to lobby for alternate transport funding and to ensure that beautiful swaths of countryside remain open to pedal-powered pursuits.

Below, you'll find a few people who are fighting for us. Now is the time to help influence the direction of cycling as an alternate form of transport and recreation. Help support those who spend every waking moment creating more ways for all of us to enjoy our bicycles.

WE SUPPORT THESE ORGANIZATIONS, AND WE ASK YOU TO ASSIST TOO.



SUPPORTING PEOPLE FOR BIKES

Imagine one million people signing a petition in support of a better future for bicycling in the United States. We've partnered with People for Bikes to make that happen. By sending a unified message to our elected leaders, the media and the public, we can tell them that bicycling is important. With your help, we can ensure that our sport is properly promoted, funded and supported. More rider friendly communities, bike lanes and bike paths equal safety and fitness for all of us. Sign the pledge today at http://www.peopleforbikes.org/



SUPPORTING BIKES BELONG

We're supporting Bikes Belong and its mission to get more people riding bicycles. Since 1999, they've focused their efforts on advocating for more funding for new bicycle facilities that would increase bike riding, boost public health and strengthen the bike business. Their goal: creating safe places to ride so more people will bike, and bike more often. Learn more at http://bikesbelong.org/



SUPPORTING IMBA (INTERNATIONAL MOUNTAIN **BIKE ASSOCIATION**)

Cannondale's support of IMBA helps ensure that mountain bikers everywhere continue to have the land access rights, quality trails, and commitment to advocacy that makes the sport truly fun and enjoyable. Cannondale was one of the first sponsors of IMBA in 1991 and is proud to continue its support of the organization. What would you do without trails?






facebook.com/ridecannondale



www.cannondale.com







BAD BOY

>URBAN. LEGEND.

VICTORIES & AWARDS



URBAN MOBILITY WITH ATTITUDE. BAD BOY'S TRADEMARK MATTE BLACK LOOK, STEALTH-FIGHTER INSPIRED DESIGN AND RADICAL FORK OPTIONS MAKE AN UNDER-THE-RADAR STATEMENT UPTOWN, DOWNTOWN AND EVERYWHERE IN BETWEEN.





> UNIQUE FORK OPTIONS

To further personalize your own Bad Boy statement, chose from models with the sleek HeadShok DL50 with 50mm of travel, hydraulic damping and lockout, the radical single-legged Solo Rigid or the Fatty Rigid.

> EDGY STYLE

Bad Boy's trademark, understated matte black finish and hard-edged tube shapes look stylish and purposeful from any angle."

> INTEGRATED CONTROLS

Because Bad Boy is more than just a bike, we use our OPI technology to engineer a gorgeous, one-piece forged, integrated bar and stem for Bad Boy's cockpit.



BAD BOY 1

BAD BOY STEALTH, OPTIMIZED 6061 ALLOY HEADSHOK SOLO DL50, 50 MM SCHWALBE KOJAK RACE GUARD, 700X28C

CRANKS	SHIMANO M431, BAD BOY, 48/36/26
DERAILLEURS R/F	SHIMANO SLX / DEORE
SHIFTERS	SHIMANO DEORE

STEM	CANNONDALE SI URBAN OPI STEM/HANDLEBAR
BRAKES	MAGURA MT2 HYDRAULIC DISC, 160/160 MM
SIZES	S M L X

BLACK ANODIZED W/REFLECTIVE DECALS (MATTE) (BBO)



BAD BOY 5

FRAME	BAD BOY, OPTIMIZED 6061 ALLOY
FORK	CANNONDALE SOLO RIGID, OPI
TIRES	SCHWALBE KOJAK RACE GUARD, 700X28C

CRANKS SHIMANO M431, BAD BOY, 48/36/26 DERAILLEURS R/F SHIMANO DEORE / ALIVIO

SHIMANO ALIVIO

SHIFTERS

JET BLACK W/REFLECTIVE DECALS (MATTE) (BBQ)

STEM	CANNONDALE SI URBAN OPI STEM/HANDLEBAR
BRAKES	SHIMANO M446 HYDRAULIC DISC, 160/160 MM
SIZES	S, M, L, X




BAD BOY 9

FRAME	BAD BOY, OPTIMIZED 6061 ALLOY
FORK	CANNONDALE FATTY RIGID
TIRES	SCHWALBE KOJAK RACE GUARD, 700X28C

CRANKS	SHIMANO M171, 48/38/28
DERAILLEURS R/F	SHIMANO ALIVIO / ALTUS
SHIFTERS	SHIMANO M310 RAPIDFIRE PLUS

JET BLACK W/ REFLECTIVE DECALS (MATTE) (BBQ)

STEM	CANNONDALE C4
BRAKES	TEKTRO NOVELA MECHANICAL DISC, 160/160 MM
SIZES	S, M, L, X



QUICK

VELO. CITY.

QUICK IS A FAST AND NIMBLE FLAT BAR BIKE, PACKED WITH FEATURES LIKE *SAVE* VIBRATION DAMPING AND CARBON BLADED FORKS. WHETHER CRUISING THROUGH CENTRAL PARK OR COMPLETING THAT EPIC CHARITY RIDE, QUICK GETS IT DONE WITH STYLE AND FINESSE.



> ROAD BIKE SPEED, FLAT BAR COMFORT

Fast-rolling 700c wheels paired with an upright riding position gives you the best of both worlds — a speedy, fun package with great comfort and worry-free visibility.

> SAVE VIBRATION DAMPING STAYS

Optimized chain stay and seat stay shaping provides bump absorption, comfort and enhanced control with no loss in power transfer.

> LIGHT AND STYLISH

Whether the Quick, the lighter weight Quick SL, or the radical Quick Carbon, these sleekly-styled frames are the lightest in class, making the bike nimble, responsive and a breeze to carry up stairs.



QUICK CARBON 2

 FRAME
 QUICK FULL CARBON, SAVE
 TIRES
 KENDA KWICK, 700X28C
 SHIFTERS
 SRAM X5

 FORK
 QUICK FULL CARBON SI
 CRANKS
 FSA OMEGA, BB30, 50/34
 BRAKES
 CANNONDALE MINI V

 WHEELS
 ELEMENT C3
 DERAILLEURS R/F
 SRAM APEX
 SIZES
 S, M, L, X, J



QUICK SL 1

FRAME QUICK SL, OPTIMIZED 6061 ALLOY, SAVE
FORK QUICK, CARBON BLADES
WHEELS ELEMENT C2

 TIRES
 CONTINENTAL SPORT CONTACT, 700X32C

 CRANKS
 SHIMANO 105 5700, 50/39/30

 DERAILLEURS R/F
 SHIMANO 105 5700 / R773

BRUSHED ALUMINUM (GLOSS) (RAW)
SHIMANO TIAGRA 4600 FLATBAR
CANNONDALE C2 MINI V

SHIFTERS

BRAKES

SIZES

EXPOSED CARBON (MATTE) (CRB)



QUICK SL 2

FRAME	QUICK SL, OPTIMIZED 6061 ALLOY, SAVE
FORK	QUICK, CARBON BLADES
WHEELS	ELEMENT C3 - 700C (26" ON XS)

TIRES	CONTINENTAL SPORT CONTACT, 700X32C (26X1.3" ON XS)
CRANKS	SHIMANO SORA, 50/39/30
DERAILLEURS R/F	SHIMANO SORA / R443

SHIFTERS	SHIMANO R440, RAPIDFIRE PLUS
BRAKES	CANNONDALE C2 MINI V
SIZES	XS, S, M, L, X, J

JET BLACK (GLOSS) (BLK)



QUICK 3

FRAME	QUICK, BUTTED 6061 ALLOY, SAVE
FORK	QUICK, CARBON BLADES
WHEELS	ELEMENT C3

INDIGO BLUE (GLOSS) (BLU)

 TIRES
 CONTINENTAL CITY CONTACT, 700X32C
 SHIFT

 CRANKS
 SHIMANO M431, 48/36/26
 BRAK

 DERAILLEURS R/F
 SHIMANO DEORE / ALIVIO
 SIZES

MAGNESIUM WHITE (GLOSS) (WHT)

SHIFTERS	SHIMANO ALIVIO RAPIDFIRE PLUS
BRAKES	CANNONDALE C3 MINI V
SIZES	S, M, L, X, J



QUICK 4

QUICK	. 4		JET BLACK (GLOSS) (BLK)
FRAME	QUICK, BUTTED 6061 ALLOY, SAVE	TIRES	KENDA KWICK TRAX, 700X32C (26X1.5" ON XS)
FORK	QUICK, CARBON BLADES	CRANKS	SHIMANO M171, 48/38/28
WHEELS	ELEMENT C3 - 700C (26" ON XS)	DERAILLEURS R/F	SHIMANO ALIVIO / M191

7/1/	/ <u> </u>	
	SHIFTERS	SHIMANO M310 RAPIDFIRE PLUS
	BRAKES	CANNONDALE C4 MINI V
	SIZES	XS, S, M, L, X, J



QUICK 5

FRAME	QUICK, BUTTED 6061 ALLOY, SAVE
FORK	QUICK, 6061 ALLOY
WHEELS	CANNONDALE C4

TIRES	KENDA KWICK TRAX, 700X32C
CRANKS	SHIMANO M131, 48/38/28
DERAILLEURS R/F	SHIMANO ALTUS / M191


FINE SILVER (GLOSS) (SLV)	

SHIFTERS	SHIMANO M310 RAPIDFIRE PLUS
BRAKES	CANNONDALE C4 MINI V
SIZES	S, M, L, X, J

QUICK CX

SPORT. UTILITY.

COMBINING THE STABILITY AND STRENGTH OF A MOUNTAIN BIKE WITH THE NIMBLENESS AND LIGHT WEIGHT OF A CITY BIKE, THE QUICK CX IS THE PERFECT ADVENTURE PARTNER.



> TRAVEL IN STYLE

With sleek, functional tube shapes, oversized head tubes, and suspension forks on most models, the Quick CX makes a statement on the city streets but is up to the challenges of excursions on rougher roads and bike trails.

> SAVE VIBRATION DAMPING STAYS

Optimized rear stay shaping provides bump absorption, comfort and enhanced control with no loss in power transfer.

> HEADS-UP RIDING

The Quick CX geometry delivers an upright, stable riding position for increased comfort, visibility and enjoyment. Relax and enjoy the ride.



QUICK CX 2

RAME QUICK CX, OPTIMIZED 6061 ALLOY,		SAVE	
ORK	RST NEON PRO TREKKING TNL, 50MM		
VHFFIS	MADDIIX DC3 0		

JET BLACK (GLOSS) (BLK)

IRES	CONTINENTAL DOUBLE FIGHTER II, 700X37C
RANKS	SHIMANO M431, 48/36/26
ERAILLEURS R/F	SHIMANO DEORE / ALIVIO

SHIFTERS	SHIMANO ALIVIO
BRAKES	SHIMANO M446 HYDRAULIC DISC, 160/160 MM
SIZES	S, M, L, X, J

HANICAL DISC, 160/160 MM



QUICK CX 3

FRAME QUICK CX, OPTIMIZED 6061 ALLOY, S			
FORK	RST NEON PRO TREKKING ML, 50MM		
WHEELS	MADDUX TC 5.0		

MAGNESIUM WHITE (GLOSS) (WHT)

TIRES	CONTINENTAL DOUBLE FIGHTER II, 700X37C	SHIFTERS	SHIMANO ACERA
CRANKS	SHIMANO M171, 48/38/28	BRAKES	TEKTRO NOVELA MECH
DERAILLEURS R/F	SHIMANO ALIVIO / M191	SIZES	S. M. L. X. I



QUICK CX 4

FRAME	QUICK CX RIGID, OPTIMIZED 6061 ALLOY, SAVE
FORK	FATTY RIGID DISC
WHEELS	MADDUX DC3.0


JET BLACK (GLOSS) (BLK)

TIRES	CONTINENTAL DOUBLE FIGHTER II, 700X37C	SHIFTERS	SHIMANO ALTUS
CRANKS	SHIMANO M171 48/38/28	BRAKES	TEKTRO NOVELA MECHANICAL DISC, 160/160 MM
DERAILLEURS	R/F SHIMANO ACERA / M191	SIZES	S, M, L, X, J

ADVENTURE

EASY. RIDER.

ADVENTURE IS THE PERFECT BIKE FOR THE RECREATIONAL CYCLIST. COMMUTING TO WORK ONE DAY, RUNNING ERRANDS THE NEXT, BIKING WITH THE KIDS OR TAKING A SPIN ON A WEEKEND GETAWAY, ADVENTURE IS READY TO HANDLE IT ALL.



> RIDER-TAILORED GEOMETRY

For maximum comfort and confidence, Adventure has our most upright rider position and a seat angle that permits the rider to comfortably touch the ground, without compromising the ability to pedal efficiently.

> LUXURIOUS TRAPPINGS

Soft touch material on the grips and quick-release levers, combined with a super plush spring saddle gives the Adventure a luxurious feel.

> TOOL-FREE STEM ADJUSTMENT

Rider position is quickly and easily customizable with a secure, lever-action adjustable stem.



ADVENTURE 3

 FRAME
 ADVENTURE, DOUBLE BUTTED 6061 ALLOY
 DERAILLEURS, R/F SH

 FORK
 RST SOFI T, 50MM
 BRAKE LEVERS
 CA

 SHIFTERS
 SHIMANO REVO TWIST TYPE
 TIRES
 KE

 DERAILLEURS, R/F
 SHIMANO ACERA / M191
 SADDLE
 CA

 BRAKE LEVERS
 CANNONDALE, 4 FINGER W/KRATON COMFORT INSERT
 SEATPOST
 CA

 TIRES
 KENDA KWICK TRAX, 700 X 38C
 SIZES
 S,

SADDLE CANNONDALE ULTRA COMFORT

SEATPOST CANNONDALE SUSPENSION, 40MM TRAVEL

SIZES S, M, L, X, J

INDIGO BLUE (GLOSS) (BLU)



ADVENTURE 3 26"

FRAME ADVENTURE 26°, DOUBLE BUTTED 6061 ALLOY
FORK RST SOFI T 26°, 50MM
SHIFTERS SHIMANO REVO TWIST TYPE

DERAILLEURS, R/F SHIMANO ACERA / M191

BRAKE LEVERS CANNONDALE, 4 FINGER W/KRATON COMFORT INSERT

TIRES KENDA K1052, 26 X 2.1"

INDIGO BLUE (GLOSS) (BLU)

SADDLE CANNONDALE ULTRA COMFORT

SEATPOST CANNONDALE SUSPENSION, 40MM TRAVEL

SIZES S, M, L, X, J

TANDEM

FAST. COMPANY.


COMBINE THE POWER OF TWO WITH THE AERO PROFILE OF ONE. COMBINE PEOPLE OF DIFFERING ABILITIES. THE CANNONDALE TANDEM CHANNELS THE POWER OF TWO INTO ONE SWEET, SYNCHRONIZED WHOOSH OF SPEED AND THRILLS. LIKE PEANUT BUTTER AND JELLY, BUT FASTER.

HOOLIGAN

JUNGLE. GYM.



WITH ITS COMPACT 20" WHEELS, STOUT FRAME AND LOW STANDOVER, THE HOOLIGAN BALANCES FUNCTIONAL SENSIBILITY WITH FRIVOLOUS FUN. PERFECT FOR THE CHALLENGES OF CITY LIFE, HOOLIGAN MAKES PRACTICALITY LOOK GOOD.



> LIGHTEST AND STIFFEST

It's the lightest, most torsionally rigid tandem on the market. No nervous flex when powering out of saddle. Responsive handling and sure-footed stability when bombing the descents. Pure speed. Pure confidence. Pure performance.

> OPTIMIZED COCKPITS

A taller head tube and shorter top tube give the captain better control and more comfort, while the stoker gets increased standover clearance for easier starts and stops.

> CANNONDALE ALUMINUM

A structure as long and complex as a tandem is the perfect showcase for our aluminum skills. The box section **Boom Tube**, oversized chain stays, disc brake dropouts and smooth welds demonstrate our expertise.

> ONE SIZE FITS ALL

Lower standover, a custom 520mm seatpost and an adjustable stem lets the Hooligan fit all sizes of rider and all styles of riding - from low and aggressive to upright and comfy.

> DELTA V


The **Delta V** frame configuration is light and gorilla-strong, and its excellent standover gives the rider plenty of clearance for agile street moves

> SLIDE 2GO® ACCESSORY MOUNTING BRACKET

The Hooligan features a convenient, secure, **System Integrated** head tube mounting point for **Slide 2GO** accessories

8

SAVE MICRO-SUSPENSION TECHNOLOGY



SAVE MICRO-SUSPENSION TECHNOLOGY

MORE COMFORT, MORE SPEED.

SAVE Micro-Suspension Technology is our series of four A frame is only as stiff as its weakest parts. On ride-tuned micro suspension systems designed to reduce road shock and vibration. Through the use of sophisticated carbon layups and highly-manipulated aluminum we create areas on the rear chainstays and seatstays, fork blades or seatpost that resist side-to-side forces while absorbing vertical forces. This translates into reduced fatigue and increased comfort, letting you ride longer and ride faster.

SPEED SAVE RACE-FOCUSED

Like the suspension on F1 cars, SPEED SAVE features are engineered to make the bike faster, not just more comfortable. Emphasizing light weight and torsional rigidity, SPEED SAVE delivers improved rolling speed, better acceleration, and faster cornering speeds without affecting power transfer. Found on SuperSix EVO, CAAD10, SuperX and Flash models

SAVE PLUS COMFORT-RACE

SAVE PLUS offers even more shock absorption and rider protection than SPEED SAVE. Perfect for carrying top speed over the cobbles of northern Europe or for smoothing out your next Gran Fondo. Found on Synapse Carbon and Synapse Alloy.


AERO SAVE AERODYNAMIC

AERO SAVE mates energy saving shock absorption with slippery aerodynamic shapes. By absorbing the jarring vibrations of the road, AERO SAVE allows you to stay in the aero position longer, stay in better control over rough surfaces, and come off the bike fresher for the run. Chrissie Wellington's secret weapon. Found on Slice.

SAVE EVERYDAY, MIXED-SURFACE RIDING

Simple and effective SAVE features, engineered to protect you from energy-sapping vibration. SAVE will smooth out your ride, whether dropping off a curb, dodging obstacles on city streets or hopping logs off-road, Found on Quick, Bad Boy, Bad Girl, Trail. CAAD8 and Tesoro.

ECS-TC (ENHANCED CENTER STIFFNESS -TORSION CONTROL) SYSTEM



ECS-TC (ENHANCED CENTER STIFFNESS -TORSION CONTROL) SYSTEM

dual suspension bikes, those weakest parts are often the crucial bearings and links that join the swingarm to the front triangle. The vague, imprecise sensation felt on so many bikes is caused by the subtle movement and flex that occurs in the connecting hardware as the loads on the bike shift from side-to-side. Individual cartridge bearings all exhibit slight lateral play as the races shift and begin loading the bearings. Links and axles often flex and rotate relative to each other, and these small factors all combine to negatively influence what we call Center Stiffness. To create bikes with solid Center Stiffness, which respond instantly to rider input and deliver unprecedented sensitivity and feedback, we designed a multi-part system, eliminating any flex and play in the links and

DOUBLE CLAMPED 15MM THRU-AXLES

bearings.

The ECS-TC system uses 15mm thru-axles for the key pivots. By placing axle bearings in-board and clamping the ends of the axle, the axle becomes a structural part of the link or swingarm. Tying the two sides of the link or swingarm together via the axle in this manner radically increases the system's ability to resist twisting loads.

ULTRA-WIDE BEARING PLACEMENT

Just like you are more stable standing with your feet apart than together, the further apart you can place cartridge bearings, the better they can support each other and the stiffer the system can be. ECS-TC systems always space the bearings as and you've got simply the most advanced widely as possible.

DOUBLE-STACKED REAR DROPOUT PIVOT BEARINGS

At the rear dropout, where the wheel prevents the two pivots from being joined by an axle, we double-stack two bearings side by side in each pivot. This greatly increases the seat stays ability to instantly resist twisting loads, making for an incredibly solid feeling swingarm.

COLLET SLEEVE BEARING PRELOAD

Rather than rely on spacers or washer to take up the space between the links and bearings like other systems, the ECS-TC system has an innovative collet-style preload system. Sitting between the clamp and the axle, the collet sleeves slide into place against the bearing, eliminating any play and allowing perfect centering of the link.

SMARTFORMED ALLOY

The distilled result of three decades of accumulated aluminum construction experience, SmartForming techniques deliver incredibly precise wall thickness distribution and tube shapes, concentrating material exactly where needed to maximize stiffness and strength, while shaving every last extraneous gram from the structure. Internally, all butting is accomplished via smooth, tapered transitions to eliminate the abrupt changes in material thickness which cause stress-risers.

Unlike the putty-and-paint "smooth" welds of our competition, Cannondale's legendary double-pass smooth welds create the strongest possible joints. Combined with our post-weld, heat-treat process that creates an true uni-body finished structure, aluminum frames.

DYAD RT2 DUAL SHOCK



DYAD RT2 DUAL SHOCK

Developed in collaboration with Cannondale, the dual-travel, dual-personality FOX DYAD RT2 is actually two completely different shocks housed in one package: Elevate — a shorter travel, smaller can. Zero Pivot is what allows the Scalpel to be volume air shock for rolling and climbing terrain, and Flow – a longer travel, high volume linear air shock for aggressive descending. Activated by a handlebar-mounted lever, each mode has its own dedicated damping circuits, fully optimized for the intended terrain. Rather than try to make one shock handle everything, we were free to create separate suspension responses for different needs — active and super efficient for the flats and climbs, ultra plush and bottomless for the descents.


Switching between the Elevate and Flow modes also changes the bike's sag point and geometry, a feature we call Attitude Adjust Geometry. In Elevate mode, the bike rides higher, resulting in steeper head and seat angles and keeping the rider in a better position for climbing and tight technical terrain. In Flow mode, the BB drops, lowering the center of gravity and making the angles slack and stable, perfect for charging descents.

With the DYAD RT2, it fundamentally is like having two different bikes available to you at the flick of a switch. Elevate your soul and let it Flow.

ZERO PIVOT TECHNOLOGY

Zero Pivot technology does just what the name implies — it eliminates traditional bearing pivots. and replaces them with flexing carbon fiber structures, which is actually not as crazy as it sounds. Done correctly, a flexing carbon structure can be designed to last a virtually infinite number of cycles, while eliminating the weight, play and

ZERO PIVOT TECHNOLOGY



wear of bearing connec-tions. We have developed proprietary carbon construction techniques that enable the Zero Pivot stays flex freely in one direction only, while actually resisting side-to-side and twisting loads better than a bearing pivot not only the lightest dual suspension frame in the world, but to also have the best stiffness-toweight ever recorded.


OPI (ONE PIECE INTEGRATION)

Cannondale's patented 3D forging process allows us to take structures that would ordinarily consist of multiple pieces that would be bolted, bonded, welded or otherwise joined together and turn them into single-piece forged parts. By forging the pieces from a single block of aluminum, we end up with exceptionally good grain alignment, which makes the parts stronger, and we eliminate excess, overlapping or redundant material, which makes them lighter. This technology makes parts like the Lefty OPI outer tube/clamp structure, the Lefty OPI inner leg/axle, the OPI one-piece stem/ steerer and the Backbone of the RZ120 possible.

BALLISTEC CARBON

Our High Strength, High-Impact Carbon technology. We begin with a type of carbon fiber created by the military for ballistic armoring. It's expensive, rare, and government controlled; to prevent it from falling into the wrong hands and being used militarily, we have to sign documents that account for the use of every kilogram of fibers we buy. This is some seriously tough stuff. The resins we use are High Strength, High Impact resins similar to what is used in the construction of carbon baseball bats; light, stiff and designed to endure thousands of deformation cycles. We combine these fibers and this resin in a lay-up designed to maximize the anisotropic (direction-

OPI (ONE PIECE INTEGRATION)



specific) qualities of the fibers, providing a carbon structure that is extremely light, extremely stiff and capable of absorbing tremendous impact without damage or loss of structural integrity.

Only once the frame has passed all of our extremely tough destructive and fatigue testing do we go back and begin adding the stiffer, but more brittle high-modulus and ultra-high modulus fibers strategically simply to enhance stiffness and tune the ride-feel. By using these more brittle fibers in protected areas and solely to add stiffness, without relying on them for strength, we can create super-light, super-stiff frames that are also incredibly durable and safe. And because the entire frame is made from this tough, durable combination, it offers better overall durability relying on carbon shields or overbuilt sections.



	SUPERSIX EVO ULTIMATE	SUPERSIX EVO TEAM	SUPERSIX EVO DI2	SUPERSIX EVO 1 DURA-ACE	SUPERSIX EVO 2 SRAM RED
CODE	2RSEUD	2RSE0D	2RSEID	2RSE1D	2RSE2D, 2RSE2C
FRAME	SUPERSIX EVO, BALLISTEC HI-MOD CARBON, SPEED SAVE, PRESSFIT BB30	SUPERSIX EVO, BALLISTEC HI-MOD CARBON, SPEED SAVE, PRESSFIT BB30	SUPERSIX EVO, DI2 SPECIFIC, BALLISTEC HI-MOD CARBON, SPEED SAVE, PRESSFIT BB30	SUPERSIX EVO, BALLISTEC HI-MOD CARBON, SPEED SAVE, PRESSFIT BB30	SUPERSIX EVO, BALLISTEC HI-MOD CARBON, SPEED SAVE, PRESSFIT BB30
FORK	SUPERSIX EVO, SPEED SAVE, BALLISTEC HI-MOD FULL CARBON, 1-1/8" TO 1-1/4" STEERER	SUPERSIX EVO, SPEED SAVE, BALLISTEC HI-MOD FULL CARBON, 1-1/8" TO 1-1/4" STEERER	SUPERSIX EVO, SPEED SAVE, BALLISTEC HI-MOD FULL CARBON, 1-1/8" TO 1-1/4" STEERER	SUPERSIX EVO, SPEED SAVE, BALLISTEC HI-MOD FULL CARBON, 1-1/8" TO 1-1/4" STEERER	SUPERSIX EVO, SPEED SAVE, BALLISTEC HI-MOD FULL CARBON, 1-1/8" TO 1-1/4" STEERER
RIMS	DT SWISS, RRC425F FRONT, RRC525R REAR, CARBON TUBULARS	MAVIC COSMIC CARBONE SLR	MAVIC KSYRIUM SLR	MAVIC KSYRIUM SL	MAVIC KSYRIUM ELITE
HUBS	DT SWISS, RRC425F FRONT, RRC525R REAR	MAVIC COSMIC CARBONE SLR	MAVIC KSYRIUM SLR	MAVIC KSYRIUM SL	MAVIC KSYRIUM ELITE
SPOKES	DT SWISS, STAINLESS, BUTTED, BLADED	MAVIC COSMIC CARBONE SLR	MAVIC KSYRIUM SLR	MAVIC KSYRIUM SL	MAVIC KSYRIUM ELITE
TIRES	SCHWALBE ULTREMO TUBULAR LIGHT, 700X23C	MAVIC YKSION, GRIPLINK FRONT AND POWERLINK REAR, 700X23C, FOLDING	MAVIC YKSION, GRIPLINK FRONT AND POWERLINK REAR, 700X23C, FOLDING	SCHWALBE ULTREMO ZX, 700X23C	SCHWALBE ULTREMO ZX, 700X23C
PEDALS	N/A	N/A		N/A	N/A
CRANK	CANNONDALE HOLLOWGRAM SL, BB30, SI RINGS, 53/39 (50/34 RINGS AND SPIDER INCLUDED)	CANNONDALE HOLLOWGRAM SL, BB30, SRAM RED RINGS, 53/39 (50/34 RINGS AND SPIDER INCLUDED)	CANNONDALE HOLLOWGRAM SL, BB30, FSA DA79 RINGS, 53/39 (50/34 RINGS AND SPIDER INCLUDED)	CANNONDALE HOLLOWGRAM SL, BB30, FSA DA79 RINGS, 53/39 (50/34 RINGS AND SPIDER INCLUDED)	SRAM RED W/CANNONDALE GRAPHICS, BB30, 53/39 (OPTION: 50/34 COMPACT)
BOTTOM BRACKET	SRAM PRESSFIT BB30, CERAMIC BEARINGS	SRAM PRESSFIT BB30, CERAMIC BEARINGS	FSA PRESSFIT BB30, CERAMIC BEARINGS	FSA PRESSFIT BB30, CERAMIC BEARINGS	SRAM PRESSFIT BB30
CHAIN	SRAM PC-1091R	SRAM PC-1091R	SHIMANO DURA-ACE 7900	SHIMANO DURA-ACE 7900	SRAM PC-1070
REAR COGS	SRAM RED, 11-26, 10-SPEED	SRAM RED, 11-26, 10-SPEED	SHIMANO DURA-ACE 7900, 12-25, 10-SPEED	SHIMANO DURA-ACE 7900, 12-25, 10-SPEED	SRAM PG-1070, 11-26, 10-SPEED
FR. DERAILLEUR	SRAM RED, BRAZE-ON	SRAM RED, BRAZE-ON	SHIMANO DURA-ACE DI2, BRAZE-ON	SHIMANO DURA-ACE 7900, BRAZE-ON	SRAM RED, BRAZE-ON
REAR DERAILLEUR	SRAM RED	SRAM RED	SHIMANO DURA-ACE DI2	SHIMANO DURA-ACE 7900	SRAM RED
SHIFTERS	SRAM RED	SRAM RED	SHIMANO DURA-ACE DI2	SHIMANO DURA-ACE 7900	SRAM RED
HANDLEBAR	ZIPP SL	FSA K-FORCE CARBON NANO	FSA K-FORCE CARBON COMPACT	FSA K-FORCE CARBON COMPACT	FSA WING PRO COMPACT
GRIPS	FI'ZI:K BAR TAPE	FI'ZI:K BAR TAPE	FI'ZI:K BAR TAPE	FI'ZI:K BAR TAPE	FI'ZI:K BAR TAPE
STEM	FSA OS-99, ULTIMATE EDITION, 31.8, 6 DEG	FSA K-FORCE CARBON, 31.8, 6 DEG	FSA 0S-99 CSI, 31.8, 6 DEG	FSA 0S-99 CSI, 31.8, 6 DEG	FSA SL-K, 31.8, 6 DEG
HEADSET	SUPERSIX EVO, 1-1/4" LOWER BEARING, 25MM CARBON TOP COVER (W/5MM ALLOY HIDDEN TOP COVER)	SUPERSIX EVO, 1-1/4" LOWER BEARING, 25MM CARBON TOP COVER (W/5MM ALLOY HIDDEN TOP COVER)	SUPERSIX EVO, 1-1/4" LOWER BEARING, 25MM CARBON TOP COVER (W/ 5MM ALLOY HIDDEN TOP COVER)	SUPERSIX EVO, 1-1/4" LOWER BEARING, 25MM CARBON TOP COVER (W/5MM ALLOY HIDDEN TOP COVER)	SUPERSIX EVO, 1-1/4" LOWER BEARING, 25MM CARBON TOP COVER W/5MM ALLOY HIDDEN TOP COVER
BRAKES	TRP 970SL	SRAM RED	SHIMANO DURA-ACE 7900	SHIMANO DURA-ACE 7900	SRAM RED
BRAKE LEVERS	SRAM RED	SRAM RED	SHIMANO DURA-ACE DI2	SHIMANO DURA-ACE 7900	SRAM RED
SADDLE	FI'ZI:K ANTARES 00, WING FLEX, CARBON RAILS	FI'ZI:K ANTARES, BRAIDED CARBON RAILS	FI'ZI:K ANTARES, K:IUM RAILS	FI'ZI:K ANTARES, K:IUM RAILS	FI'ZI:K ANTARES, MG RAILS
SEATPOST	USE ALIEN CYCLOPS CARBON, 27.2X270MM	FSA K-FORCE CARBON, 27.2X250MM	FSA K-FORCE CARBON, 27.2X250MM	FSA K-FORCE CARBON, 27.2X250MM	FSA SL-K CARBON, 27.2X250MM
SIZES	48, 50, 52, 54, 56, 58, 60, 63CM	48, 50, 52, 54, 56, 58, 60, 63CM	50, 52, 54, 56, 58, 60 CM	48, 50, 52, 54, 56, 58, 60, 63CM	48, 50, 52, 54, 56, 58, 60, 63CM
COLOR 1 (CODE)	EXPOSED CARBON W/OUTLINE DECALS (MATTE) (ULT)	LIQUIGAS TEAM REPLICA (GLOSS) (LIQ)	EXPOSED CARBON W/ CHARCOAL GRAY, WHITE, RED (MATTE) (CRB)	MAGNESIUM WHITE W/JET BLACK (GLOSS) (WHT)	EXPOSED CARBON W/WHITE, GREEN (GLOSS) (BLK)
COLOR 2 (CODE)	N/A	N/A	N/A		MAGNESIUM WHITE W/JET BLACK (GLOSS) (WHT)
EXTRAS	INCLUDES BOTH STANDARD AND COMPACT CHAINRINGS AND SPIDERS, TUNE QR, TUNE WATERBOTTLE BOLTS	INCLUDES BOTH STANDARD AND COMPACT CHAINRINGS AND SPIDERS	INCLUDES BOTH STANDARD AND COMPACT CHAINRINGS AND SPIDERS	INCLUDES BOTH STANDARD AND COMPACT CHAINRINGS AND SPIDERS	

	SUPERSIX ULTEGRA DI2	SUPERSIX 3 ULTEGRA	SUPERSIX 4 RIVAL	SUPERSIX 5 105	SUPERSIX 6 APEX
CODE	2RSSIC	2RSS3D, 2RSS3C	2RSS4D, 2RSS4C	2RSS5D, 2RSS5C	2RSS6C
FRAME	SUPERSIX, FULL CARBON, BB30	SUPERSIX, FULL CARBON, BB30	SUPERSIX, FULL CARBON, BB30	SUPERSIX, FULL CARBON, BB30	SUPERSIX, FULL CARBON, BB30
FORK	SUPERSIX, FULL CARBON, 1-1/8" TO 1.5" TAPERED STEERER, ALLOY DROPOUTS	SUPERSIX, FULL CARBON, 1-1/8" TO 1.5" TAPERED STEERER, ALLOY DROPOUTS	SUPERSIX, FULL CARBON, 1-1/8" TO 1.5" TAPERED STEERER, ALLOY DROPOUTS	SUPERSIX, FULL CARBON, 1-1/8" TO 1.5" TAPERED STEERER, ALLOY DROPOUTS	SUPERSIX, FULL CARBON, 1-1/8"-1.5" TAPERED STEERER, ALLOY DROPOUTS
RIMS	MAVIC KSYRIUM ELITE	MAVIC KSYRIUM EQUIPE	MAVIC AKSIUM WTS	SHIMANO RS10	SHIMANO R501A
HUBS	MAVIC KSYRIUM ELITE	MAVIC KSYRIUM EQUIPE	MAVIC AKSIUM WTS	SHIMANO RS10	SHIMANO R501A
SPOKES	MAVIC KSYRIUM ELITE	MAVIC KSYRIUM EQUIPE	MAVIC AKSIUM WTS	SHIMANO RS10	SHIMANO R501A
TIRES	SCHWALBE DURANO S, 700X23C, FOLDING	SCHWALBE DURANO S, 700X23C, FOLDING	MAVIC AKSION, 700X23C, FOLDING	SCHWALBE LUGANO, 700X23C, FOLDING	SCHWALBE LUGANO, 700X23C, FOLDING
PEDALS	N/A	N/A	N/A	N/A	N/A
CRANK	FSA SL-K LIGHT CARBON BB30, 50/34	FSA SL-K LIGHT CARBON BB30, 53/39 (OPTION: 50/34 COMPACT)	SRAM S500, BB30, 53/39 (OPTION: 50/34 COMPACT)	FSA GOSSAMER PRO BB30, 53/39 (OPTION: 50/34 COMPACT)	FSA OMEGA BB30, 50/34
BOTTOM BRACKET	FSA BB30	FSA BB30	SRAM BB30	FSA BB30	FSA BB30
CHAIN	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	KMC DX10SC	SHIMANO 105 5700	KMC DX 10SC
REAR COGS	SHIMANO ULTEGRA 6700 12-25, 10-SPEED	SHIMANO ULTEGRA 6700, 12-25, 10-SPEED	SRAM PG-1070, 11-26, 10-SPEED	SHIMANO 105 5700, 12-27, 10-SPEED	SRAM PG-1050, 11-26, 10-SPEED
FR. DERAILLEUR	SHIMANO ULTEGRA DI2, BRAZE-ON W/34.9MM CLAMP	SHIMANO ULTEGRA 6700, 34.9MM CLAMP	SRAM, RIVAL, 34.9MM CLAMP	SHIMANO 105 5700, 34.9MM CLAMP	SRAM APEX, 34.9MM CLAMP
REAR DERAILLEUR	SHIMANO ULTEGRA DI2	SHIMANO ULTEGRA 6700	SRAM RIVAL	SHIMANO 105 5700	SRAM APEX
SHIFTERS	SHIIMANO ULTEGRA DI2	SHIMANO ULTEGRA 6700	SRAM RIVAL	SHIMANO 105 5700	SRAM APEX
HANDLEBAR	CANNONDALE C2 COMPACT, 2014 DOUBLE BUTTED ALLOY	CANNONDALE C2 COMPACT, 2014 DOUBLE BUTTED ALLOY	CANNONDALE C2 COMPACT, 2014 DOUBLE BUTTED ALLOY	CANNONDALE C3 COMPACT, 6061 DOUBLE BUTTED ALLOY, 6061 DOUBLE BUTTED ALLOY	CANNONDALE C3 COMPACT, 6061 DOUBLE BUTTED ALLOY, 6061 DOUBLE BUTTED ALLOY
GRIPS	CANNONDALE 2.5MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 2.5MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 2.5MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 2.5MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 2.5MM SUEDE W/GEL BACKING BAR TAPE
STEM	CANNONDALE C2, 2014 3D FORGED ALLOY, 31.8MM, 6 DEG.	CANNONDALE C2, 2014 3D FORGED ALLOY, 31.8MM, 6 DEG.	CANNONDALE C2, 2014 3D FORGED ALLOY, 31.8MM, 6 DEG.	CANNONDALE C3, 6061 3D FORGED ALLOY, 31.8MM, 6 DEG.	CANNONDALE C3, 6061 3D FORGED ALLOY, 31.8MM, 6 DEG.
HEADSET	SUPERSIX, 1.5 LOWER BEARING, 30MM CARBON TOP CAP, W/5MM HIDDEN ALLOY TOP COVER	SUPERSIX, 1.5 LOWER BEARING, 30MM CARBON TOP CAP, W/5MM HIDDEN ALLOY TOP COVER	SUPERSIX, 1.5 LOWER BEARING, 30MM CARBON TOP CAP, W/5MM HIDDEN ALLOY TOP COVER	SUPERSIX, 1.5 LOWER BEARING, 30MM TOP CAP, W/5MM HIDDEN ALLOY TOP COVER	SUPERSIX, 1.5 LOWER BEARING, 30MM TOP CAP, W/5MM HIDDEN ALLOY TOP COVER
BRAKES	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SRAM DUAL PIVOT	TEKTRO R580	SRAM APEX
BRAKE LEVERS	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SRAM RIVAL	SHIMANO 105 5700	SRAM APEX
SADDLE	FI'ZI:K ARIONE CLASSIC, MG RAILS	FI'ZI:K ARIONE CLASSIC, MG RAILS	PROLOGO SCRATCH PRO T2.0	PROLOGO SCRATCH PRO T2.0	CANNONDALE STAGE ERGO W/CRMO RAILS
SEATPOST	CANNONDALE C2, UD CARBON, 31.6X300MM	CANNONDALE C2, UD CARBON, 31.6X300MM	CANNONDALE C2, UD CARBON, 31.6X300MM	CANNONDALE C3 CARBON WRAP, 31.6MMX300MM	CANNONDALE C3 CARBON WRAP, 31.6MMX300MM
SIZES	48, 50, 52, 54, 56, 58, 60, 63CM	48, 50, 52, 54, 56, 58, 60, 63CM	48, 50, 52, 54, 56, 58, 60, 63CM	48, 50, 52, 54, 56, 58, 60, 63CM	48, 50, 52, 54, 56, 58, 60, 63CM
COLOR 1 (CODE)	JET BLACK W/MAGNESIUM WHITE AND CHARCOAL GREY (MATTE) (BBQ)	RACE RED W/MAGNESIUM WHITE AND JET BLACK (GLOSS) (RED)	JET BLACK W/MAGNESIUM WHITE AND CHARCOAL GRAY (MATTE) (BBQ)	LIQUIGAS TEAM REPLICA (GLOSS) (REP)	JET BLACK W/MAGNESIUM WHITE AND CHARCOAL GREY (MATTE) (BBQ)
COLOR 2 (CODE)		MAGNESIUM WHITE W/JET BLACK (GLOSS) (WHT)	CANNONDALE YELLOW W/STEALTH GRAY AND JET BLACK (GLOSS) (YEL)	MAGNESIUM WHITE W/JET BLACK (GLOSS) (WHT)	



	CAAD10 1 DURA-ACE	CAAD10 3 ULTEGRA	CAAD10 4 RIVAL	CAAD10 5 105	CAAD8 5 105
CODE	2RAX1D, 2RAX1C	2RAX3D, 2RAX3C	2RAX4D, 2RAX4C	2RAX5D, 2RAX5C	2RA85C
FRAME	CAAD10, SMARTFORMED 6069 ALLOY, SPEED SAVE, BB30	CAAD10, SMARTFORMED 6069 ALLOY, SPEED SAVE, BB30	CAAD10, SMARTFORMED 6069 ALLOY, SPEED SAVE, BB30	CAAD10, SMARTFORMED 6069 ALLOY, SPEED SAVE, BB30	NEW CAAD8, OPTIMIZED 6061 ALLOY, SAVE, BB30
FORK	CAAD10, SPEED SAVE FULL CARBON, 1-1/8" TO 1-1/4" TAPERED STEERER	CAAD10, SPEED SAVE FULL CARBON, 1-1/8" TO 1-1/4" TAPERED STEERER	CAAD10, SPEED SAVE FULL CARBON, 1-1/8" TO 1-1/4" TAPERED STEERER	CAAD10, SPEED SAVE FULL CARBON, 1-1/8" TO 1-1/4" TAPERED STEERER	CANNONDALE ULTRA, CARBON BLADES, 1-1/8"
RIMS	SHIMANO RS80	MAVIC AKSIUM WTS	FULCRUM RACING 7	SHIMANO RS10	MADDUX RS 3.0 SPEED, 32 HOLE
HUBS	SHIMANO RS80	MAVIC AKSIUM WTS	FULCRUM RACING 7	SHIMANO RS10	FORMULA, RB-51 FRONT, RB-52 REAR
SPOKES	SHIMANO RS80	MAVIC AKSIUM WTS	FULCRUM RACING 7	SHIMANO RS10	STAINLESS STEEL, 15G
TIRES	SCHWALBE DURANO S, 700X23C, FOLDING	MAVIC AKSION, 700X23C, FOLDING	SCHWALBE LUGANO, 700X23C, FOLDING	SCHWALBE LUGANO, 700X23C, FOLDING	SCHWALBE LUGANO, 700X23C
PEDALS	N/A	N/A	N/A	N/A	N/A
CRANK	FSA SL-K LIGHT CARBON, BB30, 53/39 (OPTION: COMPACT 50/34)	FSA SL-K LIGHT CARBON, BB30, 53/39 (OPTION: COMPACT 50/34)	SRAM S500 BB30, 53/39 (OPTION: COMPACT 50/34)	FSA GOSSAMER PRO, BB30, 53/39 (OPTION: COMPACT 50/34)	FSA GOSSAMER, BB30, 50/34
BOTTOM BRACKET	FSA BB30	FSA BB30	SRAM BB30	FSA BB30	FSA BB30
CHAIN	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	KMC DX 10SC	SHIMANO 105 5700	KMC X10
REAR COGS	SHIMANO ULTEGRA 6700, 12-25, 10-SPEED	SHIMANO ULTEGRA 6700, 12-25, 10-SPEED	SRAM PG-1070, 11-26, 10-SPEED	SHIMANO 105 5700, 12-27, 10-SPEED	SHIMANO TIAGRA 4600, 12-28, 10-SPEED
FR. DERAILLEUR	SHIMANO DURA-ACE 7900, BRAZE-ON	SHIMANO ULTEGRA 6700, BRAZE-ON	SRAM RIVAL, BRAZE-ON	SHIMANO 105 5700, BRAZE-ON	SHIMANO 105 5700, 31.8MM CLAMP
REAR DERAILLEUR	SHIMANO DURA-ACE 7900	SHIMANO ULTEGRA 6700	SRAM RIVAL	SHIMANO 105 5700	SHIMANO 105 5700
SHIFTERS	SHIMANO DURA-ACE 7900	SHIMANO ULTEGRA 6700	SRAM RIVAL	SHIMANO 105 5700	SHIMANO 105 5700
HANDLEBAR	CANNONDALE C2 COMPACT, 2014 DOUBLE BUTTED ALLOY	CANNONDALE C3 COMPACT, 6061 DOUBLE BUTTED ALLOY	CANNONDALE C3 COMPACT, 6061 DOUBLE BUTTED ALLOY	CANNONDALE C3 COMPACT, 6061 DOUBLE BUTTED ALLOY	CANNONDALE C3 COMPACT, 6061 DOUBLE BUTTED ALLOY
GRIPS	CANNONDALE 2.5MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 2.5MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 2.5MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 2.5MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 2.5MM SUEDE W/GEL BACKING BAR TAPE
STEM	CANNONDALE C2, 2014 3D FORGED ALLOY, 31.8MM, 6 DEG.	CANNONDALE C3, 6061 3D FORGED ALLOY, 31.8MM, 6 DEG.	CANNONDALE C3, 6061 3D FORGED ALLOY, 31.8MM, 6 DEG.	CANNONDALE C3, 6061 3D FORGED ALLOY, 31.8MM, 6 DEG.	CANNONDALE C3, 6061 3D FORGED ALLOY, 31.8MM, 6 DEG.
HEADSET	CAAD10, 1-1/4" LOWER BEARING, 25MM CARBON TOP CAP	CAAD10, 1-1/4" LOWER BEARING, 25MM TOP CAP	CAAD10, 1-1/4" LOWER BEARING, 25MM TOP CAP	CAAD10, 1-1/4" LOWER BEARING, 25MM TOP CAP	TANGE SEIKI INTEGRATED, 25MM TOP CAP
BRAKES	SHIMANO ULTEGRA 6700	SHIMANO ULTEGRA 6700	SRAM RIVAL	TEKTRO R580	TEKTRO R540, DUAL PIVOT, CARTRIDGE PAD
BRAKE LEVERS	SHIMANO DURA-ACE 7900	SHIMANO ULTEGRA 6700	SRAM RIVAL	SHIMANO 105 5700	SHIMANO 105 5700
SADDLE	FI'ZI:K ARIONE CLASSIC	PROLOGO SCRATCH	PROLOGO KAPPA	PROLOGO KAPPA	CANNONDALE STAGE ERGO W/CRMO RAILS
SEATPOST	CANNONDALE C2, UD CARBON, 27.2X300MM	CANNONDALE C2, UD CARBON, 27.2X300MM	CANNONDALE C3 CARBON WRAP, 27.2X300MM	CANNONDALE C3 CARBON WRAP, 27.2X300MM	CANNONDALE C3, CARBON WRAP, 27.2X300MM
SIZES	48, 50, 52, 54, 56, 58, 60, 63CM	48, 50, 52, 54, 56, 58, 60, 63CM	48, 50, 52, 54, 56, 58, 60, 63CM	48, 50, 52, 54, 56, 58, 60, 63CM	48, 51, 54, 56, 58, 61CM
COLOR 1 (CODE)	BLACK ANODIZED (MATTE) (BLA)	JET BLACK W/CHARCOAL GREY (MATTE) (BBQ)	40 BLUE W/40 ORANGE (GLOSS) (BLU)	JET BLACK W/CHARCOAL GRAY (MATTE) (BBQ)	JET BLACK (GLOSS) (BLK)
COLOR 2 (CODE)		MAGNESIUM WHITE W/RACE RED (GLOSS) (WHT)	BRUSHED ALUMINUM W/CHARCOAL GRAY (GLOSS) (RAW)	LIQUIGAS TEAM REPLICA (GLOSS) (REP)	NIAGRA BLUE (GLOSS) (BLU)

	CAAD8 6 TIAGRA	CAAD8 7 SORA	SYNAPSE HI-MOD 1 DURA-ACE	SYNAPSE HI-MOD 2 SRAM RED	SYNAPSE CARBON 3 ULTEGRA
CODE	2RA86C	2RA87C	2RCL1C	2RCL2C	2RCS3C
FRAME	NEW CAAD8, OPTIMIZED 6061 ALLOY, SAVE, BB30	NEW CAAD8, OPTIMIZED 6061 ALLOY, SAVE	SYNAPSE, HI-MOD FULL CARBON, SAVE PLUS, BB30	SYNAPSE, HI-MOD FULL CARBON, SAVE PLUS, BB30	SYNAPSE, FULL CARBON, SAVE PLUS, BB30
FORK	CANNONDALE ULTRA, CARBON BLADES, 1-1/8"	CANNONDALE ULTRA, CARBON BLADES, 1-1/8"	SYNAPSE, HI-MOD FULL CARBON, SAVE PLUS, 1-1/8"	SYNAPSE, HI-MOD FULL CARBON, SAVE PLUS, 1-1/8"	SYNAPSE, FULL CARBON, SAVE PLUS, 1-1/8"
RIMS	MADDUX RS 3.0, 32 HOLE	MADDUX RS 3.0, 32 HOLE	DT SWISS TRICON 1450	MAVIC KSYRIUM ELITE	DT SWISS RR1600
HUBS	FORMULA RB-51, RB-52	FORMULA RB-51,RB-52	DT SWISS TRICON 1450	MAVIC KSYRIUM ELITE	DT SWISS RR1600
SPOKES	STAINLESS STEEL, 15G	STAINLESS STEEL, 15G	DT SWISS TRICON 1450	MAVIC KSYRIUM ELITE	DT SWISS RR1600
TIRES	SCHWALBE LUGANO, 700X23C	SCHWALBE LUGANO, 700X23C	SCHWALBE ULTREMO ZX, 700X25C	SCHWALBE ULTREMO ZX, 700X25C	SCHWALBE DURANO 700X25C, BLACK
PEDALS	N/A	N/A	N/A	N/A	N/A
CRANK	FSA OMEGA BB30, 50/34	FSA VERO, 50/34	CANNONDALE HOLLOWGRAM SL BB30, 50/34, FSA DA-79 RINGS	CANNONDALE SRAM RED, BB30, 50/34	FSA SL-K LIGHT CARBON, BB30, 50/34
BOTTOM BRACKET	FSA BB30	FSA BB30	FSA BB30	SRAM BB30	FSA BB30
CHAIN	KMC X10	KMC 9-SPEED	SHIMANO DURA-ACE 7900	SRAM PC-1070	SHIMANO ULTEGRA 6700
REAR COGS	SHIMANO TIAGRA 4600, 12-28, 10-SPEED	SRAM PG-950, 12-26, 9-SPEED	SHIMANO DURA ACE 7900, 11-28, 10-SPEED	SRAM PG-1070, 11-28, 10-SPEED	SHIMANO ULTEGRA 6700, 11-28, 10-SPEED
FR. DERAILLEUR	SHIMANO TIAGRA 4600, 31.8MM CLAMP	SHIMANO SORA, 31.8MM CLAMP	SHIMANO DURA ACE 7900, BRAZE-ON	SRAM RED, BRAZE-ON	SHIMANO ULTEGRA, BRAZE-ON
REAR DERAILLEUR	SHIMANO TIAGRA 4600	SHIMANO SORA	SHIMANO DURA-ACE 7900	SRAM RED	SHIMANO ULTEGRA 6700
SHIFTERS	SHIMANO TIAGRA 4600	SHIMANO SORA	SHIMANO DURA-ACE	SRAM RED	SHIMANO ULTEGRA 6700
HANDLEBAR	CANNONDALE C4 COMPACT	CANNONDALE C4 COMPACT	FSA SLK COMPACT	FSA WING PRO COMPACT	CANNONDALE C2 COMPACT, 2014 DOUBLE BUTTED ALLOY, 2014 DOUBLE BUTTED ALLOY
GRIPS	CANNONDALE 2.5MM SUEDE W/GEL BACKING Bar tape	CANNONDALE 2.5MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 3MM SUEDE W/GEL BACKING Bar Tape	CANNONDALE 3MM SUEDE W/GEL BACKING Bar tape	CANNONDALE 3MM SUEDE W/GEL BACKING Bar tape
STEM	CANNONDALE C4, 31.8MM, 6 DEG.	CANNONDALE C4, 31.8MM, 6 DEG.	FSA SLK, 31.8. 6 DEG.	FSA SLK, 31.8. 6 DEG.	CANNONDALE C2, 2014 3D FORGED ALLOY, 31.8MM, 6 DEG.
HEADSET	TANGE SEIKI INTEGRATED, 25MM TOP CAP	TANGE SEIKI INTEGRATED, 25MM TOP CAP	SYNAPSE SI, 25MM CARBON TOP CAP	SYNAPSE SI, 25MM CARBON TOP CAP	SYNAPSE SI, 25MM CARBON TOP CAP
BRAKES	CANNONDALE C4, DUAL PIVOT, CARTRIDGE PAD	CANNONDALE C4, DUAL PIVOT, CARTRIDGE PAD	SHIMANO DURA-ACE 7900	SRAM RED	SHIMANO ULTEGRA 6700
BRAKE LEVERS	SHIMANO TIAGRA 4600	SHIMANO SORA	SHIMANO DURA-ACE 7900	SRAM RED	SHIMANO ULTEGRA 6700
SADDLE	CANNONDALE STAGE ERGO W/STEEL RAILS	CANNONDALE STAGE ERGO W/STEEL RAILS	FI'ZI:K ALIANTE GAMMA W/K:IUM RAILS	FI'ZI:K ALIANTE DELTA, MG RAILS	FI'ZI:K ALIANTE DELTA, MG RAILS
SEATPOST	CANNONDALE C4 ALLOY, 27.2MMX300MM	CANNONDALE C4 ALLOY, 27.2MMX300MM	SYNAPSE SAVE PLUS MULTIFLEX, (SOFT 48-54, FIRM 56-61)	SYNAPSE SAVE PLUS MULTIFLEX, (SOFT 48-54, FIRM 56-61)	SYNAPSE SAVE PLUS MULTIFLEX, (SOFT 48-54, FIRM 56-61)
SIZES	48, 51, 54, 56, 58, 61CM	48, 51, 54, 56, 58, 61CM	48, 51, 54, 56, 58, 61CM	48, 51, 54, 56, 58, 61CM	48, 51, 54, 56, 58, 61CM
COLOR 1 (CODE)	JET BLACK (MATTE) (BBQ)	JET BLACK (MATTE) (BBQ)	EXPOSED CARBON W/CHARCOAL GREY (MATTE) (CRB)	EXPOSED CARBON W/CHARCOAL GREY (MATTE) (CRB)	EXPOSED CARBON W/MAGNESIUM WHITE (GLOSS) (BLK)
COLOR 2 (CODE)	MAGNESIUM WHITE (GLOSS) (WHT)	RACE RED (GLOSS) (RED)		MAGNESIUM WHITE W/JET BLACK AND BERSERKER GREEN (GLOSS) (WHT)	LIQUIGAS TEAM REPLICA (GLOSS) (REP)

ROAD SPECIFICATIONS

	SYNAPSE CARBON 4 RIVAL	SYNAPSE CARBON 5 105	SYNAPSE CARBON 6 APEX	SYNAPSE ALLOY 5 105	SYNAPSE ALLOY 6 TIAGRA
CODE	(2RCS4C)	2RCS5C	2RCS6C	2RAS5C, 2RAS5T	2RAS6C, 2RAS6T
FRAME	SYNAPSE, FULL CARBON, SAVE PLUS, BB30	SYNAPSE, FULL CARBON, SAVE PLUS, BB30	SYNAPSE, FULL CARBON, SAVE PLUS, BB30	SYNAPSE ALLOY, OPTIMIZED 6061 ALLOY, SAVE PLUS, BB30	SYNAPSE ALLOY, OPTIMIZED 6061 ALLOY, SAVE PLUS, BB30
FORK	SYNAPSE, FULL CARBON, SAVE PLUS, 1-1/8"	SYNAPSE, FULL CARBON, SAVE PLUS, 1-1/8"	SYNAPSE, CARBON BLADES, SAVE, 1-1/8"	SYNAPSE SAVE, CARBON BLADES, 1-1/8"	SYNAPSE SAVE, CARBON BLADES, 1-1/8"
RIMS	MAVIC AKSIUM WTS	SHIMANO RS10	SHIMANO R501A	SHIMANO RS10	MADDUX RS 3.0, 32 HOLE
HUBS	MAVIC AKSIUM WTS	SHIMANO RS10	SHIMANO R501A	SHIMANO RS10	FORMULA RB-51,RB-52
SPOKES	MAVIC AKSIUM WTS	SHIMANO RS10	SHIMANO R501A	SHIMANO RS10	STAINLESS STEEL, 15G
TIRES	MAVIC AKSION WTS, 700X25C	SCHWALBE LUGANO, 700X25C	SCHWALBE LUGANO WIRE, 700X25C, BLACK	SCHWALBE LUGANO, 700X25C	SCHWALBE LUGANO, 700X25C
PEDALS	N/A	N/A	N/A	N/A	N/A
CRANK	SRAM S550, BB30, 50/34	FSA GOSSAMER PRO, BB30, 50/34	FSA OMEGA BB30, 50/34	FSA GOSSAMER, BB30, 50/34 (OPTION: TRIPLE 50/39/30)	FSA OMEGA, BB30, 50/34 (OPTION: TRIPLE 50/39/30)
BOTTOM BRACKET	SRAM BB30	FSA BB30	FSA BB30	FSA BB30	FSA BB30
CHAIN	KMC, DX10SC	SHIMANO 105 5700	KMC DX10SC	KMC X10	KMC X10
REAR COGS	SRAM APEX, 11-32, 10-SPEED	SHIMANO 105 5700, 11-28, 10-SPEED	SRAM APEX, 11-32, 10-SPEED	SHIMANO TIAGRA 4600, 12-28, 10-SPEED	SHIMANO TIAGRA 4600, 12-28, 10-SPEED
FR. DERAILLEUR	SRAM RIVAL, BRAZE-ON	SHIMANO 105 5700, BRAZE-ON	SRAM APEX, BRAZE-ON	SHIMANO 105 5700, 34.9MM CLAMP	SHIMANO TIAGRA 4600, 34.9MM CLAMP
REAR DERAILLEUR	SRAM RIVAL WIFLI	SHIMANO 105 5700	SRAM APEX WIFLI	SHIMANO 105 5700	SHIMANO TIAGRA 4600
SHIFTERS	SRAM RIVAL	SHIMANO 105 5700	SRAM APEX	SHIMANO 105 5700	SHIMANO TIAGRA 4600
HANDLEBAR	CANNONDALE C2 COMPACT, 2014 DOUBLE BUTTED ALLOY, 2014 DOUBLE BUTTED ALLOY	CANNONDALE C3 COMPACT, 6061 DOUBLE BUTTED ALLOY	CANNONDALE C3 COMPACT, 6061 DOUBLE BUTTED ALLOY	CANNONDALE C3 COMPACT, 6061 DOUBLE BUTTED ALLOY	CANNONDALE C4 COMPACT
GRIPS	CANNONDALE 3MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 3MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 3MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 3MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 3MM SUEDE W/GEL BACKING BAR TAPE
STEM	CANNONDALE C2, 2014 3D FORGED ALLOY, 31.8MM, 6 DEG.	CANNONDALE C2, 2014 3D FORGED ALLOY, 31.8MM, 6 DEG.	CANNONDALE C3, 6061 3D FORGED ALLOY, 31.8MM, 6 DEG.	CANNONDALE C3, 6061 3D FORGED ALLOY, 31.8MM, 6 DEG.	CANNONDALE C4, 31.8, 6 DEG.
HEADSET	SYNAPSE SI, 25MM TOP CAP	SYNAPSE SI, 25MM TOP CAP	SYNAPSE SI, 25MM TOP CAP	SYNAPSE SI, 25MM TOP CAP	SYNAPSE SI, 25MM TOP CAP
BRAKES	SRAM DUAL PIVOT	TEKTRO R580	SRAM APEX	TEKTRO R539, DUAL PIVOT, CARTRIDGE PAD, Long Reach	CANNONDALE C4, DUAL PIVOT, CARTRIDGE PAD, LONG REACH
BRAKE LEVERS	SRAM RIVAL	SHIMANO 105 5700	SRAM APEX	SHIMANO 105 5700	SHIMANO TIAGRA 4600
SADDLE	PROLOGO SCRATCH PRO T2.0	PROLOGO KAPPA	CANNONDALE STAGE ERGO W/CRMO RAILS	CANNONDALE STAGE ERGO W/CRMO RAILS	CANNONDALE STAGE ERGO W/STEEL RAILS
SEATPOST	SYNAPSE SAVE PLUS MULTIFLEX, (SOFT 48-54, FIRM 56-61)	SYNAPSE SAVE PLUS MULTIFLEX, (SOFT 48-54, FIRM 56-61)	SYNAPSE SAVE PLUS MULTIFLEX, (SOFT 48-54, FIRM 56-61)	CANNONDALE C3, CARBON WRAPPED, 27.2X300MM	CANNONDALE C4, ALLOY, 27.2X300MM
SIZES	48, 51, 54, 56, 58, 61CM	48, 51, 54, 56, 58, 61CM	48, 51, 54, 56, 58, 61CM	48, 51, 54, 56, 58, 61CM	48, 51, 54, 56, 58, 61CM
COLOR 1 (CODE)	EXPOSED CARBON W/CHARCOAL GREY AND ULTRA BLUE (GLOSS) (BLU)	EXPOSED CARBON W/MAGNESIUM WHITE (GLOSS) (BLK)	EXPOSED CARBON W/CHARCOAL GREY AND ULTRA BLUE (GLOSS) (BLU)	BRUSHED ALUMINUM (GLOSS) (RAW)	JET BLACK (MATTE) (BBQ)
COLOR 2 (CODE)	MAGNESIUM WHITE W/JET BLACK AND CHARCOAL GREY (GLOSS) (WHT)	MAGNESIUM WHITE W/RACE RED AND JET BLACK (GLOSS) (RED)	MAGNESIUM WHITE W/JET BLACK AND CHARCOAL GREY (GLOSS) (WHT)	MAGNESIUM WHITE (GLOSS) (WHT)	INDIGO BLUE (GLOSS) (BLU)

	SYNAPSE ALLOY 7 SORA	SLICE 4 FORCE	SLICE 5 105	SUPERX 2 SRAM RED	SUPERX 3 ULTEGRA
CODE	2RAS7T	2RM4D	2RM5D	2XC2C	2XC3C
FRAME	SYNAPSE ALLOY, OPTIMIZED 6061 ALLOY, SAVE PLUS	SLICE, FULL CARBON, AERO SAVE, BB30	SLICE, FULL CARBON, AERO SAVE, BB30	SUPERX, BALLISTEC HI-MOD CARBON, SPEED SAVE, BB30	SUPERX, BALLISTEC CARBON, SPEED SAVE, BB30
FORK	SYNAPSE SAVE, CARBON BLADES, 1-1/8"	SLICE AERO, FULL CARBON, 1-1/8"	SLICE AERO, FULL CARBON, 1-1/8"	SUPERX, BALLISTEC HI-MOD FULL CARBON, 1-1/8" TO 1-1/4" STEERER	SUPERX, BALLISTEC CARBON, 1-1/8" TO 1-1/4" STEERER
RIMS	MADDUX RS 3.0, 32 HOLE	FULCRUM RACING 7	SHIMANO R501A	MAVIC KSYRIUM ELITE	MAVIC KSYRIUM EQUIPE
HUBS	FORMULA RB-51, RB-52	FULCRUM RACING 7	SHIMANO R501A	MAVIC KSYRIUM ELITE	MAVIC KSYRIUM EQUIPE
SPOKES	STAINLESS STEEL, 15G	FULCRUM RACING 7	SHIMANO R501A	MAVIC KSYRIUM ELITE	MAVIC KSYRIUM EQUIPE
TIRES	SCHWALBE LUGANO, 700X25C	SCHWALBE LUGANO, 700X23C, FOLDING	SCHWALBE LUGANO, 700X23C, FOLDING	SCHWALBE RACING RALPH, 700X33C	SCHWALBE SAMMY SLICK, 700X35C
PEDALS	N/A	N/A	N/A	N/A	N/A
CRANK	FSA VERO, 50/39/30	SRAM S500 BB30, 53/39	FSA GOSSAMER PRO BB30, 52/38	FSA SLK LIGHT CARBON, BB30, 46/36	FSA GOSSAMER PRO, BB30, 46/36
BOTTOM BRACKET	FSA	SRAM BB30	FSA BB30	FSA BB30	FSA BB30
CHAIN	KMC X9	KMC DX10SC	SHIMANO 105 5700	KMC X10SL	SHIMANO ULTEGRA 6700
REAR COGS	SRAM PG-950, 12-26, 9-SPEED	SRAM PG-1050, 11-26, 10-SPEED	SHIMANO 105 5700, 12-25, 10-SPEED	SRAM PG-1070, 11-26, 10-SPEED	SHIMANO ULTEGRA 6700, 12-25, 10-SPEED
FR. DERAILLEUR	SHIMANO SORA, 34.9MM CLAMP	SRAM FORCE, BRAZE-ON	SHIMANO 105 5700, BRAZE-ON	SRAM RED, BRAZE-ON	SHIMANO ULTEGRA 6700, BRAZE-ON
REAR DERAILLEUR	SHIMANO SORA	SRAM FORCE	SHIMANO 105 5700	SRAM RED	SHIMANO ULTEGRA 6700
SHIFTERS	SHIMANO SORA	SRAM TT500	MICROSHIFT BAR-END	SRAM RED	SHIMANO ULTEGRA
HANDLEBAR	CANNONDALE C4 COMPACT	CANNONDALE C3 AERO BAR, 31.8 W/FSA VECTOR CARBON CLIP-ONS	CANNONDALE C3 BASE BAR, 31.8 W/FSA TRI MAX TEAM CLIP ONS	FSA ENERGY COMPACT	CANNONDALE C2 COMPACT, 2014 DOUBLE BUTTED ALLOY, 2014 DOUBLE BUTTED ALLOY
GRIPS	CANNONDALE 3MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 2.5MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 2.5MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 3MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 3MM SUEDE W/GEL BACKING BAR TAPE
STEM	CANNONDALE C4, 31.8, 6 DEG.	CANNONDALE C3, 6061 3D FORGED ALLOY, 31.8MM, 6 DEG.	CANNONDALE C3, 6061 3D FORGED ALLOY, 31.8MM, 6 DEG.	FSA SL-K, 31.8	CANNONDALE C2, 2014 3D FORGED ALLOY, 31.8MM, 6 DEG.
HEADSET	SYNAPSE SI, 25MM TOP CAP	SLICE, SI, 15MM TOP CAP	SLICE, SI, 15MM TOP CAP	CANNONDALE SUPERX, 1-1/8" TO 1-1/4", 15MM TOP CAP	CANNONDALE SUPERX, 1-1/8" TO 1-1/4", 15MM TOP CAP
BRAKES	CANNONDALE C4, DUAL PIVOT, CARTRIDGE PAD, LONG REACH	SRAM RIVAL	TEKTRO R580	FSA SL-K	TRP EURO X
BRAKE LEVERS	SHIMANO SORA	ALLOY AERO LEVERS	ALLOY AERO LEVERS	SRAM RED	SHIMANO ULTEGRA
SADDLE	CANNONDALE STAGE ERGO W/STEEL RAILS	FI'ZI:K ARIONE TRI2, W/MG RAILS	CANNONDALE ERGO TRI	FI'ZI:K TUNDRA 2	FI'ZI:K TUNDRA 2
SEATPOST	CANNONDALE C4, ALLOY, 27.2X300MM	CANNONDALE SLICE CARBON AERO, 2 POSITION	CANNONDALE SLICE CARBON AERO, 2 POSITION	FSA SLK, 27.2MMX250MM	CANNONDALE C2, UD CARBON, 27.2X300MM
SIZES	48, 51, 54, 56, 58, 61CM	51, 54, 56, 58, 60CM	51, 54, 56, 58, 60CM	44, 48, 52, 54, 56, 58CM	44, 48, 52, 54, 56, 58CM
COLOR 1 (CODE)	RACE RED (GLOSS) (RED)	MAGNESIUM WHITE W/JET BLACK AND RACE RED (GLOSS) (WHT)	MAGNESIUM WHITE W/JET BLACK AND RACE RED (GLOSS) (WHT)	JET BLACK W/BERSERKER GREEN (GLOSS) (GRN)	MAGNESIUM WHITE W/JET BLACK (GLOSS) (WHT)
COLOR 2 (CODE)	MAGNESIUM WHITE (GLOSS) (WHT)				



	SUPERX 4 RIVAL	CAADX 5 105	CAADX 6 TIAGRA
CODE	2XC4C	2XR5C	2XR6C
FRAME	SUPERX, BALLISTEC CARBON, SPEED SAVE, BB30	CAADX CYCLOCROSS, OPTIMIZED 6061 ALLOY, BB30	CAADX CYCLOCROSS, OPTIMIZED 6061 ALLOY, BB30
FORK	SUPERX, BALLISTEC CARBON, 1-1/8" TO 1-1/4" STEERER	CANNONDALE ULTRA X, CARBON BLADES, 1-1/8"	CANNONDALE ULTRA X, CARBON BLADES, 1-1/8"
REAR SHOCK	N/A	N/A	N/A
RIMS	FULCRUM RACING 7 CX	MADDUX DRX 6000, 32 HOLE	MADDUX DRX 6000, 32 HOLE
HUBS	FULCRUM RACING 7 CX	FORMULA, RB-51 FRONT, RB-52 REAR	FORMULA, RB-51 FRONT, RB-52 REAR
SPOKES	FULCRUM RACING 7 CX	STAINLESS STEEL, 15G	STAINLESS STEEL, 15G
TIRES	SCHWALBE RAPID ROB, 700X35C	SCHWALBE SAMMY SLICK, 700X35C	SCHWALBE SAMMY SLICK, 700X35C
PEDALS	N/A	N/A	N/A
CRANK	FSA GOSSAMER PRO, BB30, 46/36	FSA GOSSAMER, BB30, 46/36	FSA OMEGA BB30, 46/36
BOTTOM BRACKET	FSA BB30	FSA BB30	FSA BB30
CHAIN	KMC X10SL	KMC X10	KMC X10
REAR COGS	SRAM PG-1050, 11-26, 10-SPEED	SHIMANO TIAGRA 4600, 12-28, 10-SPEED	SHIMANO TIAGRA 4600, 12-28, 10-SPEED
FR. DERAILLEUR	SRAM RIVAL, BRAZE-ON	SHIMANO 105 5700, 34.9MM CLAMP	SHIMANO TIAGRA 4600, 34.9MM CLAMP
REAR DERAILLEUR	SRAM RIVAL	SHIMANO 105 5700	SHIMANO TIAGRA 4600
SHIFTERS	SRAM RIVAL	SHIMANO 105 5700	SHIMANO TIAGRA 4600
HANDLEBAR	CANNONDALE C2 COMPACT, 2014 DOUBLE BUTTED ALLOY, 2014 DOUBLE BUTTED ALLOY	CANNONDALE C3 COMPACT, 6061 DOUBLE BUTTED ALLOY	CANNONDALE C4 COMPACT
GRIPS	CANNONDALE 3MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 3MM SUEDE W/GEL BACKING BAR TAPE	CANNONDALE 3MM SUEDE W/GEL BACKING BAR TAPE
STEM	CANNONDALE C2, 2014 3D FORGED ALLOY, 31.8MM, 6 DEG.	CANNONDALE C3, 6061 3D FORGED ALLOY, 31.8MM, 6 DEG.	CANNONDALE C4, 31.8, 6 DEG.
HEADSET	CANNONDALE SUPERX, 1-1/8" TO 1-1/4", 15MM TOP CAP	CAADX SI, 25MM TOP CAP	CAADX SI, 25MM TOP CAP
BRAKES	TRP EURO X	TEKTRO CR710	TEKTRO CR520
BRAKE LEVERS	SRAM RIVAL	SHIMANO 105 5700	SHIMANO TIAGRA 4600
SADDLE	FI'ZI:K TUNDRA 2	CANNONDALE STAGE W/CRMO RAILS	CANNONDALE STAGE W/STEEL RAILS
SEATPOST	CANNONDALE C3 CARBON WRAP, 27.2X300MM	CANNONDALE C3 ALLOY, 31.6MMX300MM	CANNONDALE C4 ALLOY, 31.6MMX300MM
SIZES	44, 48, 52, 54, 56, 58CM	44, 48, 51, 54, 56, 58, 61CM	44, 48, 51, 54, 56, 58, 61CM
COLOR 1 (CODE)	MAGNESIUM WHITE W/JET BLACK (GLOSS) (WHT)	BRUSHED ALUMINUM (GLOSS) (RAW)	JET BLACK (MATTE) (BBQ)

MOUNTAIN SPECIFICATIONS

	CLAYMORE 1	CLAYMORE 2	JEKYLL CARBON 1	JEKYLL CARBON 2	JEKYLL ALLOY 3
CODE	2VA1	2VA2	2VN1	2VN2	2VN3
FRAME	CLAYMORE, 180/110MM, SMARTFORMED ALLOY, BB30, ISCG03, DIABLO 1.5 SI HEAD TUBE	CLAYMORE, 180/110MM, SMARTFORMED ALLOY, BB30, ISCG03, DIABLO 1.5 SI HEAD TUBE	JEKYLL, 150/90MM, BALLISTEC HI-MOD CARBON, BB30, ISCG03, 1.5 SI HEAD TUBE	JEKYLL, 150/90MM, BALLISTEC HI-MOD CARBON, BB30, ISCG03, 1.5 SI HEAD TUBE	JEKYLL, 150/90MM, SMARTFORMED ALLOY, BB30, ISCG03, 1.5 SI HEAD TUBE
FORK	FOX TALAS R, 180MM, 20QR THRU AXLE, 1.5"	FOX VAN R O/B, 180MM, 20QR THRU AXLE, 1.5"	FOX 32 TALAS RLC FIT, 150MM, 15QR THRU AXLE, 1.5"	FOX 32 TALAS RL W/CUSTOM LOCKOUT THRESHOLD, 150MM, 15QR THRU AXLE, 1.5"	FOX 32 TALAS RL W/CUSTOM LOCKOUT THRESHOLD, 150MM, 15QR THRU AXLE, 1.5"
REAR SHOCK	FOX DYAD RT2 DUAL SHOCK 180/110MM	FOX DYAD RT2 DUAL SHOCK 180/110MM	FOX DYAD RT2 DUAL SHOCK 150/90MM	FOX DYAD RT2 DUAL SHOCK 150/90MM	FOX DYAD RT2 DUAL SHOCK 150/90MM
RIMS	SUNRINGLE CHARGER PRO, TUBELESS READY	SUNRINGLE INFERNO 27, 32 HOLE	MAVIC CROSSMAX ST, TUBELESS	SUNRINGLE BLACKFLAG EXPERT +, TUBELESS READY	SUNRINGLE INFERNO25, 32 HOLE
HUBS	SUNRINGLE CHARGER PRO, 20MM FRONT, 142X12MM REAR	FORMULA, 32 HOLE, THRU20 FRONT, 142X12MM REAR	MAVIC CROSSMAX ST, 15MM FRONT, 142X12MM REAR	SUNRINGLE BLACKFLAG EXPERT +, 24 HOLE, 15MM FRONT,142X12MM REAR	FORMULA, 15MM FRONT, SUN RINGLE DIRTY FLEA 142X12MM REAR
SPOKES	SUNRINGLE CHARGER PRO	DT SWISS CHAMPION BLK 1.8MM	MAVIC CROSSMAX ST	SUNRINGLE BLACKFLAG EXPERT +	DT SWISS CHAMPION
TIRES	SCHWALBE HANS DAMPF SNAKESKIN TRAILSTAR, 2.35" TUBELESS READY	SCHWALBE HANS DAMPF PERFORMANCE, 2.35", FOLDING	SCHWALBE HANS DAMPF SNAKESKIN TRAILSTAR, 2.35" TUBELESS READY	SCHWALBE HANS DAMPF SNAKESKIN TRAILSTAR, 2.35" TUBELESS READY	SCHWALBE HANS DAMPF SNAKESKIN TRAILSTAR, 2.35" TUBELESS READY
PEDALS	N/A	N/A	N/A	N/A	N/A
CRANK	SRAM S1400, BB30, 36/22	SRAM S1400, BB30, 36/22	SRAM S2210, BB30, 38/24	SRAM S2210, BB30, 38/24	SRAM S1400, BB30, 44/33/22
BOTTOM BRACKET	SRAM BB30	SRAM BB30	SRAM BB30	SRAM BB30	SRAM BB30
CHAIN	KMC X10SL, 10-SPEED	KMC X10, 10-SPEED	KMC X10SL, 10-SPEED	KMC X10SL, 10-SPEED	KMC X10, 10-SPEED
REAR COGS	SRAM PG-1070, 11-36, 10-SPEED	SRAM PG-1030, 11-36, 10-SPEED	SRAM PG-1070, 11-36, 10-SPEED	SRAM PG-1070, 11-36, 10-SPEED	SHIMANO HG-62, 11-36, 10-SPEED
FR. DERAILLEUR	SRAM X9, DIRECT MOUNT	SRAM X7, DIRECT MOUNT	SRAM X9, DIRECT MOUNT	SRAM X7, DIRECT MOUNT	SRAM X7, DIRECT MOUNT
REAR DERAILLEUR	SHIMANO XT	SRAM X9	SHIMANO XTR	SRAM X9	SHIMANO XT
SHIFTERS	SHIMANO XT	SRAM X7	SHIMANO XT	SRAM X9	SHIMANO SLX
HANDLEBAR	FSA GRAVITY LITE, 710X25MM RISE	CANNONDALE C3 RISER, 740X18MM, 2014 ALLOY	TRUVATIV NOIR, 700X25MM RISE	CANNONDALE C2 RISER, 680X20MM, 2014 ALLOY	CANNONDALE C2 RISER, 680X20MM, 2014 ALLOY
GRIPS	CANNONDALE ALLOY LOCKING GRIPS W/ CLOSED END	CANNONDALE ALLOY LOCKING GRIPS W/ CLOSED END	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END	CANNONDALE ALLOY LOCKING GRIPS W/ CLOSED END	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END
STEM	FSA GRAVITY LITE, 1.5", 31.8	CANNONDALE C3, 1.5", 31.8	CANNONDALE C1, 1.5", 31.8	CANNONDALE C1, 1.5", 31.8	CANNONDALE C1, 1.5", 31.8
HEADSET	TANGE SEIKI 1.5", SI ANGULAR CONTACT	TANGE SEIKI 1.5", SI ANGULAR CONTACT	TANGE SEIKI 1.5", INTEGRATED	TANGE SEIKI 1.5", INTEGRATED	TANGE SEIKI 1.5", INTEGRATED
BRAKES	AVID ELIXIR 9, 200/180MM	AVID ELIXIR 7, 200/180MM	AVID ELIXIR 9 CARBON, 180/180MM	AVID ELIXIR 7 CARBON, 180/180MM	AVID ELIXIR 7, 180/180MM
BRAKE LEVERS	AVID ELIXIR 9	AVID ELIXIR 7	AVID ELIXIR 9 CARBON	AVID ELIXIR 7 CARBON	AVID ELIXIR 7
SADDLE	PROLOGO SCRATCH X18	CANNONDALE STAGE CRMO	FI'ZI:K GOBI MG	FI'ZI:K GOBI XM	CANNONDALE STAGE CRMO
SEATPOST	X FUSION HILO, 31.6X385MM HEIGHT ADJUSTABLE W/REMOTE	CANNONDALE C2, 31.6X350MM	ROCKSHOX REVERB, 31.6X385MM HEIGHT Adjustable	CANNONDALE C2, 31.6X350MM	CANNONDALE C2, 31.6X350MM
SIZES	S, M, L	S, M, L	S, M, L, X	S, M, L, X	S, M, L, X
COLOR 1 (CODE)	JET BLACK (MATTE) (BBQ)	JET BLACK (MATTE) (BBQ)	EXPOSED CARBON W/MAGNESIUM WHITE (MATTE) (BBQ)	CHARCOAL GRAY W/JET BLACK (MATTE) (GRY)	JET BLACK (GLOSS) (BLK)
EXTRAS	HIGH PRESSURE SHOCK PUMP, DYAD REMOTE LEVER, SYNTACE X-12 142 MM REAR AXLE	HIGH PRESSURE SHOCK PUMP, DYAD REMOTE LEVER, SYNTACE X-12 142 MM REAR AXLE	HIGH PRESSURE SHOCK PUMP, DYAD REMOTE LEVER, SYNTACE X-12 142 MM REAR AXLE	HIGH PRESSURE SHOCK PUMP, DYAD REMOTE LEVER, SYNTACE X-12 142 MM REAR AXLE	HIGH PRESSURE SHOCK PUMP, DYAD REMOTE LEVER, SYNTACE X-12 142 MM REAR AXLE

MOUNTAIN SPECIFICATIONS

	JEKYLL ALLOY 4	RZ ONE TWENTY 2	RZ ONE TWENTY 3	SCALPEL TEAM	SCALPEL 2
CODE	2VN4	2VL2	2VL3	2VP0	2VP2
FRAME	JEKYLL, 150/90MM, SMARTFORMED ALLOY, BB30, ISCG03, 1.5 SI HEAD TUBE	RZ ONE TWENTY, 120MM, SMARTFORMED ALLOY, BB30, 1.5 SI HEAD TUBE	RZ ONE TWENTY, 120MM, SMARTFORMED ALLOY, BB30, 1.5 SI HEAD TUBE	SCALPEL, 80MM, BALLISTEC HI-MOD FULL CARBON, ZERO PIVOT, BB30, 1.5 SI HEAD TUBE	SCALPEL, 80MM, BALLISTEC HI-MOD FULL CARBON, ZERO PIVOT, BB30, 1.5 SI HEAD TUBE
FORK	ROCKSHOX SEKTOR TK, DUAL POSITION, LOCKOUT, REBOUND, 15QR THRU AXLE, 1.5"	ROCKSHOX RECON GOLD TK, 120MM, SOLO AIR, LOCKOUT, REBOUND, 1.5"	ROCKSHOX RECON SILVER TK, 120MM, SOLO AIR, LOCKOUT, REBOUND, 20MM THRU AXLE, 1.5"	LEFTY SPEED CARBON XLR, 100MM, OPI, SOLO AIR	LEFTY SPEED XLR, 100MM, OPI, SOLO AIR
REAR SHOCK	FOX DYAD RT2 DUAL SHOCK 150/90MM	ROCKSHOX MONARCH RT	X FUSION E1RL	ROCKSHOX MONARCH RT3	ROCKSHOX MONARCH RT
RIMS	SUNRINGLE INFERNO25, 32 HOLE	SUNRINGLE SR25, 28 HOLE FRONT, 32 HOLE REAR	MADDUX DC 3.0, DOUBLE WALL, EYELETED, 28 HOLE FRONT, 32 HOLE REAR	MAVIC CROSSMAX SLR, TUBELESS	SUNRINGLE BLACKFLAG PRO, 24 HOLE, TUBELESS READY
HUBS	FORMULA, 15MM FRONT, 142X12MM REAR	FORMULA DC20 FRONT, DC22 REAR	FORMULA DC20 FRONT, DC22 REAR	MAVIC CROSSMAX SLR LEFTY	SUNRINGLE BLACKFLAG PRO LEFTY
SPOKES	DT SWISS CHAMPION	DT SWISS CHAMPION	DT SWISS CHAMPION	MAVIC CROSSMAX SLR	SUNRINGLE BLACKFLAG PRO
TIRES	SCHWALBE HANS DAMPF SNAKESKIN TRAILSTAR, 2.35" TUBELESS READY	SCHWALBE RAPID ROB, 2.25"	SCHWALBE RAPID ROB, 2.25"	SCHWALBE FURIOUS FRED PACESTAR, 26X2.0" TUBELESS READY	SCHWALBE RACING RALPH PACESTAR, 2.1" Tubeless ready
PEDALS	N/A	FPD ALLOY BODY	FPD ALLOY BODY	N/A	N/A
CRANK	SRAM S1000 3.3, 44/33/22	SHIMANO M552, 42/32/24	SRAM S800 3.2, 44/33/22	CANNONDALE HOLLOWGRAM SL, BB30, 39/26	SRAM S2210, BB30, 39/26
BOTTOM BRACKET	TRUVATIV POWERSPLINE	INCLUDED	TRUVATIV POWERSPLINE	CANNONDALE BB30	SRAM BB30
CHAIN	KMC X10, 10-SPEED	KMC X10, 10-SPEED	KMC X10, 10-SPEED	KMC X10SL, 10-SPEED	KMC X10SL, 10-SPEED
REAR COGS	SRAM PG-1030, 11-36, 10-SPEED	SRAM PG-1030, 11-36, 10-SPEED	SRAM PG-1030, 11-36, 10-SPEED	SRAM XX, 11-36, 10-SPEED	SRAM PG-1070, 11-36, 10-SPEED
FR. DERAILLEUR	SRAM X7, DIRECT MOUNT	SHIMANO SLX, 34.9 HIGH CLAMP	SRAM X5, 34.9 HIGH CLAMP	SRAM XX, DIRECT MOUNT	SRAM X9, DIRECT MOUNT
REAR DERAILLEUR	SRAM X7	SHIMANO XT	SRAM X5	SRAM XX	SRAM X0
SHIFTERS	SRAM X5	SHIMANO SLX	SRAM X5	SRAM XX	SRAM X9
HANDLEBAR	CANNONDALE C3 RISER, 680X20MM, 6061 ALLOY	CANNONDALE C3 RISER, 680X20MM, 6061 ALLOY	CANNONDALE C3 RISER, 680X20MM, 6061 ALLOY	FSA K-FORCE RISER, 660X18MM	CANNONDALE C2 RISER, 680X20MM, 2014 ALLOY
GRIPS	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END	CANNONDALE FOAM LOCKING GRIPS	CANNONDALE FOAM LOCKING GRIPS
STEM	CANNONDALE C4, 1.5", 31.8	CANNONDALE C3, 1.5", 31.8	CANNONDALE C3, 1.5", 31.8	CANNONDALE OPI ADJUSTABLE, -5 DEGREE, 31.8	CANNONDALE OPI ADJUSTABLE, -5 DEGREE, 31.8
HEADSET	TANGE SEIKI 1.5", INTEGRATED	TANGE SEIKI, 1.5", INTEGRATED	TANGE SEIKI, 1.5", INTEGRATED	CANNONDALE HEADSHOK SI	CANNONDALE HEADSHOK SI
BRAKES	AVID ELIXIR 3, 180/180MM	AVID ELIXIR 3, 180/160MM	AVID ELIXIR 1, 180/160MM	AVID XX WORLD CUP, 160/140MM	AVID ELIXIR 9 CARBON 160/140MM
BRAKE LEVERS	AVID ELIXIR 3	AVID ELIXIR 3	AVID ELIXIR 1	AVID XX WORLD CUP	AVID ELIXIR 9 CARBON 160/140MM
SADDLE	CANNONDALE STAGE 2	CANNONDALE STAGE 2	CANNONDALE STAGE 2	FI'ZI:K TUNDRA2 CRB	FI'ZI:K TUNDRA2 MG
SEATPOST	CANNONDALE C2, 31.6X350MM	CANNONDALE C3, 31.6X400MM	CANNONDALE C4, 31.6X400MM	FSA K-FORCE 25MM OFFSET, 31.6X400MM	CANNONDALE C2, 31.6X400MM
SIZES	S, M, L, X	S, M, L, X	S, M, L, X	S, M, L, X	S, M, L, X
COLOR 1 (CODE)	MAGNESIUM WHITE (GLOSS) (WHT)	JET BLACK (MATTE) (BBQ)	JET BLACK (MATTE) (BBQ)	EXPOSED CARBON W/MAGNESIUM WHITE AND BERSERKER GREEN ACCENTS (GLOSS) (REP)	JET BLACK W/MAGNESIUM WHITE AND RACE RED ACCENTS (GLOSS) (BLK)
COLOR 2 (CODE)		MAGNESIUM WHITE (GLOSS) (WHT)	FINE SILVER (MATTE) (SLV)		
EXTRAS	HIGH PRESSURE SHOCK PUMP, DYAD REMOTE LEVER, SYNTACE X-12 142 MM REAR AXLE				

	SCALPEL 3	FLASH ALLOY 3	TRAIL SL 2	TRAIL SL 3	TRAIL SL 4
CODE	2VP3	2FA3	2FS2	2FS3	2FS4
FRAME	SCALPEL, 80MM, BALLISTEC HI-MOD FULL CARBON, ZERO PIVOT, BB30, 1.5 SI HEAD TUBE	FLASH, SMARTFORMED ALLOY, SPEED SAVE, BB30, 1.5 SI HEAD TUBE	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEAD TUBE	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEAD TUBE	TRAIL SL, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEAD TUBE
FORK	LEFTY SPEED PBR, 100MM, OPI, SOLO AIR	FATTY DLR80, 80MM, OPI	ROCKSHOX RECON SILVER TK, 100MM, SOLO AIR, LOCKOUT, REBOUND, 1.5"	RST DEUCE COIL, 100MM, COIL/ELASTOMER, LOCKOUT, REBOUND, 1.5"	RST DEUCE TNL, 100MM, COIL/ELASTOMER, LOCKOUT, 1.5"
REAR SHOCK	ROCKSHOX MONARCH RT	N/A	N/A	N/A	N/A
RIMS	DT SWISS XCR 1.7 CUSTOM, 24 HOLE	MADDUX DC3.0, DOUBLE WALL W/EYELET, 28 HOLE FRONT, 32 HOLE REAR	MADDUX DC3.0, DOUBLE WALL W/EYELET, 28 HOLE FRONT, 32 HOLE REAR	MADDUX DC3.0, DOUBLE WALL W/EYELET, 28 HOLE FRONT, 32 HOLE REAR	MADDUX DC3.0, DOUBLE WALL W/EYELET, 28 HOLE FRONT, 32 HOLE REAR
HUBS	LEFTY SL FRONT, DT SWISS 370 REAR	FORMULA DC 20 FRONT, DC 22 REAR	FORMULA, DC20 FRONT, DC22 REAR	CANNONDALE C4 FRONT & REAR	CANNONDALE C4 FRONT & REAR
SPOKES	DT SWISS COMPETITION	DT SWISS CHAMPION	STAINLESS STEEL, 15G, BLACK	STAINLESS STEEL, 15G, BLACK	STAINLESS STEEL, 15G, BLACK
TIRES	SCHWALBE RACING RALPH PACESTAR, 2.1" TUBELESS READY	SCHWALBE RAPID ROB, 2.1"			
PEDALS	N/A	FPD ALLOY PLATFORM	FPD PLATFORM, PLASTIC BODY	FPD PLATFORM, PLASTIC BODY	FPD PLATFORM, PLASTIC BODY
CRANK	SRAM S1400, BB30, 39/26	SHIMANO M552, 42/32/24	SRAM S800 3.1, 44/33/22	SHIMANO FC-M430-8 OCTALINK, 44/32/22	SHIMANO FC-M361, 44/32/22
BOTTOM BRACKET	SRAM BB30	INCLUDED	SRAM POWERSPLINE	SHIMANO BB-ES25, OCTALINK	TANGE SEIKI LN-3912
CHAIN	KMC X10SL, 10-SPEED	KMC X10, 10-SPEED	KMC X10, 10-SPEED	SHIMANO HG53, 9-SPEED	SHIMANO HG40, 8-SPEED
REAR COGS	SRAM PG-1030, 11-36, 10-SPEED	SRAM PG-1070, 11-36, 10-SPEED	SHIMANO HG-62, 11-36, 10-SPEED	SUNRACE M96, 11-34, 9-SPEED	SUNRACE M66, 12-32, 8-SPEED
FR. DERAILLEUR	SRAM X7, DIRECT MOUNT	SHIMANO DEORE	SRAM X5, 34.9 CLAMP	SHIMANO ALIVIO, 34.9 CLAMP	SHIMANO ALTUS, 34.9 CLAMP
REAR DERAILLEUR	SHIMANO XT	SHIMANO XT	SRAM X5	SHIMANO DEORE	SHIMANO ALIVIO
SHIFTERS	SHIMANO SLX	SHIMANO SLX	SRAM X5	SHIMANO ALIVIO	SHIMANO ALTUS
HANDLEBAR	CANNONDALE C2 RISER, 680X20MM, 2014 ALLOY	CANNONDALE C2 RISER, 680X20MM, 2014 ALLOY	CANNONDALE C3 RISER, 680X20MM, 6061 ALLOY	CANNONDALE C3 RISER, 680X20MM, 6061 ALLOY	CANNONDALE C3 RISER, 680X20MM, 6061 ALLOY
GRIPS	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END	CANNONDALE DUAL DENSITY GRIPS
STEM	CANNONDALE OPI ADJUSTABLE, -5 DEGREE, 31.8	CANNONDALE C1 HEADSHOK, 31.8	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE
HEADSET	HEADSHOK	CANNONDALE HEADSHOK SI	TANGE CUSTOM 1.5"	TANGE CUSTOM 1.5"	TANGE CUSTOM 1.5"
BRAKES	AVID ELIXIR 7, 160/140MM	AVID ELIXIR 1, 160/160MM	AVID ELIXIR 1, 160/160MM	TEKTRO DRACO PRO HYDRAULIC, 160/160MM	CANNONDALE HELIX 6 HYDRAULIC DISC, 160/160MM
BRAKE LEVERS	AVID ELIXIR 7, 160/140MM	AVID ELIXIR 1	AVID ELIXIR 1	TEKTRO DRACO PRO HYDRAULIC	CANNONDALE HELIX 6 HYDRAULIC
SADDLE	FI'ZI:K TUNDRA2 0E	CANNONDALE STAGE 2	CANNONDALE STAGE 2	CANNONDALE STAGE 2	CANNONDALE STAGE 2
SEATPOST	CANNONDALE C2, 31.6X400MM	CANNONDALE C3, 27.2X400MM	CANNONDALE C3, 31.6X350MM (S, M) 400MM (L, X, J)	CANNONDALE C3, 31.6X350MM (S, M) 400MM (L, X, J)	CANNONDALE C3, 31.6X350MM (S, M) 400MM (L, X, J)
SIZES	S, M, L, X	S, M, L, X	S, M, L, X, J	S, M, L, X, J	S, M, L, X, J
COLOR 1 (CODE)	RACE RED W/MAGNESIUM WHITE AND JET BLACK ACCENTS (GLOSS) (RED)	JET BLACK (GLOSS) (BLK)	JET BLACK (GLOSS) (BLK2)	JET BLACK (MATTE) (BBQ)	CHARCOAL GREY (MATTE) (GRY)
COLOR 2 (CODE)		MAGNESIUM WHITE W/BERSERKER GREEN ACCENTS (GLOSS) (GRN)	RACE RED (GLOSS) (RED)	MAGNESIUM WHITE (GLOSS) (WHT)	MAGNESIUM WHITE (GLOSS) (WHT)

MOUNTAIN SPECIFICATIONS

	TRAIL 5	TRAIL 6	SCALPEL 29'ER CARBON 1	SCALPEL 29'ER CARBON 2	SCALPEL 29'ER ALLOY 3
CODE	2FT5	2FT6	2VP91	2VP92	2VP93
FRAME	TRAIL, DOUBLE BUTTED 6061 ALLOY, SAVE, 1-1/8" HEAD TUBE	TRAIL, DOUBLE BUTTED 6061 ALLOY, SAVE, 1-1/8" HEAD TUBE	SCALPEL 29'ER, 100MM, BALLISTEC HI-MOD FULL CARBON, ZERO PIVOT SEATSTAY, BB30, 1.5 SI HEAD TUBE	SCALPEL 29'ER, 100MM, BALLISTEC HI-MOD FULL CARBON, ZERO PIVOT SEATSTAY, BB30, 1.5 SI HEAD TUBE	SCALPEL 29'ER, 100MM, SMARTFORMED ALLOY BB30, 1.5 SI HEAD TUBE
FORK	RST BLAZE PRO TNL, 100MM, COIL/ELASTOMER, LOCKOUT, 1-1/8"	RST BLAZE T, 100MM, COIL/ ELASTOMER, 1-1/8"	LEFTY 29'ER CARBON XLR, 100MM, OPI, SOLO AIR	LEFTY 29'ER XLR, 100MM, OPI, SOLO AIR	LEFTY 29'ER PBR, 100MM, OPI, SOLO AIR
REAR SHOCK	N/A	N/A	FOX RP23	ROCKSHOX MONARCH RT3	FOX RP2
RIMS	ALEX DC4.5, DOUBLE WALL, 32 HOLE	ALEX DC4.5, DOUBLE WALL, 32 HOLE	DT SWISS TRICON 1550 29'ER LEFTY, TUBELESS READY	STAN'S ZTR ARCH 29'ER, 32 HOLE	SUNRINGLE INFERNO25, WELDED, W/EYELET, 32 HOLE
HUBS	CANNONDALE C4, FRONT & REAR	CANNONDALE C4, FRONT & REAR	DT SWISS TRICON 1550 29'ER LEFTY	LEFTY SL FRONT, SUNRINGLE DIRTY FLEA REAR 142X12MM REAR	LEFTY SL FRONT, FORMULA DHL-142 142X12MI REAR
SPOKES	STAINLESS STEEL, 15G, BLACK	STAINLESS STEEL, 15G, BLACK	DT SWISS TRICON 1550 29'ER LEFTY	DT SWISS COMPETITION	DT SWISS COMPETITION
TIRES	KENDA SMALL BLOCK 8, 2.1"	KENDA SMALL BLOCK 8, 2.1"	SCHWALBE RACING RALPH EVO, 2.25" TUBELESS READY	SCHWALBE RACING RALPH EVO, 2.25" TUBELESS READY	SCHWALBE RACING RALPH EVO, 2.25" TUBELES READY
PEDALS	FPD PLATFORM, PLASTIC BODY	FPD PLATFORM, PLASTIC BODY	N/A	N/A	N/A
CRANK	SHIMANO, FC-M311, 42/32/22, 170MM (S), 175MM (M-J)	SHIMANO, FC-M131, 42/34/24	CANNONDALE HOLLOWGRAM SL, BB30, 39/26 W/XX CHAINRINGS	SRAM S2210, BB30, 39/26	SRAM S1000, BB30, 39/26
BOTTOM BRACKET	TANGE SEIKI LN-3912	TANGE SEIKI LN-3912	SRAM PRESSFIT BB30	SRAM BB30	SRAM BB30
CHAIN	KMC Z-72, 8-SPEED	KMC Z-72, 8-SPEED	KMC X10SL, 10-SPEED	KMC X10SL, 10-SPEED	KMC X10, 10-SPEED
REAR COGS	SUNRACE M66, 12-32, 8-SPEED	SUNRACE M56, 11-32, 8-SPEED	SRAM PG-1070, 11-36, 10-SPEED	SRAM PG-1070, 11-36, 10-SPEED	SRAM PG-1030, 11-36, 10-SPEED
FR. DERAILLEUR	SHIMANO FD-M310, 34.9 CLAMP	SHIMANO FD-M190, 34.9 CLAMP	SRAM XO, DIRECT MOUNT	SRAM X9, DIRECT MOUNT	SRAM X7, DIRECT MOUNT
REAR DERAILLEUR	SHIMANO ACERA	SHIMANO ALTUS	SRAM XX	SHIMANO XTR	SRAM X9
SHIFTERS	SHIMANO ACERA	SHIMANO M-310	SRAM XX	SHIMANO XT	SRAM X7
HANDLEBAR	CANNONDALE C4 RISER, 660X30MM, 6061 ALLOY	CANNONDALE C4 RISER, 660X30MM, 6061 ALLOY	TRUVATIV NOIR FLAT, 700X10MM	TRUVATIV NOIR FLAT, 700X10MM	CANNONDALE C2 FLAT, 680X3MM, 2014 ALLOY
GRIPS	CANNONDALE DUAL DENSITY GRIPS	CANNONDALE DUAL DENSITY GRIPS	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END
STEM	CANNONDALE C4, 31.8, 7 DEGREE	CANNONDALE C4, 31.8, 7 DEGREE	CANNONDALE OPI ADJUSTABLE, -15 DEGREE, 31.8	CANNONDALE OPI ADJUSTABLE, -15 DEGREE, 31.8	CANNONDALE C1 HEADSHOK, 31.8
HEADSET	TANGE SEIKI ER2 SLIM STACK	TANGE SEIKI ER2 SLIM STACK	CANNONDALE HEADSHOK SI	CANNONDALE HEADSHOK SI	CANNONDALE HEADSHOK SI
BRAKES	PROMAX MECHANICAL DISC, 160/160MM	TEKTRO NOVELA MECHANICAL DISC, 160/160MM	AVID ELIXIR X0, 180/160MM	AVID ELIXIR 9 CARBON, 180/160MM	AVID ELIXIR 5, 180/160MM
BRAKE LEVERS	CANNONDALE	CANNONDALE	AVID ELIXIR X0	AVID ELIXIR 9 CARBON	AVID ELIXIR 5
SADDLE	CANNONDALE STAGE 2	CANNONDALE STAGE 2	FI'ZI:K TUNDRA2 KM	FI'ZI:K TUNDRA2 OE	FI'ZI:K TUNDRA2 OE
SEATPOST	CANNONDALE C4, 31.6X350MM (S, M) 400MM (L, X, J)	CANNONDALE C4, 31.6X350MM (S, M) 400MM (L, X, J)	FI'ZI:K CYRANO, 31.6X400MM	FI'ZI:K CYRANO, 31.6X400MM	CANNONDALE C3, 31.6X400MM
SIZES	S, M, L, X, J	S, M, L, X, J	S, M, L, X	S, M, L, X	S, M, L, X
COLOR 1 (CODE)	INDIGO BLUE (GLOSS) (BLU)	JET BLACK (MATTE) (BBQ)	EXPOSED CARBON W/MAGNESIUM WHITE AND CHARCOAL GREY (MATTE) (BBQ)	EXPOSED CARBON W/MAGNESIUM WHITE AND Berserker Green (Gloss) (BLK)	MAGNESIUM WHITE (GLOSS) (WHT)
COLOR 2 (CODE)	FINE SILVER (GLOSS) (SLV)	MAGNESIUM WHITE (GLOSS) (WHT)			

	SCALPEL 29'ER ALLOY 4	FLASH 29'ER CARBON ULTIMATE	FLASH 29'ER CARBON 1	FLASH 29'ER CARBON 2	FLASH 29'ER CARBON 3	
CODE	2VP94	2FS290S	2FS291S	2FS292S	2FS293S	
FRAME	SCALPEL 29'ER, 100MM, SMARTFORMED ALLOY, BB30, 1.5 SI HEAD TUBE	FLASH 29'ER, BALLISTEC HI-MOD CARBON, SPEED SAVE, BB30 1.5 SI HEAD TUBE	FLASH 29'ER, BALLISTEC HI-MOD CARBON, SPEED SAVE, BB30 1.5 SI HEAD TUBE	FLASH 29'ER, BALLISTEC CARBON, SPEED SAVE, BB30 1.5 SI HEAD TUBE	FLASH 29'ER, BALLISTEC CARBON, SPEED SAVE, BB30 1.5 SI HEAD TUBE	
FORK	ROCKSHOX RECON GOLD TK 29, 80MM, SOLO AIR, LOCKOUT, REBOUND, 1.5"	LEFTY 29'ER CARBON XLR, 90MM, OPI, SOLO AIR	LEFTY 29'ER CARBON XLR, 90MM, OPI, SOLO AIR	LEFTY 29'ER XLR, 100MM, OPI, SOLO AIR	LEFTY 29'ER PBR, 100MM, OPI, SOLO AIR	
REAR SHOCK	X FUSION E1 RL	N/A	N/A	N/A	N/A	
RIMS	SUNRINGLE INFERNO25, WELDED, W/EYELET, 29'ER, 32 HOLE	ENVE COMPOSITES TWENTY9 XC, 28 HOLE FRONT, 32 HOLE REAR	STAN'S ZTR ARCH 29'ER, 32 HOLE	STAN'S ZTR ARCH 29'ER, 32 HOLE	SUNRINGLE INFERNO25, WELDED, W/EYELET, 29'ER, 32 HOLE	
HUBS	FORMULA 20MM FRONT, 142X12MM REAR	LEFTY SL FRONT, DT SWISS 240S REAR	LEFTY SL FRONT, DT SWISS 240S REAR	LEFTY SL FRONT, SUNRINGLE DIRTY FLEA REAR	LEFTY SL FRONT, SRAM X9 REAR	
SPOKES	DT SWISS CHAMPION	DT SWISS AEROLITE	DT SWISS AEROSPEED	DT SWISS COMPETITION	DT SWISS COMPETITION	
TIRES	KENDA SMALL BLOCK 8, 2.1" FOLDING	SCHWALBE RACING RALPH EVO, 2.1" TUBELESS READY	SCHWALBE RACING RALPH EVO, 2.25" TUBELESS READY	SCHWALBE RACING RALPH EVO, 2.25" TUBELESS READY	SCHWALBE RACING RALPH EVO, 2.25" TUBELESS READY	
PEDALS	N/A	N/A	N/A	N/A	N/A	
CRANK	FSA COMET, BB30, 42/32/24	CANNONDALE HOLLOWGRAM SL, BB30, 39/26 W/SRAM XX RINGS	SRAM S2210, BB30, 39/26	SRAM S2210, BB30, 39/26	SRAM S1400, BB30, 39/26	
BOTTOM BRACKET	FSA BB30	CANNONDALE BB30	SRAM BB30	SRAM BB30	SRAM BB30	
CHAIN	KMC X10, 10-SPEED	KMC X10SL, 10-SPEED	KMC X10SL, 10-SPEED	KMC X10SL, 10-SPEED	KMC X10SL, 10-SPEED	
REAR COGS	SHIMANO HG-62, 11-36, 10-SPEED	SRAM XX, 11-36, 10-SPEED	SRAM PG-1070, 11-36, 10-SPEED	SRAM PG-1070, 11-36, 10-SPEED	SRAM PG-1030, 11-36, 10-SPEED	
FR. DERAILLEUR	SHIMANO DEORE, DIRECT MOUNT	SRAM XX, DIRECT MOUNT	SRAM XO, DIRECT MOUNT	SRAM X9, DIRECT MOUNT	SRAM X7, DIRECT MOUNT	
REAR DERAILLEUR	SHIMANO XT	SRAM XX	SHIMANO XTR	SRAM X0	SHIMANO XT	
SHIFTERS	SHIMANO DEORE	SRAM XX	SHIMANO XTR	SRAM X9	SHIMANO XT	
HANDLEBAR	CANNONDALE C3 RISER, 680X20MM, 6061	ENVE COMPOSITES SWEEP, 700X0MM	TRUVATIV NOIR FLAT, 700X10MM TRUVATIV NOIR FLAT, 700X10MM		CANNONDALE C2 FLAT, 680X3MM, 2014 ALLOY	
GRIPS	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END	CANNONDALE FOAM LOCKING GRIPS	CANNONDALE FOAM LOCKING GRIPS	CANNONDALE FOAM LOCKING GRIPS	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END	
STEM	CANNONDALE C3, 1.5", 31.8	CANNONDALE OPI ADJUSTABLE, -15 DEGREE, 31.8	CANNONDALE OPI ADJUSTABLE, -15 DEGREE, 31.8	CANNONDALE OPI ADJUSTABLE, -15 degree, 31.8	CANNONDALE OPI ADJUSTABLE, -15 degree, 31.8	
HEADSET	TANGE 1.5 SI	CANNONDALE HEADSHOK SI	CANNONDALE HEADSHOK SI	CANNONDALE HEADSHOK SI	CANNONDALE HEADSHOK SI	
BRAKES	AVID ELIXIR 3, 180/160MM	SRAM XX WORLD CUP 160/140MM	AVID XO CARBON, 180/160MM	AVID ELIXIR 9 CARBON, 180/160MM	AVID ELIXIR 9, 180/160MM	
BRAKE LEVERS	AVID ELIXIR 3	SRAM XX WORLD CUP	AVID XO CARBON	AVID ELIXIR 9 CARBON	AVID ELIXIR 9	
SADDLE	CANNONDALE STAGE CRMO	FI'ZI:K TUNDRA2 CRB	FI'ZI:K TUNDRA2 KM	FI'ZI:K TUNDRA2 OE	FI'ZI:K TUNDRA2 OE	
SEATPOST	CANNONDALE C3, 31.6X400MM	FLASH CARBON, 27.2X420MM W/SAVE	FLASH CARBON, 27.2X420MM W/SAVE	FLASH CARBON, 27.2X420MM W/SAVE	CANNONDALE C2, 27.2X400MM	
SIZES	S, M, L, X	M, L, X	M, L, X	M, L, X	M, L, X	
COLOR 1 (CODE)	JET BLACK (GLOSS) (BLK)	EXPOSED CARBON W/MAGNESIUM WHITE (MATTE) (BBQ)	FINE SILVER W/JET BLACK (GLOSS) (SLV)	MAGNESIUM WHITE W/JET BLACK (GLOSS) (WHT)	MAGNESIUM WHITE W/JET BLACK AND BERSERKER GREEN ACCENTS (GLOSS) (GRN)	

MOUNTAIN SPECIFICATIONS

CODE 2FA291 2FE292 2FS293 2FS292 2FS293 2FS292 2FS293 2FS293 2FS292 2FS293 2FS295 2FS293 2FS295 2FS2	υт,
FORK LEFTY 29'ER PBR, 90MM, OPI, SOLO AIR LEFTY 29'ER PBR, 90MM, OPI, SOLO AIR LEFTY 29'ER PBR, 90MM, OPI, SOLO AIR LOCKSHOX RECON GOLD TK 29, 80MM, SOLO AIR, AIR, LOCKSHOX RECON SILVER TK 29, 80MM, SOLO AIR READ TUBE REAR SHOCK NA	υт,
REAR SHOCK NA NA NA NA NA NA NA NA NA N	
SUNRINGLE INFERNOZS, WELDED, SUNRINGLE INFERNOZS, WELDED, MADDUX DC3.0 29'ER, DOUBLE WALL, W/ MADDUX DC3.0 29'ER, DOUBLE WALL W/EYELET, MADDUX DC3.0 29'ER, DOUBLE W/EYELET, DC3.0 29'ER, DOUBLE W/EYELET, DC3.0 29'ER, DOUBLE W/EYELET, DC3.0 29'ER, DOUBLE W/EYELET, DC3.0 29'ER, DOUBLE W/EYELE	L W/EYELET,
	L W/EYELET,
HUBS LEFTY SL FRONT, SRAM X9 REAR LEFTY FRONT, FORMULA DC22 REAR FORMULA DC20 FRONT, DC22 REAR FORMULA CDH20 FRONT, FORMULA CDH20 FRONT	
SPOKES DT SWISS COMPETITION DT SWISS CHAMPION STAINLESS STEEL, BLACK, 15G STAINLESS STEEL, BLACK, 15G STAINLESS STEEL, BLACK, 15G	
TIRES SCHWALBE RAPID ROB, 2.25" SCHWALBE RAPID ROB, 2.25" SCHWALBE RAPID ROB, 2.25" KENDA SMALL BLOCK 8, 29X2.1" KENDA SMALL BLOCK 8, 29X2.1"	
PEDALS N/A N/A FPD ALLOY PLATFORM FPD PLATFORM, PLASTIC BODY FPD PLATFORM, PLASTIC BODY	
CRANK SRAM S1400, BB30, 39/26 SRAM S1000, BB30, 44/33/22 SHIMANO M552, 42/32/24 SRAM S800 3.1, 44/33/22, 175MM (M, L, X) SHIMANO FC-M430-8, 44/33/22, 175MM	5MM (M, L, X)
BOTTOM BRACKET SRAM BB30 SRAM BB30 INCLUDED SRAM POWERSPLINE SHIMANO ES-25, OCTALINK	
CHAIN KMC X10SL, 10-SPEED KMC X10, 10-SPEED KMC X10, 10-SPEED KMC X10, 10-SPEED SHIMANO HG53, 9-SPEED	
REAR COGS SRAM PG-1030, 11-36, 10-SPEED SRAM PG-1030, 11-36, 10-SPEED SRAM PG-1030, 11-36, 10-SPEED SHIMANO HG-62, 11-36, 10-SPEED SHIMANO HG-53, 12-36, 9-SPEED	
FR. DERAILLEUR SRAM X7 SRAM X7 SHIIMANO DEORE SRAM X5, 34,9 CLAMP SHIMANO ALIVIO, SRAM X5, 34,9 C	AMP
REAR DERAILLEUR SRAM X9 SRAM X9 SHIMANO SLX SRAM X5, 10-SPEED SHIMANO DEORE, SHADOW	
SHIFTERS SRAM X9 SRAM X7 SHIMANO SLX SRAM X5 SHIMANO ALIVIO	
HANDLEBAR CANNONDALE C2 FLAT, 680X3MM, 2014 ALLOY CANNONDALE C3 RISER, 680X20MM, 6061 CANNONDALE C3 RI	, 6061 ALLOY
CANNONDALE ALLOY LOCKING GRIPS	š
STEM CANNONDALE OPI ADJUSTABLE, 15 DEGREE, 31.8 CANNONDALE C1 HEADSHOK, 31.8 CANNONDALE C3, 1.5*, 31.8 CANNONDALE C3, 1.5*, 31.8 CANNONDALE C4, 1.5*, 31.8 CANNONDALE C4, 1.5*, 31.8 CANNONDALE C4, 1.5*, 31.8 CANNONDALE C4, 1.5*, 31.8 CANNONDALE C3, 1.5*, 31.8 CANNONDALE C3, 1.5*, 31.8 CANNONDALE C4, 1.5*, 31.8 CANNONDALE C3, 1.5*, 31.8 CANNONDALE C3, 1.5*, 31.8 CANNONDALE C3, 1.5*, 31.8 CANNONDALE C4, 1.5*, 31.8 CANNONDALE C4, 1.5*, 31.8 CANNONDALE C3, 1.5*, 31.8 CANNONDALE C4, 1.5*	
HEADSET CANNONDALE HEADSHOK SI CANNONDALE HEADSHOK SI TANGE 1.5 CUSTOM TANGE 1.5 CUSTOM TANGE 1.5 CUSTOM	
BRAKES AVID ELIXIR 7, 180/160MM AVID ELIXIR 3, 180/160MM AVID ELIXIR 3, 180/160MM AVID ELIXIR 1, 180/160MM AVID ELIXIR 1, 160/160MM SHIMANO M446, 160/160MM	
BRAKE LEVERS AVID ELIXIR 7 AVID ELIXIR 3 AVID ELIXIR 1 AVID ELIXIR 1 SHIMANO M446	
SADDLE CANNONDALE STAGE 2	
SEATPOST CANNONDALE C2, 27.2X400MM CANNONDALE C2, 27.2X400MM CANNONDALE C3, 27.2X400MM CANNONDALE C3, 31.6X350 (S, M), 400MM (L, X) CANNONDALE C3, 31.6X350 (S, M)	400MM (L, X)
SIZES M, L, X M, L, X M, L, X S, M, L, X S, M, L, X	
COLOR 1 (CODE) JET BLACK (MATTE) (BBQ) MAGNESIUM WHITE (GLOSS) (WHT) JET BLACK (GLOSS) (BLK) JET BLACK (MATTE) (BBQ) VINTAGE MOSS (GLOSS) (GRN)	
COLOR 2 (CODE) MAGNESIUM WHITE (GLOSS) (WHT) RACE RED (GLOSS) (RED)	

	TRAIL SL 29'ER 3R	TRAIL SL 29'ER 4	TRAIL SL 29'ER 5
CODE	2FS293R	2FS294	2FS295
FRAME	TRAIL SL 29'ER, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEAD TUBE	TRAIL SL 29'ER, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEAD TUBE	TRAIL SL 29'ER, OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEAD TUBE
FORK	CANNONDALE FATTY RIGID 29'ER	RST DEUCE 29 TNL, 80MM, COIL/ELASTOMER, HYDRAULIC LOCKOUT, 1.5"	RST DEUCE 29 TNL, 80MM, COIL/ELASTOMER, HYDRAULIC LOCKOUT, 1.5"
RIMS	MADDUX DC3.0 29'ER, DOUBLE WALL W/EYELET, 32 HOLE	ALEX DC4.5 29'ER, DOUBLE WALL, 32 HOLE	ALEX DC4.5 29'ER, DOUBLE WALL, 32 HOLE
HUBS	CANNONDALE C4 FRONT, FORMULA DC52	CANNONDALE C4 FRONT, C4 REAR	CANNONDALE C4 FRONT, C4 REAR
SPOKES	STAINLESS STEEL, BLACK, 15G	STAINLESS STEEL, BLACK, 15G	STAINLESS STEEL, BLACK, 15G
TIRES	KENDA SMALL BLOCK 8, 29X2.1"	KENDA SMALL BLOCK 8, 29X2.1"	KENDA SMALL BLOCK 8, 29X2.1"
PEDALS	FPD PLATFORM, PLASTIC BODY	FPD PLATFORM, PLASTIC BODY	FPD PLATFORM, PLASTIC BODY
CRANK	TRUVATIV ISOFLOW 1.0G SS, 33T	SHIMANO FC-M361, 42/32/22	SHIMANO FC-M311, 42/32/22, 175MM (M, L, X)
BOTTOM BRACKET	TANGE SEIKI LN-3912	TANGE SEIKI LN-3912	TANGE SEIKI LN-3912
CHAIN	KMC Z-99 SS	SHIMANO HG40, 8-SPEED	SHIMANO HG40, 8-SPEED
REAR COGS	FORMULA, 20T	SUNRACE M66, 12-32, 8-SPEED	SUNRACE M66, 12-32, 8-SPEED
FR. DERAILLEUR	N/A	SHIMANO ALTUS, 34.9 CLAMP	SHIMANO ALTUS, 34.9 CLAMP
REAR DERAILLEUR	N/A	SHIMANO ALIVIO	SHIMANO ACERA
SHIFTERS	N/A	SHIMANO ALTUS	SHIMANO ALTUS
HANDLEBAR	CANNONDALE C3 RISER, 680X20MM, 6061 ALLOY	CANNONDALE C3 RISER, 680X20MM, 6061 ALLOY	CANNONDALE C3 RISER, 680X20MM, 6061 ALLOY
GRIPS	CANNONDALE ALLOY LOCKING GRIPS W/ CLOSED END	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END	CANNONDALE ALLOY LOCKING GRIPS W/CLOSED END
STEM	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE	CANNONDALE C4, 1.5", 31.8, 7 DEGREE
HEADSET	TANGE 1.5 CUSTOM	TANGE 1.5 CUSTOM	TANGE 1.5 CUSTOM
BRAKES	PROMAX MECHANICAL DISC, 160/160MM	CANNONDALE HELIX 6 HYDRAULIC DISC, 160/160MM	PROMAX MECHANICAL DISC, 160/160MM
BRAKE LEVERS	CANNONDALE	CANNONDALE HELIX 6 HYDRAULIC DISC	CANNONDALE
SADDLE	CANNONDALE STAGE 2	CANNONDALE STAGE 2	CANNONDALE STAGE 2
SEATPOST	CANNONDALE C3, 31.6X350 (S, M), 400MM (L, X)	CANNONDALE C3, 31.6X350 (S, M), 400MM (L, X)	CANNONDALE C3, 31.6X350 (S, M), 400MM (L, X)
SIZES	S, M, L, X	S, M, L, X	S, M, L, X
COLOR 1 (CODE)	JET BLACK (GLOSS) (BLK)	JET BLACK (GLOSS) (BLK)	NIAGRA BLUE (GLOSS) (BLU)
COLOR 2 (CODE)		SAFFRON METALLIC (MATTE) (ORG)	MAGNESIUM WHITE (GLOSS) (WHT)

RECREATION / URBAN SPECIFICATIONS

	BAD BOY 1	BAD BOY 5	BAD BOY 9	HOOLIGAN 1	QUICK CARBON 1
CODE	2BS1	2BS5	2BF9	2HL1	20RC1
FRAME	BAD BOY STEALTH, OPTIMIZED 6061 ALLOY, HEADSHOK	BAD BOY URBAN, MECHANICALLY FORMED 6061 ALLOY, 700C	BAD BOY, OPTIMIZED 6061 ALLOY, 1-1/8" HEAD TUBE	NEW HOOLIGAN DELTA V, URBAN COMPACT, 20" WHEEL, 1.5 SI HEAD TUBE	QUICK FULL CARBON, W/SAVE FEATURES
FORK	HEADSHOK SOLO DL50, 50MM W/LOCKOUT, OPI	CANNONDALE SOLO RIGID, OPI 1.5" STEERER	CANNONDALE FATTY RIGID, 1-1/8" STEERER	CANNONDALE SOLO RIGID, OPI, 1.5" STEERER	QUICK FULL CARBON SI, 1 1/8"
RIMS	MADDUX C2 URBAN SL, 32 HOLE	MADDUX SR300	MADDUX C3 URBAN, 32 HOLE	CANNONDALE DC3.0, 20", 32 HOLE	MAVIC KSYRIUM ELITE
HUBS	CANNONDALE LEFTY SL FRONT, SHIMANO M525 DEORE REAR	CANNONDALE LEFTY BY FORMULA FRONT, FORMULA DC22, 6 BOLT DISC REAR	CANNONDALE C4 FRONT AND REAR	CANNONDALE LEFTY SL FRONT, SHIMANO NEXUS 3-SPEED, CENTERLOCK DISC REAR	MAVIC KSYRIUM ELITE
SPOKES	STAINLESS XD BLACK, 15G	STAINLESS XD BLACK, 15G	STAINLESS XD BLACK, 15G	STAINLESS XD BLACK, 15G	MAVIC KSYRIUM ELITE
TIRES	SCHWALBE KOJAK RACE GUARD, 700X28C	SCHWALBE KOJAK RACE GUARD, 700X28C	SCHWALBE KOJAK RACE GUARD, 700X28C	KENDA QUEST, 20 X 1.5"	SCHWALBE MARATHON SUPREME, 700X28C
PEDALS	CANNONDALE URBAN 6POINT3 ALLOY PLATFORM	WELLGO PLATFORM	WELLGO PLATFORM	CANNONDALE URBAN 6POINT3 ALLOY	QUICK ALLOY W/KRATON INSERTS
CRANK	SHIMANO M431, BAD BOY, 48/36/26	SHIMANO M431, 48/36/26 CUSTOM BAD BOY	SHIMANO M171, 48/38/28	FSA VERO, SINGLE RING, DUAL ALLOY CHAINGUARD, 48T	FSA SLK CARBON, BB30 , 50/34
BOTTOM BRACKET	TANGE CARTRIDGE, JIS	TANGE CARTRIDGE, JIS	TANGE CARTRIDGE, JIS	CANNONDALE TP148 ECCENTRIC, TANGE CARTRIDGE, JIS	FSA BB30
CHAIN	KMC Z99 BLACK, 9-SPEED	KMC Z99 BLACK, 9-SPEED	SHIMANO HG40 BLACK, 8-SPEED	KMC Z72	SHIMANO ULTEGRA 6700, 10-SPEED
REAR COGS	SUNRACE CSM969, BAD BOY, 11-32, 9-SPEED	SUNRACE CSM969, BAD BOY, 11-32, 9-SPEED	SUNRACE CSM668, 11-32, BAD BOY, 8-SPEED	SHIMANO 16T	SHIMANO 5700, 11-28, 10-SPEED
FR. DERAILLEUR	SHIMANO DEORE, 34.9 MM CLAMP	SHIMANO ALIVIO, 34.9 CLAMP	SHIMANO ALTUS, 34.9 MM CLAMP	N/A	SHIMANO 6700, BRAZE ON
REAR DERAILLEUR	SHIMANO SLX	SHIMANO DEORE M592	SHIMANO ALIVIO	N/A	SHIMANO 6700
SHIFTERS	SHIMANO DEORE	SHIMANO ALIVIO	SHIMANO M310 RAPIDFIRE PLUS	SHIMANO NEXUS REVO 3-SPEED	SHIMANO TIAGRA, FLAT BAR
HANDLEBAR	CANNONDALE SI URBAN OPI STEM/HANDLEBAR, 620 MM	CANNONDALE SI URBAN OPI STEM/HANDLEBAR, 620 MM	CANNONDALE C4 ALLOY, FLAT, 620MM	CANNONDALE URBAN 6061, 620MM	CANNONDALE C2, POLISHED BLACK, 580MM
GRIPS	CANNONDALE CITYSCAPE URBAN LOCK-ON BLACK CHROME	CANNONDALE CITYSCAPE URBAN LOCK-ON BLACK CHROME	CANNONDALE CITYSCAPE URBAN LOCK-ON BLACK CHROME	CANNONDALE CITYSCAPE URBAN LOCK-ON GRIPS	CANNONDALE ERGO LOCK-ON GRIPS
STEM	CANNONDALE SI URBAN OPI STEM/HANDLEBAR, 7 DEG.	CANNONDALE SI URBAN OPI STEM/HANDLEBAR, 7 DEG.	CANNONDALE C4, 6 DEG, 31.8	CANNONDALE C3 ADJUSTABLE, 1.5", 3-D FORGED	CANNONDALE C2, POLISHED BLACK
HEADSET	CANNONDALE HEADSHOK SI	TANGE CUSTOM SI 1 1/8"	TANGE SI 1-1/8"	TANGE CUSTOM 1.5"	TANGE SI HEADSHOK
BRAKES	MAGURA MT2 HYDRAULIC DISC, 160/160MM	SHIMANO M445 HYDRAULIC DISC	TEKTRO NOVELA MECHANICAL DISC, 160/160MM	SHIMANO M375 MECHANICAL DISC, 160/160MM	TEKTRO CX9 MINI V, CNC
BRAKE LEVERS	MAGURA MT2 HYDRAULIC DISC	SHIMANO M445	CANNONDALE C4	CANNONDALE C3	TEKTRO ML940
SADDLE	CANNONDALE BAD BOY URBAN	CANNNONDALE BAD BOY URBAN	CANNNONDALE BAD BOY URBAN	CANNNONDALE HOOLIGAN URBAN	FI'ZI:K ALIANTE
SEATPOST	CANNONDALE C2, 2 BOLT, ALLOY, 31.6X350MM	CANNONDALE C4 6061 ALLOY, 31.6X350MM	CANNONDALE C4, ALLOY, 31.6X350MM	CANNONDALE C3, 2 BOLT, ALLOY 31.6X520MM	QUICK FULL CARBON
SIZES	S, M, L, X	S, M, L, X	S, M, L, X	ONE SIZE	S, M, L, X, J
COLOR 1 (CODE)	JET BLACK W/REFLECTIVE DECALS (MATTE) (BBQ)	JET BLACK W/REFLECTIVE DECALS (MATTE) (BBQ)	JET BLACK W/REFLECTIVE DECALS (MATTE) (BBQ)	BERSERKER GREEN (GLOSS) (GRN)	RAW MATTE CARBON (CRB)
COLOR 2 (CODE)				STEALTH GREY (GLOSS) (GRY)	
EXTRAS				INTEGRATED SLIDE2GO ACCESSORY MOUNT	

	QUICK CARBON 2	QUICK SL 1	QUICK SL 2	QUICK 3	QUICK 4
CODE	2QRC2	(2QR1)	2QR2	2QR3	2QR4
FRAME	QUICK FULL CARBON, W/SAVE FEATURES	QUICK SL, OPTIMIZED 6061 ALLOY, SAVE	QUICK SL, OPTIMIZED 6061 ALLOY, SAVE	QUICK, BUTTED 6061 ALLOY, SAVE	QUICK, BUTTED 6061 ALLOY, SAVE
FORK	QUICK FULL CARBON SI, 1 1/8"	QUICK, CARBON BLADES, 1-1/8" STEERER	QUICK, CARBON BLADES, 1-1/8" STEERER	QUICK, CARBON BLADES, 1-1/8" STEERER	QUICK, CARBON BLADES, 1-1/8" STEERER
RIMS	ELEMENT C3	ELEMENT C2	ELEMENT C3 - 700C (26" ON XS)	ELEMENT C3	ELEMENT C3 - 700C (26" ON XS)
HUBS	ELEMENT C3	ELEMENT C2	ELEMENT C3	ELEMENT C3	ELEMENT C3
SPOKES	ELEMENT XERO STAINLESS	ELEMENT XERO BLADED STAINLESS	ELEMENT XERO STAINLESS	ELEMENT XERO STAINLESS	ELEMENT XERO STAINLESS
TIRES	KENDA KWICK, 700X28C	CONTINENTAL SPORT CONTACT, 700X32C	CONTINENTAL SPORT CONTACT, 700X32C (26X1.3" ON XS)	CONTINENTAL CITY CONTACT, 700X32C	KENDA KWICK TRAX, 700X32C (26X1.5" ON XS)
PEDALS	QUICK ALLOY W/KRATON INSERTS	QUICK ALLOY W/KRATON INSERTS	QUICK ALLOY W/KRATON INSERTS	QUICK ALLOY W/KRATON INSERTS	QUICK REINFORCED COMPOSITE W/KRATON INSERTS
CRANK	FSA OMEGA, BB30 , 50/34	SHIMANO 105 5700 TRIPLE, 50/39/30	SHIMANO SORA TRIPLE, 50/39/30	SHIMANO M431, 48/36/26	SHIMANO M171, 48/38/28
BOTTOM BRACKET	FSA BB30	SHIMANO 105 5700	SHIMANO SORA	TANGE CARTRIDGE	TANGE CARTRIDGE
CHAIN	KMC X10SL, 10-SPEED	KMC X10, 10-SPEED	KMC Z99, 9-SPEED	KMC Z99, 9-SPEED	KMC, 8-SPEED
REAR COGS	SRAM APEX, 11-32, 10-SPEED	SHIMANO TIAGRA 4600, 12-28, 10 SPEED	SRAM PG950 12-26, 9 SPEED	SRAM PG950, 12-26, 9 SPEED	SUNRACE CSM668, 11-32, 8-SPEED
FR. DERAILLEUR	SRAM APEX, BRAZE ON	SHIMANO R773, 31.8 CLAMP	SHIMANO R443, 31.8 CLAMP	SHIMANO ALIVIO, 31.8 CLAMP	SHIMANO M191, 31.8 CLAMP
REAR DERAILLEUR	SRAM APEX	SHIMANO 105 5700	SHIMANO SORA	SHIMANO DEORE	SHIMANO ALIVIO
SHIFTERS	SRAM X5, FLAT BAR	SHIMANO TIAGRA 4600 FLATBAR	SHIMANO R440, RAPIDFIRE PLUS	SHIMANO ALIVIO RAPIDFIRE PLUS	SHIMANO M310 RAPIDFIRE PLUS
HANDLEBAR	CANNONDALE C3, 580MM	CANNONDALE C3, BUTTED 6061 ALLOY, 25MM RISE, 620MM	CANNONDALE C3, BUTTED 6061 ALLOY, 25MM RISE, 620MM	CANNONDALE C4, 6061 ALLOY, 25MM RISE, 620MM	CANNONDALE C4, 6061 ALLOY, 25MM RISE, 620MM
GRIPS	CANNONDALE ERGO LOCK-ON GRIPS	CANNONDALE LOCK ON ERGO PERFORMANCE GRIPS, W/BAR ENDS	CANNONDALE LOCK ON ERGO PERFORMANCE.	CANNONDALE LOCK ON ERGO PERFORMANCE.	CANNONDALE ERGO PERFORMANCE.
STEM	CANNONDALE C3	CANNONDALE C3, 31.8, 12 DEG.	CANNONDALE C3, 31.8, 12 DEG.	CANNONDALE C4, 31.8, 12 DEG.	CANNONDALE C4, 31.8, 12 DEG.
HEADSET	TANGE SI HEADSHOK	TANGE SI	TANGE SI	TANGE SI	TANGE SI
BRAKES	CANNONDALE, MINI V	CANNONDALE C2 MINI V, CARTRIDGE PADS	CANNONDALE C2 MINI V, CARTRIDGE PADS	CANNONDALE C3 MINI V, CARTRIDGE PADS	CANNONDALE C4 MINI V
BRAKE LEVERS	CANNONDALE CBL 9.1	TEKTRO MT5.0 CARBON	TEKTRO R392A W/KRATON	TEKTRO R392A W/KRATON	CANNONDALE C3 W/KRATON
SADDLE	CANNONDALE, QUICK ERGO PERFORMANCE	CANNONDALE QUICK ERGO PERFORMANCE	CANNONDALE QUICK ERGO PERFORMANCE	CANNONDALE QUICK ERGO PERFORMANCE	CANNONDALE QUICK ERGO PERFORMANCE
SEATPOST	QUICK FULL CARBON	CANNONDALE C2, 2014 ALLOY, 2 BOLT, 27.2 X350MM	CANNONDALE C3, 6061 ALLOY, 2 BOLT, 27.2X350MM	CANNONDALE C4, 6061 ALLOY, 27.2X350MM	CANNONDALE C4, 6061 ALLOY, 27.2X350MM
SIZES	S, M, L, X, J	S, M, L, X, J	XS, S, M, L, X, J	S, M, L, X, J	XS, S, M, L, X, J
COLOR 1 (CODE)	RAW MATTE CARBON (CRB)	BRUSHED ALUMINUM (GLOSS) (RAW)	JET BLACK (GLOSS) (BLK)	INDIGO BLUE (GLOSS) (BLU)	JET BLACK (GLOSS) (BLK)
COLOR 2 (CODE)				MAGNESIUM WHITE (GLOSS) (WHT)	CHARCOAL GREY (GLOSS) (GRY)


94

RECREATION / URBAN SPECIFICATIONS

	QUICK 5	QUICK CX 1	QUICK CX 2	QUICK CX 3	QUICK CX 4
CODE	2QR5	2QRX1	2QRX2	2QRX3	2QRX4
FRAME	QUICK, BUTTED 6061 ALLOY, SAVE	QUICK CX HEADSHOK, OPTIMIZED 6061 ALLOY, SAVE	QUICK CX , OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEAD TUBE	QUICK CX , OPTIMIZED 6061 ALLOY, SAVE, 1.5" HEAD TUBE	QUICK CX RIGID, OPTIMIZED 6061 ALLOY, SAVE, 1-1/8" HEAD TUBE
FORK	QUICK, 6061 ALLOY, 1-1/8" STEERER	HEADSHOK FATTY DL50, 50 MM W/LOCKOUT, OPI	RST NEON PRO CUSTOM 1.5" TREKKING, TNL Lockout, 50mm	RST NEON PRO CUSTOM 1.5" TREKKING ML Lockout 50mm	FATTY RIGID DISC
RIMS	CANNONDALE C4, DOUBLE WALL, 32 HOLE	MADDUX DC3.0, DOUBLE WALL W/EYELET, 32 HOLE	MADDUX DC3.0, DOUBLE WALL W/EYELET, 32 HOLE	MADDUX DC3.0, DOUBLE WALL W/EYELET, 32 HOLE	MADDUX DC3.0, DOUBLE WALL W/EYELET, 32 HOLE
HUBS	CANNONDALE C4	SHIMANO DEORE M595 CENTERLOCK DISC	SHIMANO M435 ALIVIO CENTERLOCK DISC	CANNONDALE C4	CANNONDALE C4
SPOKES	STAINLESS, 15G	STAINLESS STEEL, XD BLACK W/ RED NIPPLES, 15G	STAINLESS STEEL, XD BLACK W/RED NIPPLES, 15G	STAINLESS STEEL, XD BLACK W/RED NIPPLES, 15G	STAINLESS STEEL XD BLACK, 15G
TIRES	KENDA KWICK TRAX, 700X32C	CONTINENTAL DOUBLE FIGHTER II, 700X37C	CONTINENTAL DOUBLE FIGHTER II, 700X37C	CONTINENTAL DOUBLE FIGHTER II, 700X37C	CONTINENTAL DOUBLE FIGHTER II, 700X37C
PEDALS	QUICK REINFORCED COMPOSITE W/KRATON INSERTS	CANNONDALE PLATFORM, REINFORCED RESIN BODY	CANNONDALE PLATFORM, REINFORCED RESIN BODY	CANNONDALE PLATFORM, REINFORCED RESIN BODY	CANNONDALE PLATFORM, REINFORCED RESIN BODY
CRANK	SHIMANO M131, 48/38/28	SHIMANO M521, 48/36/26	SHIMANO M431, 48/36/26	SHIMANO M171, 48/38/28	SHIMANO M-171 48/38/28
BOTTOM BRACKET	TANGE CARTRIDGE	SHIMANO BB-ES25, OCTALINK	TANGE SEIKI CARTRIDGE	TANGE SEIKI CARTRIDGE	TANGE SEIKI CARTRIDGE
CHAIN	KMC 8-SPEED	KMC Z99, 9-SPEED	KMC Z99, 9-SPEED	KMC Z82, 8-SPEED	KMC Z82, 8-SPEED
REAR COGS	SUNRACE CSM668, 11-32, 8-SPEED	SHIMANO HG30, 11-32, 9-SPEED	SHIMANO HG30, 11-32, 9-SPEED	SUNRACE CSG66, 11-32, 8-SPEED	SUNRACE CSG66, 11-32, 8-SPEED
FR. DERAILLEUR	SHIMANO M191, 31.8 CLAMP	SHIMANO ALIVIO	SHIMANO ALIVIO	SHIMANO M191	SHIMANO M191
REAR DERAILLEUR	SHIMANO ALTUS	SHIMANO SLX	SHIMANO DEORE	SHIMANO ALIVIO	SHIMANO ACERA
SHIFTERS	SHIMANO M310 RAPIDFIRE PLUS	SHIMANO DEORE	SHIMANO ALIVIO	SHIMANO ACERA	SHIMANO ALTUS
HANDLEBAR	CANNONDALE C4, 6061 ALLOY, 25MM RISE, 620MM	CANNONDALE C3, 6061 DOUBLE BUTTED, 20MM RISE, 620MM	CANNONDALE C3, 6061 DOUBLE BUTTED, 20MM RISE, 620MM	CANNONDALE C4, 6061, 25MM RISE, 620MM	CANNONDALE C4, 6061, 25MM RISE, 620MM
GRIPS	CANNONDALE ERGO PERFORMANCE.	CANNONDALE URBAN ERGO LOCK-ON	CANNONDALE URBAN ERGO LOCK-ON	CANNONDALE URBAN ERGO LOCK-ON	CANNONDALE URBAN ERGO
STEM	CANNONDALE C4, 31.8, 12 DEG.	CANNONDALE C3 HEADSHOK, 3-D FORGED, 31.8, 12 DEG	CANNONDALE C3, 1.5", 3-D FORGED, 31.8, 12 DEG	CANNONDALE C3, 1.5", 3-D FORGED, 31.8, 12 DEG	CANNONDALE C4, 1-1/8", 31.8, 12 DEG
HEADSET	TANGE SI	TANGE SI HEADSHOK	TANGE CUSTOM 1.5"	TANGE CUSTOM 1.5"	TANGE 1-1/8"
BRAKES	CANNONDALE C4 MINI V	SHIMANO M505 HYDRAULIC DISC, 160/160MM	SHIMANO M446 HYDRAULIC DISC, 160/160MM	TEKTRO NOVELA MECHANICAL DISC, 160/160MM	TEKTRO NOVELA MECHANICAL DISC, 160/160MM
BRAKE LEVERS	CANNONDALE C3 W/KRATON	SHIMANO M505 HYDRAULIC DISC	SHIMANO M446 HYDRAULIC DISC	CANNONDALE C4	CANNONDALE C4
SADDLE	CANNONDALE QUICK ERGO PERFORMANCE	CANNONDALE QUICK CX	CANNONDALE QUICK CX ERGO	CANNONDALE QUICK CX ERGO	CANNONDALE QUICK CX ERGO
SEATPOST	CANNONDALE C4, 6061 ALLOY, 27.2X350MM	CANNONDALE C3, 2 BOLT, 2014 ALLOY, 31.6X350MM	CANNONDALE C3, 2 BOLT, 2014 ALLOY, 31.6X350MM	CANNONDALE C4, ALLOY, 31.6X350MM	CANNONDALE C4, ALLOY, 31.6X350MM
SIZES	S, M, L, X, J	S, M, L, X, J	S, M, L, X, J	S, M, L, X, J	S,M,L,X,J
COLOR 1 (CODE)	FINE SILVER (GLOSS) (SLV)	BRUSHED ALUMINUM (GLOSS) (RAW)	JET BLACK (GLOSS) (BLK)	MAGNESIUM WHITE (GLOSS) (WHT)	JET BLACK (GLOSS) (BLK)
COLOR 2 (CODE)					

	ADVENTURE 2	ADVENTURE 3	ADVENTURE 3 26"	ROAD TANDEM 2
CODE	2AS2	2AS3	2CS3	9RT2
FRAME	ADVENTURE, DOUBLE BUTTED 6061 ALLOY	ADVENTURE, DOUBLE BUTTED 6061 ALLOY	ADVENTURE 26", DOUBLE BUTTED 6061 ALLOY	CAAD TANDEM, OPTIMIZED, 6061 ALLOY, 700C
FORK	ADVENTURE TRAIL SI SUSPENSION, 35MM, 1-1/8" STEERER	RST SOFI T, 50MM, 1-1/8" STEERER	RST SOFI T 26", 50MM, 1-1/8" STEERER	FATTY R TANDEM RIGID, 1-1/8" STEERER
RIMS	CANNONDALE C3, DOUBLE WALL, 32 HOLE	CANNONDALE C3, DOUBLE WALL, 32 HOLE	CANNONDALE C3, DOUBLE WALL, 26", 32 HOLE	SUN ME14A W/EYELET AND MACHINED SIDEWAL 40 Hole
HUBS	CANNONDALE C4	CANNONDALE C4	CANNONDALE C4	WHITE INDUSTRIES MI6 DISC
SPOKES	STAINLESS, 14G	STAINLESS, 14G	STAINLESS, 14G	DT SWISS CHAMPION, 14G
TIRES	KENDA KWICK TRAX, 700X38C	KENDA KWICK TRAX, 700X38C	KENDA K1052, 26 X 2.1"	CONTINENTAL ULTRA GATORSKIN, 700X28C
PEDALS	FPD PLATFORM W/KRATON INSERTS	FPD PLATFORM W/KRATON INSERTS	FPD PLATFORM W/KRATON INSERTS	N/A
CRANK	SHIMANO M311, 48/38/28	SHIMANO M131, 48/38/28	SHIMANO M131, 48/38/28	FSA GOSSAMER TANDEM, 53/39/30
BOTTOM BRACKET	TANGE CARTRIDGE	TANGE CARTRIDGE	TANGE CARTRIDGE	FSA MEGAEXO
CHAIN	KMC 8-SPEED	KMC 8-SPEED	KMC 8-SPEED	SHIMANO 105, 115, KMC 8-SPEED TIMING
REAR COGS	SUNRACE CSM66, 11-32, 8-SPEED	SUNRACE CSM66, 11-32, 8-SPEED	SUNRACE CSM66, 11-32, 8-SPEED	IRD, 11-32, 10-SPEED
FR. DERAILLEUR	SHIMANO M-191	SHIMANO M-191	SHIMANO M-191	SHIMANO ULTEGRA 6700
REAR DERAILLEUR	SHIMANO ALIVIO	SHIMANO ACERA	SHIMANO ACERA	SHIMANO ULTEGRA 6700
SHIFTERS	SHIMANO REVO TWIST TYPE	SHIMANO REVO TWIST TYPE	SHIMANO REVO TWIST TYPE	SHIMANO ULTEGRA 6700, 10-SPEED
HANDLEBAR	CANNONDALE C4, 50MM RISE, ALLOY, 620MM	CANNONDALE C4, 50MM RISE, ALLOY, 620MM	CANNONDALE C4, 50MM RISE, ALLOY, 620MM	FSA GOSSAMER, 31.8 FRONT, STOKER REAR
GRIPS	CANNONDALE ERGO LOCK-ON GRIPS	CANNONDALE ERGO LOCK-ON GRIPS	CANNONDALE ERGO LOCK-ON GRIPS	CANNONDALE 3MM SUEDE W/GEL BACKING BAR TAPE
STEM	TRANZ X COMFORT GRIP, TOOL-FREE ADJUSTMENT	TRANZ X COMFORT GRIP, TOOL-FREE ADJUSTMENT, QUILL TYPE	TRANZ X COMFORT GRIP, TOOL-FREE ADJUSTMENT, QUILL TYPE	CANNONDALE C3 FRONT, 31.8 STOKER REAR
HEADSET	TANGE SEMI INTEGRATED	TANGE SEMI INTEGRATED	TANGE SEMI INTEGRATED	TANGE INTEGRATED
BRAKES	CANNONDALE V BRAKE W/MODULATOR	CANNONDALE V BRAKE W/MODULATOR	CANNONDALE V BRAKE W/MODULATOR	AVID BB7 ROAD DISC
BRAKE LEVERS	CANNONDALE, 4 FINGER W/KRATON COMFORT INSERT	CANNONDALE, 4 FINGER W/KRATON COMFORT INSERT	CANNONDALE, 4 FINGER W/KRATON COMFORT INSERT	SHIMANO ULTEGRA 6700
SADDLE	CANNONDALE ULTRA COMFORT	CANNONDALE ULTRA COMFORT	CANNONDALE ULTRA COMFORT	FI'ZI:K ALIANTE DELTA MG
SEATPOST	CANNONDALE SUSPENSION, 40MM TRAVEL, 27.2X350MM	CANNONDALE SUSPENSION, 40MM TRAVEL, 27.2X350MM	CANNONDALE SUSPENSION, 40MM TRAVEL, 27.2X350MM	THOMSON ELITE 27.2X410, CANNONDALE C2 316X400
SIZES	S, M, L, X, J	S, M, L, X, J	S, M, L, X, J	M/S, L/S, X/S, J/M
COLOR 1 (CODE)	JET BLACK (GLOSS) (BLK2)	INDIGO BLUE (GLOSS) (BLU)	INDIGO BLUE (GLOSS) (BLU)	LIGHTNING WHITE (GLOSS) (WHT)





SUPERSIX EVO & SUPERSIX

SPECIFICATIONS	48	50	52	54	56	58	60	63
HORIZONTAL TOP TUBE LENGTH (CM)	51.5	52.5	53.5	54.5	56	57.5	59	60
MEASURED SIZE (CM)*	46	48	50	52	54	56	58	61
SEAT TUBE ANGLE (DEGREES)	74.5	74.5	74	73.5	73.5	73	72.5	72
HEAD TUBE ANGLE (DEGREES)	71.5	72.0	72.5	73	73	73.5	73.5	73.5
CHAIN STAY LENGTH (CM)	40.5	*	*	*	*	*	40.8	40.8
FORK RAKE (CM)	4.5	*	*	*	*	*	*	*
BOTTOM BRACKET HEIGHT (CM)	26.5	26.5	26.5	26.8	26.8	27	27	27
WHEELBASE (CM)	96.1	96.7	97.3	97.5	99.1	99.6	100.8	101.2
TRAIL (CM)	6.6	6.3	6.0	5.7	5.7	5.4	5.4	5.4
STANDOVER AT TOP TUBE MIDPOINT (CM)	74.2	75.5	76.7	78.8	80.4	82.5	84.3	86.9
BOTTOM BRACKET DROP (CM)	7.2	7.2	7.2	6.9	6.9	6.7	6.7	6.7
FRONT CENTER DISTANCE (CM)	56.3	56.9	57.5	57.6	59.1	59.7	60.6	60.9
HEAD TUBE LENGTH (CM)	11	11.5	12	14	15.5	17.5	19.5**	22
STACK (CM)	51.3	51.9	52.6	54.4	55.8	57.7	59.6***	62.0
REACH (CM)	36.8	37.6	38.4	38.4	39.5	39.9	40.2	39.9

^{*} THE MEASURED SIZE IS FROM THE CENTER OF THE BOTTOM BRACKET TO THE TOP OF THE TOP TUBE, MEASURED ALONG THE SEAT TUBE AXIS.
** SIZE 60 DYO HAS A HEAD TUBE LENGTH OF 19.5 WHILE FOR SUPER SIX THE LENGTH IS 19
*** SIZE 60 EVO HAS A STACK OF 59.6 WHILE FOR SUPER SIX THE STACK IS 59.3

CAAD10

	SPECIFICATIONS	48	50	52	54	56	58	60	63
<u> </u>	HORIZONTAL TOP TUBE LENGTH (CM)	51.5	52.5	53.5	54.5	56.0	57.5	59.0	60.0
3	MEASURED SIZE (CM)*	46	48	50	52	54	56	58	61
;	SEAT TUBE ANGLE (DEGREES)	74.5	74.5	74	73.5	73.5	73	72.5	72
)	HEAD TUBE ANGLE (DEGREES)	72	72.5	73	73	73	73.5	73.5	73.5
	CHAIN STAY LENGTH (CM)	40.5	40.5	40.8	*	*	*	*	*
	FORK RAKE (CM)	5	*	*	*	4.5	*	*	*
3	BOTTOM BRACKET HEIGHT (CM)	26.5	26.5	26.5	26.8	26.8	27.0	27.0	27.0
Ē	WHEELBASE (CM)	96.5	97.2	97.7	97.8	99.3	99.9	100.1	101.3
	TRAIL (CM)	6.2	5.9	5.6	5.6	5.6	5.3	5.3	5.3
	STANDOVER AT TOP TUBE MIDPOINT (CM)	74	75.3	76.5	78.5	80.1	82.2	83.8	86.6
(BOTTOM BRACKET DROP (CM)	7.2	7.2	7.2	6.9	6.9	6.7	6.7	6.7
	FRONT CENTER DISTANCE (CM)	57	57.7	57.9	58.0	59.7	60.1	61.0	61.4
И	HEAD TUBE LENGTH (CM)	11	11.5	12.0	14.0	15.5	17.5	19.0	22.0
(STACK (CM)	51.7	52.3	52.9	54.6	56.0	57.9	59.3	62.2
)	REACH (CM)	36.8	37.8	38.2	38.3	39.4	39.9	40.4	39.9

NEW CAAD8

48	51	54	56	58	61
51	53	54.5	56	57.5	59.5
46	49	52	54	56	59
75	74.5	73.5	73.5	73	72.5
72	72.5	73	73	73.5	73.5
40.8	*	*	*	*	*
5	5	4.5	*	*	*
26.5	26.5	26.8	26.8	27	27
96.6	97.9	97.8	99.3	100	101.4
5.6	5.3	5.5	5.5	5.2	5.2
74.4	76.6	78.9	80.6	82.6	85.4
7.2	7.2	6.9	6.9	6.7	6.7
56.4	57.8	57.6	59.1	59.7	61.1
12.5	14	15.5	17	19	22
52.8	54.4	55.8	57.3	59.2	62
36.4	37.7	37.9	39	39.5	40.1

SYNAPSE HI-MOD & SYNAPSE CARBON


SYNAPSE ALLOY

SPECIFICATIONS	48	51
HORIZONTAL TOP TUBE LENGTH (CM)	51	52.5
MEASURED SIZE (CM)*	42	45
SEAT TUBE ANGLE (DEGREES)	74.5	74
HEAD TUBE ANGLE (DEGREES)	71	72
CHAIN STAY LENGTH (CM)	41	*
FORK RAKE (CM)	5	*
BOTTOM BRACKET HEIGHT (CM)	26.5	26.5
WHEELBASE (CM)	97.0	97.5
TRAIL (CM)	6.3	5.7
STANDOVER AT TOP TUBE MIDPOINT (CM)	72.1	74.4
BOTTOM BRACKET DROP (CM)	7.2	7.2
FRONT CENTER DISTANCE (CM)	57.1	57.6
HEAD TUBE LENGTH (CM)	13	14.5
STACK (CM)	53.0	54.8
REACH (CM)	35.5	36.3

48	51	54	56	58	61	
51	52.5	54	56	58	60	
42	45	48	51	53	56	
74.5	74	74	73.5	73	72.5	
71	72	72	72.5	73	73	
41	*	*	*	*	*	
5	*	*	*	*	*	
26.5	26.5	26.8	26.8	27.0	27.0	
97.0	97.5	98.7	99.9	101.1	102.6	
6.3	5.7	6.2	5.9	5.6	5.6	
72.1	74.4	77.1	79.1	81.1	83.4	
7.2	7.2	6.9	6.9	6.7	6.7	
57.1	57.6	58.7	59.9	61.0	62.5	
13	14.5	16.5	18	20	22	
53.0	54.8	56.6	58.2	60.1	62.0	
35.5	36.3	37.4	38.6	39.6	40.5	

48	51	54	56	58	61
51	52.5	54	56	58	60
44	47	50	53	55	58
74.5	74	74	73.5	73	72.5
70.5	72	72	72.5	73	73
41.5	*	*	*	*	*
5.0	*	*	*	*	*
26.5	26.5	26.8	26.8	27.0	27.0
97.9	98.0	99.8	100.9	102.1	103.6
6.6	5.7	5.7	5.4	5.1	5.1
73.2	75.6	78.1	80.2	82.2	84.5
7.2	7.2	6.9	6.9	6.7	6.7
57.5	57.6	59.3	60.4	61.5	63.0
13	14.5	16.5	18	20	22
52.9	54.8	56.4	58.0	59.9	61.9
35.5	36.4	37.5	38.7	39.7	40.6

★ Indicates same as previous



CI	I/C
ા	_11
-	

	SPECIFICATIONS	51	54	56	58	60
Α	HORIZONTAL TOP TUBE LENGTH (CM)	50.5	53.5	55	56.5	58
В	MEASURED SIZE (CM)*	50	51.5	53.5	55.5	57.5
C	SEAT TUBE ANGLE (DEGREES)	*VARIABLE	VARIABLE	VARIABLE	VARIABLE	VARIABLE
D	HEAD TUBE ANGLE (DEGREES)	71.5	71.5	72	72	72
E	CHAIN STAY LENGTH (CM)	40	40	40	40	40
F	FORK RAKE (CM)	4.5	4.5	4.5	4.5	4.5
G	BOTTOM BRACKET HEIGHT (CM)	26.5	26.5	26.5	26.5	26.5
Н	WHEELBASE (CM)	95.4	98.5	99.7	101.3	102.6
ī	TRAIL (CM)	6.5	6.5	6.2	6.2	6.2
ī	STANDOVER AT TOP TUBE MIDPOINT (CM)	74.9	76.4	78.3	80.2	82.2
K	BOTTOM BRACKET DROP (CM)	7.2	7.2	7.2	7.2	7.2
L	FRONT CENTER DISTANCE (CM)	56.5	59.6	60.7	62.3	63.9
М	HEAD TUBE LENGTH (CM)	9	10.5	12.5	14.5	17
N	STACK (CM)	**49.4	50.9	52.9	54.8	57.2
0	REACH (CM)	**37.1	39.8	40.7	41.7	42.5

* THE SLICE SEAT POST HAS TWO POSITIONS FOR MOUNTING THE SADD-LE A FULL BANGE OF ANGLES FROW 73 TO 78 DEGRETS IS ACHIEVABLE DEPENDING ON THE BORDES PRECEDENCE ANDOOR THE EVENT. ** STACK IS MEASURED VERTICALLY FROM THE CENTER OF THE B8 TO THE TOP OF THE MEAD THE. REACH IS MEASURED HORSOTRALLY FROM THE CENTER OF THE B8 TO THE TOP OF THE HEAD TUBE. IF YOU RIDE A 56 ROAD FRAME, YOU SHOULD CHOOSE A SIZE 56 SLICE FRAME. ALL SIZES HAVE 7000 WHEELS.

SUPERX

44	48	52	54	56	58
51	52	54	55	57	59
44	48	52	54	56	58
75	74	73.5	73.5	73	73
69	69.5	71.5	72	72.5	72.5
43	*	*	*	*	*
4.5	*	*	*	*	*
28.1	*	*	*	*	*
101.7	101.4	101.1	101.7	102.6	104.7
8.5	0.4				
	8.4	7.0	6.7	6.4	6.4
74.9	77.0	7.0	82.2	6.4 83.6	6.4 85.5
74.9 6.7					
	77.0	80.4	82.2	83.6	85.5
6.7	77.0 ★	80.4 ★	82.2 ★	83.6 ★	85.5 ★
6.7 59.6	77.0 ★ 59.3	80.4 ★ 59.0	82.2 ★ 59.6	83.6 ★ 60.5	85.5 ★ 62.6

CAADX

44	48	51	54	56	58	61
51.5	52.5	53.5	54.5	56.0	57.5	59.0
44	47	50	53	55	57	60
75	74.5	74	73.5	73	73	72.5
69.5	70.5	71	72	72.5	72.5	72.5
43.2	43.2	43.2	43.2	43.2	43.2	43.2
5	*	*	*	*	*	*
28.3	*	*	*	*	*	*
101.8	101.3	101.6	102.3	103.3	105.4	105.8
7.7	7.0	6.7	6.0	5.7	5.7	5.7
75.5	77.7	79.8	81.9	83.0	85.0	87.3
6.7	*	*	*	*	*	*
59.5	59.0	59.3	60.0	61.0	63.0	63.5
12	13.0	14.5	15.5	16.0	18.0	20.0
53.8	55.1	56.7	58.0	58.7	60.6	62.5
36.2	36.2	36.4	37.7	39.0	40.4	40.3

Bicycling has risks of serious injury or death that cannot be completely avoided. Risk can be minimized by: Reading and following all warnings and instructions in owner's manuals, owner's manual supplements, always wearing a helmet, practice and step-by-step learning, riding in control and within your capabilities.

Catalog text and descriptions are marketing materials, not instructions or guidelines for use!

Visit http://www.cannondale.com/bikes/tech/safety for warnings, technical documents, and safety guidelines.

Warning: Reflectors are not a substitute for proper lights. It is your responsibility to equip your bicycle with all state and locally mandated lights. Riding at dawn, at dusk, at night or at other times of poor visibility without a bicycle lighting system which meets local and state laws and without reflectors is dangerous and may result in serious injury or death.

If you ride your bike before dawn or after dusk, your bicycle must be equipped with lights so that you can see the road and avoid road hazards, and so that others can see you. Traffic laws treat

bicycles like any other vehicle. That means you must have a white front and a red rear light operating if you are riding after dusk. Your bike dealer can recommend a battery or generator powered lighting system appropriate to your needs.

Cannondale also strongly urges you to use a flashing light or strobe. All of us at Cannondale who ride at night or in conditions of lower visibility use flashers. They can save your life


Please note: Despite our nagging, members of the Liquigas pro road racing team (and other professional sponsored teams) may appear or race without helmets. We don't think it's a good idea, but they are experienced, professional cyclists and they know the risks. They are also adults, so we respect their right to choose. Despite the intransigence of any teams, we strongly advocate the use of helmets on every ride. Wearing a helmet is perhaps your single best defense against a major medical catastrophe while riding, so buckle up!

Warning: Free riding is inherently dangerous. Read Free ride Warning at http://www.cannondale. com/bikes/tech/safety.html

CLAYMORE


SPECIFICATIONS
SEAT TUBE LENGTH (CM/IN)
TOP TUBE HORIZONTAL (CM/IN)
TOP TUBE ACTUAL (CM/IN)
HEAD TUBE ANGLE HI BB
HEAD TUBE ANGLE LOW BB
SEAT TUBE ANGLE EFFECTIVE
STANDOVER HI BB (CM/IN)
STANDOVER LOW BB (CM/IN)
HEAD TUBE LENGTH (CM/IN)
WHEELBASE (CM/IN)
FRONT CENTER (CM/IN)
CHAIN STAY LENGTH (CM/IN)
BOTTOM BRACKET DROP HI BB (CM/IN)
BOTTOM BRACKET DROP LOW BB (CM/IN)
BOTTOM BRACKET HEIGHT HI BB (CM/IN)
BOTTOM BRACKET HEIGHT LOW BB (CM/IN)
FORK RAKE (CM/IN)
TRAIL (CM/IN)

SMALL	MEDIUM	LARGE	X-LARGE
39.5/15.6	43.0/16.9	47.0/18.5	51.0/20.1
54.9/21.6	58.2/22.9	61.1/24.1	64.3/25.3
52.9/20.8	55.6/21.9	58.2/22.9	61.3/24.1
66.5°	67.0°	67.0°	67.0°
65.5°	66°	66°	66°
73.0°	72.6°	72.1°	71.8°
73.7/29.0	75.6/29.8	78.2/30.8	80.7/31.8
72.6/28.6	74.5/29.3	77.1/30.3	79.6/31.3
11.5/4.5	13.0/5.1	14.0/5.5	15.0/5.9
110.9/43.7	113.2/44.6	115.7/45.6	118.5/46.7
67.6/26.6	69.9/27.5	72.4/28.5	75.2/29.6
43.3/17.0	*	*	*
2.0/0.8	*	*	*
0.8/0.3	*	*	*
35.8/14.1	*	*	*
34.6/13.6	*	*	*
3.9/1.5	*	*	*
10.5/4.1	10.2/4.0	10.2/4.0	10.2/4.0



JEKYLL CARBON / JEKYLL ALLOY


PECIFICATIONS	SMALL	MEDIUM	LARGE	X-LARGE
EAT TUBE LENGTH (CM/IN)	43.2/17.0	45.7/18.0	48.3/19.0	50.8/20.0
OP TUBE HORIZONTAL (CM/IN)	55.6/21.9	58.8/23.1	61.4/24.2	64.2/25.3
OP TUBE ACTUAL (CM/IN)	53.4/21.0	56.4/22.2	59.1/23.3	61.8/24.3
EAD TUBE ANGLE	67.7°	67.8°	67.9°	68.0°
EAT TUBE ANGLE EFFECTIVE	73.6°	*	*	73.5°
TANDOVER (CM/IN)	75.2/29.6	75.3/29.6	76.4/30.1	77.7/30.6
EAD TUBE LENGTH (CM/IN)	13.4/5.3	*	*	16.0/6.3
/HEELBASE (CM/IN)	110.0/43.3	113.1/44.5	115.5/45.5	118.4/46.6
RONT CENTER (CM/IN)	67.2/26.5	70.3/27.7	72.7/28.6	75.6/29.8
HAIN STAY LENGTH (CM/IN)	42.8/16.9	*	*	*
OTTOM BRACKET DROP (CM/IN)	1.2/0.5	*	*	*
OTTOM BRACKET HEIGHT (CM/IN)	35.0/13.8	*	*	*
ORK RAKE (CM/IN)	4.0/1.6	*	*	*
RAIL (CM/IN)	9.5/3.8	9.5/3.8	9.4/3.7	9.3/3.7



RZ ONE-TWENTY

SPECIFICATIONS	SMALL	MEDIUM	LARGE	X-LARGE
SEAT TUBE LENGTH (CM/IN)	43.2/17.0	45.7/18.0	48.3/19.0	50.9/20.0
TOP TUBE HORIZONTAL (CM/IN)	56.0/22.0	58.7/23.1	61.3/24.1	64.1/25.2
TOP TUBE ACTUAL (CM/IN)	53.5/21.1	56.2/22.1	59.1/23.3	61.9/24.4
HEAD TUBE ANGLE	69.0°	*	*	*
SEAT TUBE ANGLE EFFECTIVE	73.5°	*	*	*
STANDOVER (CM/IN)	73.1/28.8	76.0/29.9	76.1/30.0	76.0/29.9
HEAD TUBE LENGTH - (CM/IN)	13.4/5.3	*	*	16.0/6.3
WHEELBASE (CM/IN)	107.6/42.4	110.3/43.4	113.0/44.5	116.0/45
FRONT CENTER (CM/IN)	65.2/25.7	67.8/26.7	70.5/27.8	73.5/28.9
CHAIN STAY LENGTH (CM/IN)	42.5/16.7	*	*	*
BOTTOM BRACKET DROP (CM/IN)	0.0/0.0	*	*	*
BOTTOM BRACKET HEIGHT (CM/IN)	33.0/13.0	*	*	*
FORK RAKE (CM/IN)	4.5/1.8	*	*	*
TRAIL (CM/IN)	7.8/3.1	*	*	*





SCALPEL


SPECIFICATIONS	SMALL	MEDIUM	LARGE	X-LARGE
SEAT TUBE LENGTH (CM/IN)	40.5/15.9	43.5/17.1	48.2/19.0	53.2/20.9
TOP TUBE HORIZONTAL (CM/IN)	55.5/21.9	58.5/23.0	61.5/24.2	64.0/25.2
TOP TUBE ACTUAL (CM/IN)	53.4/21.0	56.2/22.1	59.5/23.4	62.7/24.7
HEAD TUBE ANGLE	69.3	69.6	69.8	70.0
SEAT TUBE ANGLE EFFECTIVE	74.0	*	*	*
SEAT TUBE ANGLE ACTUAL	-	-	-	-
STANDOVER (CM/IN)	75.9/29.9	75.7/29.8	75.4/29.7	75.4/29.7
HEAD TUBE LENGTH (CM/IN)	13.4/5.3	*	*	*
WHEELBASE (CM/IN)	107.4/42.3	110.0/43.3	112.8/44.4	115.1/45.3
FRONT CENTER (CM/IN)	65.0/25.6	67.7/26.6	70.4/27.7	72.7/28.6
CHAIN STAY LENGTH (CM/IN)	42.4/16.7	*	*	*
BOTTOM BRACKET DROP (CM/IN)	1.2/0.5	*	*	*
BOTTOM BRACKET HEIGHT (CM/IN)	31.8/12.5	*	*	*
FORK RAKE (CM/IN)	4.5/1.8	*	*	*
TRAIL (CM/IN)	7.7/3.0	7.5/2.9	7.4/2.9	7.2/2.8

SCALPEL 29'ER CARBON

SMALL	MEDIUM	LARGE	X-LARGE
42.0/16.5	44.5/17.5	48.5/19.1	53.5/21.1
56.9/22.4	59.3/23.3	61.7/24.3	64.1/25.2
53.5/21.1	55.5/21.9	57.8/22.8	60.5/23.8
70.5°	71.0°	71.2°	71.4°
73.5°	*	*	*
70.5°	*	*	*
73.6/29.0	74.7/29.4	75.6/29.8	77.2/30.4
12.2/4.8	*	*	*
108.2/42.6	110.0/43.3	112.2/44.2	114.3/45.0
64.0/25.2	65.9/25.9	68.0/26.8	70.2/27.6
44.4/17.5	*	*	*
3.8/1.5	*	*	*
33.2/13.1	*	*	*
4.5/1.8	*	*	*
8.3/3.3	8.0/3.1	7.8/3.1	7.7/3.0

SCALPEL 29'ER ALLOY

SMALL	MEDIUM	LARGE	X-LARGE
41.1/16.2	44.5/17.5	48.5/19.1	53.5/21.1
56.9/22.4	59.3/23.3	61.7/24.3	64.1/25.2
53.7/21.1	55.5/21.9	57.7/22.7	60.4/23.8
70.5°	71.0°	71.2°	71.4°
73.9°	*	*	*
_	-	-	-
73.4/28.9	74.3/29.2	75.3/29.6	75.5/29.7
12.2/4.8	*	*	*
108.2/42.6	110.0/43.3	112.2/44.2	114.3/45.0
64.0/25.2	65.9/25.9	68.0/26.8	70.2/27.6
44.4/17.5	*	*	*
3.8/1.5	*	*	*
33.2/13.1	*	*	*
4.5/1.8	*	*	*
8.3/3.3	8.0/3.1	7.8/3.1	7.7/3.0




FLASH ALLOY

SPECIFICATIONS	SMALL	MEDIUM	LARGE	X-LARGE
SEAT TUBE LENGTH (CM/IN)	38.0/15	43.3/17	47.5/18.7	52.5/20.7
OP TUBE HORIZONTAL (CM/IN)	55.0/21.7	58.5/23	61.4/24.2	62.9/24.8
OP TUBE ACTUAL (CM/IN)	53.8/21.2	56.3/22.2	58.9/23.2	60.8/23.9
HEAD TUBE ANGLE	70.0°	*	*	*
SEAT TUBE ANGLE EFFECTIVE	73.5°	73.5°	73.0°	72.5°
STANDOVER AT TOP TUBE (CM/IN)	74.4/29.3	77.0/30.3	78.9/31.1	81.3/32
EAD TUBE LENGTH - (CM/IN)	13.4/5.3	*	*	*
/HEELBASE (CM/IN)	104.9/41.3	108.4/42.7	110.8/43.6	111.7/44
RONT CENTER (CM/IN)	62.7/24.7	66.2/26.1	68.6/27	69.5/27.4
CHAIN STAY LENGTH (CM/IN)	42.4/16.7	*	*	*
BOTTOM BRACKET DROP (CM/IN)	3.0/1.2	*	*	*
BOTTOM BRACKET HEIGHT (CM/IN)	29.5/11.6	*	*	*
FORK RAKE (CM/IN)	4.5/1.8	*	*	*

FLASH 29'ER CARBON / ALLOY

MEDIUM	LARGE	X-LARGE
43.3/17	47.5/18.7	52.5/20.7
59.3/23.3	62.2/24.5	64.1/25.2
57.8/22.8	59.7/23.5	61.2/24.1
71.0°	71.0°	71.5°
73.5°	73.0°	72.5°
80.9/31.9	82.9/32.6	85.3/33.6
13.4/5.3	13.4/5.3	13.4/5.3
108.8/42.8	111.1/43.7	111.8/44
65.2/25.7	67.5/26.6	68.2/26.9
44.4/17.5	*	*
6.5/2.6	*	*
30.5/12	*	*
4.5/1.8	*	*
8 0/3 1	8 0/3 1	7 6/3



TRAIL SL / TRAIL

	SPECIFICATIONS	SMALL	MEDIUM	LARGE	X-LARGE	JUMB0
A	SEAT TUBE LENGTH (CM/IN)	38.0/15	43.3/17	47.5/18.7	52.5/20.7	57.0/22.4
В	TOP TUBE HORIZONTAL (CM/IN)	55.0/21.7	58.4/23	61.4/24.2	62.9/24.8	63.7/25.1
C	TOP TUBE ACTUAL (CM/IN)	53.9/21.2	56.3/22.2	58.9/23.2	60.4/23.8	61.7/24.3
D	HEAD TUBE ANGLE	70.0°	*	*	*	*
E	SEAT TUBE ANGLE EFFECTIVE	73.5°	73.5°	73.0°	72.5°	72.5°
F	STANDOVER (CM/IN)	74.3/29.3	76.8/30.2	78.8/31	82.6/32.5	84.7/33.3
G	HEAD TUBE LENGTH (CM/IN)	11.4/4.5	*	*	11.4/5.7	11.4/5.7
Н	WHEELBASE (CM/IN)	104.7/41.2	108.2/42.6	110.6/43.4	117.7/44	142.4/44.3
П	FRONT CENTER (CM/IN)	62.6/24.6	62.6/24.6	62.6/24.6	62.6/24.6	62.6/24.6
J	CHAIN STAY LENGTH (CM/IN)	42.4/16.7	*	*	*	*
K	BOTTOM BRACKET DROP (CM/IN)	3.5/1.4	*	*	*	*
L	BOTTOM BRACKET HEIGHT (CM/IN)	29.0/11.4	*	*	*	*
М	FORK RAKE (CM/IN)	4.5/1.8	*	*	*	*
N	TRAIL (CM/IN)	7.0/2.8	*	*	*	*

TRAIL SL 29'ER

SMALL	MEDIUM	LARGE	X-LARGE
39.0/15.4	43.3/17	47.5/18.7	52.5/20.7
56.5/22.2	58.3/23	61.3/24.1	63.0/24.8
55.6/21.9	56.5/22.2	58.8/23.1	60.4/23.8
70.0°	*	*	*
73.5°	73.5°	73.0°	72.5°
77.4/30.5	80.0/31.5	82.0/32.3	84.4/33.2
11.4/4.5	*	*	*
108.3/42.6	110.1/43.3	112.5/44.3	113.5/44.7
63.5/25	65.4/25.7	67.7/26.7	68.8/27.1
45.4/17.9	*	*	*
6.0/2.4	*	*	*
30.5/12	31.0/12.2	*	*
4.5/1.8	*	*	*
8.6/3.4	7.0/2.8	*	*

REGISTERED TRADEMARKS ® OF THE CYCLING SPORTS GROUP, INC.:

Cannondale, the Cannondale "C" logo, Daytripper, Feel It, Fatty, Gemini, Jekyll, Lefty, Optimo, Perp, Prophet, Scalpel, Slice, Synapse, SystemSix, Hooligan.

TRADEMARKS ™ OF THE CYCLING SPORTS GROUP, INC.:

BB30, CAAD (Cannondale Advanced Aluminum Design), Caffeine, Capo, Chase, CO2, HeadShok, Hi-MOD, Hollowgram, Judge, Just for Women, Moto, PowerPyramid, Quick, Q-Lab, Rize, RZ, Rush, S.A.V.E., Si, SuperSix, System Integration, Taurine, The Cut. BallisTec Carbon, SmartFormed Alloy, ECS-TC (Enhanced Center-Stiffness, Torsion Control) System, Zero Pivot, Lexi, Scarlet, Cannondale Factory Racing.

Liquigas-Doimo, FSA, Mavic, Campagnolo, SRM, Speedplay, Schwalbe, Elite, Sci Con CFR: fi'zi:k, RockShox, SRAM, MET, crankbrothers, Avid, Cannondale - Cyclocrossworld.com: Zipp, Prologo, crankbrothers, TRP, Control Tech are sponsorship partners and their trademarks are used with their permission. FOX and FOX RLC are trademarks of FOX Factory Inc. and are used with their permission. Solo Air, RockShox, XLoc and PopTop are trademarks of SRAM and are used with their permission. X-12 is a trademark of Syntace GmbH and is used with their permission. EVO is a trademark of Aprebic Industry Co. Ltd. and used under license.

WWW.CANNONDALE.COM

Please visit cannondale.com to learn more about Cannondale and the 2012 bikes! Specifications subject to change without notice.

Please refer to www.cannondale.com for the most recent specifications.

NO WEIGHTS?

Don't believe the hype. Scales differ, and marketing departments have been known to fib. The best way to compare bike weights is to head to your local bike shop. Grab two comparably spec'd and built bikes, and ask the proprietor for a scale. Hang 'em high, and see who's the lightest.

SPECIAL THANKS GOES TO:

ALE DI LULLO PHOTOGRAPHY ANDREA PATERNO BRIAN HODES/VELO IMAGES BRIAN VERNOR CHRIS MILLIMAN PHOTOGRAPHY CHRIS VANDERYAJT COMPETITIVE IMAGE DANNY MUNSON DEAN "BLOTTO" GRAY DH PRODUCTIONS EGO PROMOTION/MAASEWERD AND KUESTENBRUECK GARDY RAYMOND GREG GERMAIN HAVERKORT DEKKER FOTOGRAFIE JAKE HAMM KIRSTEN BEGG-SWIDER


KYLE ARCOMANO LOREN SYNDER MARCO TONIOLO MATTHEW DELORME MIKE KARCHER/WIX PIX NAVONE STUDIOS REBECCA MARSHALL RED BULL RICHARD STABLER ROBERTO BETTINI PHOTO SINCERE PHOTO AND DESIGN SVEN MARTIN WIL MATTHEWS WTB OUR RIDERS OUR VENDORS OUR DEALERS AND YOU FOR RIDING A CANNONDALE







RECREATION / URBAN GEOMETRY



BADBOY HEADSHOK


	SPECIFICATIONS	SMALL	MEDIUM	LARGE	X-LAR
A	SEAT TUBE OVERALL LENGTH (CM/IN)	39/15.4	46/18.1	51/20.1	56/22.0
В	TOP TUBE HORIZONTAL (CM)	55	57.5	60	62
C	TOP TUBE ACTUAL (CM/IN)	52.1/20.5	54.7/21.5	57.3/22.6	59.7/23
D	HEAD TUBE ANGLE	70	71	*	*
E	SEAT TUBE ANGLE	74.5	73.5	73	72.5
F	STANDOVER HEIGHT (CM)	77	80.4	82.6	84.7
G	HEAD TUBE LENGTH (CM)	11.4	*	*	*
Н	WHEELBASE (CM)	104.4	105.8	108.1	109.8
1	FRONT CENTER (CM)	61.4	62.8	65.1	66.8
<u> </u>	CHAIN STAY LENGTH (CM)	43.5	*	*	*
K	BOTTOM BRACKET DROP (CM)	5.1	*	*	*
L	BOTTOM BRACKET HEIGHT (CM)	29.5	*	*	*
М	FORK RAKE (CM)	4.5	*	*	*
N N	TRAIL (CM)	7.8	7.2	*	*

BAD BOY

SMALL	MEDIUM	LARGE	X-LARGE
39/15.4	46/18.1	51/20.1	56/22.0
55	57.5	60	62
52.1/20.5	54.7/21.5	57.3/22.6	59.7/23.5
70	71	*	*
74.5	73.5	73	72.5
73.9	78.2	81.4	84.5
13	15	17	19
104.4	105.8	108.1	109.8
61.4	62.8	65.1	66.8
43.5	*	*	*
5.1	*	*	*
73.9	78.2	81.4	84.5
4.5	*	*	*
7.8	7.2	*	*

HOOLIGAN

SPECIFICATIONS	ONE SIZ
SEAT TUBE LENGTH (CM/IN)	35/14.6
TOP TUBE HORIZONTAL (CM/IN)	58.0
TOP TUBE ACTUAL (CM/IN)	54.7/21.5
HEAD TUBE ANGLE (DEGREES)	70
SEAT TUBE ANGLE (DEGREES)	73
STANDOVER AT TOP TUBE MIDPOINT (CM/	IN) 60
HEAD TUBE LENGTH (CM/IN)	17.1
WHEELBASE (CM/IN)	106
FRONT CENTER (CM/IN)	66.2
CHAIN STAY LENGTH (CM/IN)	40
BOTTOM BRACKET DROP (CM/IN)	3.6
BOTTOM BRACKET HEIGHT (CM/IN)	30.5
FORK RAKE (CM/IN)	4.5
TRAIL (CM/IN)	2.6




QUICK CARBON

SPECIFICATIONS	SMALL	MEDIUM	LARGE	X-LARGE	JUMBO
WHEEL SIZE	-	-	-	-	-
MEASURED SIZE (CM/IN)*	38.5/15.2	41/16.1	46/18.1	51/20.1	57/22.4
SEAT TUBE ANGLE	75	76	74.5	73	72.5
HEAD TUBE ANGLE	71	71	71.5	72	72.5
HORIZONTAL TOP TUBE LENGTH (CM)	53.5	53.5	56	58.5	62
CHAIN STAY LENGTH (CM)	43	*	*	*	*
FORK RAKE (CM)	5.0	*	*	*	*
BOTTOM BRACKET HEIGHT (CM)	27.4	*	*	*	*
WHEELBASE (CM)	101.4	102.3	103.9	104.8	107.5
TRAIL (CM)	6.6	6.5	6.2	5.9	5.6
STANDOVER HEIGHT (CM)	73.8	75.0	78.7	82.8	87.0
BOTTOM BRACKET DROP (CM)	7.0	*	*	*	*
FRONT CENTER (CM)	59.5	60.4	61.9	62.8	65.4
HEAD TUBE LENGTH (CM)	14	13	16	19	22

QUICK SL AND QUICK

X-SMALL	SMALL	MEDIUM	LARGE	X-LARGE	JUMBO
26"	700C	700C	700C	700C	700C
32.0/12.6	38.5/15.2	41.0/16.1	46.0/18.1	51.0/20.1	57.0/22.4
76	75	75	74.5	73	72.5
70.5	70.5	70.5	71	71.5	72
50.5	535	54.5	56	58.5	62
43.5	*	*	*	*	*
5	*	*	*	*	*
27.4	*	*	*	*	*
100.5	102.4	103.7	104.7	105.7	108.4
6.2	6.9	6.9	6.6	6.2	5.9
68.9	74.5	75.9	79.3	83.1	87.3
5.1	7.0	*	*	*	*
57.5	60.0	61.1	62.2	63.2	65.9
14	14	15	17	20	23



QUICK CX HEADSHOK AND QUICK CX


ECIFICATIONS	SMALL	MEDIUM	LARGE	X-LARGE	JUMB0
EASURED SIZE (CM/IN)*	40.2/15.8	44.2/17.4	48.2/19.5	52.2/20.5	56.2/22.1
AT TUBE ANGLE	74	73.5	73	73	72.5
AD TUBE ANGLE	69	69	70	70.5	71.5
ORIZONTAL TOP TUBE LENGTH (CM)	54	55	56.5	58	60.5
IAIN STAY LENGTH (CM)	45	Н	Н	Н	Н
RK RAKE (CM)	4.5	Н	Н	Н	Н
TTOM BRACKET HEIGHT (CM)	28.0	Н	Н	Н	Н
HEELBASE (CM)	104.9	105.8	106.2	107.5	108.6
AIL (CM)	8.5	8.5	7.8	7.5	6.9
ANDOVER HEIGHT (CM)	76.1	79.2	82.2	85.0	87.4
ANDOVER HEIGHT (CM) HEADSHOK	75.3	77.9	80.0	82.4	85.0
OTTOM BRACKET DROP (CM)	6.7	Н	Н	Н	Н
ONT CENTER (CM)	60.7	61.6	62.1	63.3	64.5
AD TUBE LENGTH (CM) HEADSHOK	11.4	Н	Н	Н	Н
AD TUBE LENGTH (CM)	14	15	16	17	18

ADVENTURE

PECIFICATIONS	SMALL	MEDIUM	LARGE	X-LARGE	JUMB0
EAT TUBE LENGTH OVERALL (CM/IN)	35.6/14.0	40.6/16.0	45.7/18.0	53.3/21.0	61.0/24.
EAT TUBE ANGLE	70	*	*	*	*
EAD TUBE ANGLE	69	*	*	*	*
ORIZONTAL TOP TUBE LENGTH (CM)	56.5	57.2	58	59	60
HAIN STAY LENGTH (CM)	46.5	*	*	*	*
DRK RAKE (CM)	4.5	*	*	*	*
OTTOM BRACKET HEIGHT (CM)	28.0	*	*	*	*
HEELBASE (CM)	105.4	106.2	107.1	108.2	109.4
RAIL (CM)	8.5	*	*	*	*
TANDOVER HEIGHT (CM)	70	73.2	77.2	82.2	86.3
OTTOM BRACKET DROP (CM)	6.8	*	*	*	*
RONT CENTER (CM)	59.8	60.6	61.4	62.3	63.7
EAD TUBE LENGTH (CM)	13.6	13.6	15.6	17.1	17.1

ADVENTURE 26"

MALL	MEDIUM	LARGE	X-LARGE	JUMB0
5.6/14.0	40.6/16.0	45.7/18.0	53.3/21.0	61.0/24.0
0	*	*	*	*
9	*	*	*	*
5	55.7	56.5	58	59.5
5.7	*	*	*	*
.5	*	*	*	*
0.3	*	*	*	*
04.2	105.0	105.9	107.6	109.2
.5	*	*	*	*
0.8	73.9	77.8	82.7	86.7
.5	*	*	*	*
9.8	60.6	61.4	62.3	63.7
3.6	13.6	15.6	17.1	17.1



SPECIFICATIONS

	SPECIFICATIONS			
	FRONT SEAT TUBE ANGLE (DEGREES)			
3	REAR SEAT TUBE ANGLE (DEGREES)			
	HEAD TUBE ANGLE (DEGREES)			
)	HORIZONTAL FRONT TOP TUBE LENGTH (IN/CM)			
	HORIZONTAL REAR TOP TUBE LENGTH (IN/CM)			
	FRONT SEAT TUBE OVERALL LENGTH (IN/CM)			
	REAR SEAT TUBE OVERALL LENGTH (IN/CM)			
Г	REAR SEAT TUBE MEASURED LENGTH (IN/CM)			
	HEAD TUBE LENGTH (IN/CM)			
	CHAIN STAY LENGTH (IN/CM)			
	FORK RAKE (IN/CM)			
	FRONT BOTTOM BRACKET HEIGHT (IN/CM)			
1	REAR BOTTOM BRACKET HEIGHT (IN/CM)			
Г	WHEELBASE (IN/CM)			
)	TRAIL (IN/CM)			
,	FRONT STANDOVER AT TOP TUBE MIDPOINT (IN/CI			
ī	REAR STANDOVER AT TOP TUBE MIDPOINT (IN/CM			
1	FRONT BOTTOM BRACKET DROP (IN/CM)			
	REAR BOTTOM BRACKET DROP (IN/CM)			
	EDUNT CENTED DISTANCE (IN/CM)			

ROAD TANDEM

M/S	L/S	X/S	J/M
73	*	*	*
73	*	*	*
73	*	*	*
21.5/54.5	22.0/56.0	22.6/57.5	23.6/60.0
28.6/72.6	*	*	29.1/73.9
19.0/48.3	20.0/50.8	22.0/55.9	23.0/58.4
17.0/43.2	*	*	19.0/48.3
15.6/39.7	15.6/39.7	17.0/43.2	19.0/48.3
5.9/15.0	6.5/16.5	7.1/18.0	7.9/20.0
17.4/44.2	*	*	*
2.1/5.3	*	*	*
10.8/27.4	*	*	*
10.5/26.7	*	*	*
68.4/173.6	69.0/175.1	69.5/176.6	71.0/180.4
2.0/5.1	*	*	*
28.2/71.7	30.6/77.7	31.6/80.3	32.5/82.6
25.4/64.6	26.3/66.8	27.6/70.2	29.5/74.0
2.9/7.4	*	*	*
3.2/8.1	*	*	*
22.9/58.3	23.5/59.7	24.1/61.2	25.1/63.7